

ETSA UTILITIES TRANSMISSION CHARGES REBATE - EFFECTIVE 1 JULY 2002

ElectraNet SA has not completed its submission to the ACCC regarding estimated rebates to its transmission network charges (TUoS), effective from 1 July 2002. ETSA Utilities is required to pass these rebates through to Retailers. As we are still awaiting ElectraNet SA's transmission rebate submission, we have been unable to incorporate a transmission rebate into the new 2002/03 Distribution Tariffs.

ETSA Utilities has therefore agreed with our Jurisdictional Regulator (the SAIIR) that from 1 July 2002 we will bill Retailers based on the published 2002/03 Distribution Tariffs with no transmission rebate.

Our approved Distribution Tariffs that will be used to invoice retailers from 1 July 2002 are attached. GST has been included in the price list. Our invoices will generally be GST-inclusive invoices.

ETSA Utilities will amend the TUoS rebate effective from the beginning of the month following the ACCC approval of ElectraNet SA's transmission rebate submission. This should assist Retailers to avoid retrospective billing adjustments to their customers.

Any queries should be referred to Manager Customer Service, Graeme Baker on 08 8404 5163.

ETSa UTILITIES DISTRIBUTION TARIFFS

APPLIES TO USAGE FROM 1 JULY 2002 - Includes TUoS Rebates

Customer Category	Units	Min Qty.	TUOS incl GST	DUOS incl GST	Total incl GST	TUOS Rebate nil	Total incl GST	As billed on invoice incl GST	TUOS excl GST	DUOS excl GST	Total excl GST	TUOS Rebate nil	Total excl GST
Subtransmission (Cust Sub	Supply Rate	\$ p.a.		4,066.830	4,066.830		4,066.830	cents/day	1,114.20		3,697.118		3,697.118
	Annual Demand Rate	\$/kVA p.a. 11.5 MVA	16.969	3.971	20.940	0.000	20.940	c/kVA/mth	174.50	15.426	3.610	19.036	19.036
	Additional Demand	\$/kVA p.a.	1.675	3.971	5.646	0.000	5.646	c/kVA/mth	47.05	1.523	3.610	5.133	5.133
	Peak Usage Rate	c/kWh	1.092	0.188	1.280	0.000	1.280	c/kWh	1.28	0.993	0.171	1.164	1.164
	Off-Peak Usage Rate	c/kWh	0.325	0.135	0.460	0.000	0.460	c/kWh	0.46	0.295	0.123	0.418	0.418
Zone Sub-station (Cust Zone	Supply Rate	\$ p.a.		1,738.641	1,738.641		1,738.641	cents/day	476.34		1,580.583		1,580.583
	Annual Demand Rate	\$/kVA p.a. 5.75 MVA	16.669	11.399	28.068	0.000	28.068	c/kVA/mth	233.90	15.154	10.362	25.516	25.516
	Additional Demand	\$/kVA p.a.	0.000	8.280	8.280	0.000	8.280	c/kVA/mth	69.00	0.000	7.527	7.527	7.527
	Peak Usage Rate	c/kWh } 25 GWh	1.103	0.487	1.590	0.000	1.590	c/kWh	1.59	1.003	0.442	1.445	1.445
	Off-Peak Usage Rate	c/kWh }	0.335	0.365	0.700	0.000	0.700	c/kWh	0.70	0.305	0.331	0.636	0.636
High Voltage (Cust HV	Supply Rate	\$ p.a.		1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545		1,267.545
	Annual Demand Rate	\$/kVA p.a. 1.15 MVA	15.648	23.826	39.474	0.000	39.474	c/kVA/mth	328.95	14.225	21.660	35.885	35.885
	Additional Demand	\$/kVA p.a.	0.000	11.634	11.634	0.000	11.634	c/kVA/mth	96.95	0.000	10.576	10.576	10.576
	Peak Usage Rate	c/kWh	1.134	1.066	2.200	0.000	2.200	c/kWh	2.20	1.031	0.969	2.000	2.000
	Off-Peak Usage Rate	c/kWh	0.344	0.796	1.140	0.000	1.140	c/kWh	1.14	0.313	0.723	1.036	1.036
High Voltage Obsolete (Cust HV	Supply Rate	\$ p.a.		1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545		1,267.545
	Annual Demand Rate	\$/kVA p.a. 300 kVA	15.648	23.826	39.474	0.000	39.474	c/kVA/mth	328.95	14.225	21.660	35.885	35.885
	Additional Demand	\$/kVA p.a.	0.000	11.634	11.634	0.000	11.634	c/kVA/mth	96.95	0.000	10.576	10.576	10.576
	Peak Usage Rate	c/kWh	1.134	1.066	2.200	0.000	2.200	c/kWh	2.20	1.031	0.969	2.000	2.000
	Off-Peak Usage Rate	c/kWh	0.344	0.796	1.140	0.000	1.140	c/kWh	1.14	0.313	0.723	1.036	1.036
Large Low Voltage Demand (Cust Large	Supply Rate	\$ p.a.		1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545		1,267.545
	Annual Demand Rate	\$/kVA p.a. 1.15 MVA	15.365	30.427	45.792	0.000	45.792	c/kVA/mth	381.60	13.968	27.661	41.629	41.629
	Additional Demand	\$/kVA p.a.	0.000	13.488	13.488	0.000	13.488	c/kVA/mth	112.40	0.000	12.262	12.262	12.262
	Peak Usage Rate	c/kWh	1.143	1.367	2.510	0.000	2.510	c/kWh	2.51	1.039	1.243	2.282	2.282
	Off-Peak Usage Rate	c/kWh	0.344	0.966	1.310	0.000	1.310	c/kWh	1.31	0.313	0.878	1.191	1.191
Low Voltage Demand (Cust LV D	Supply Rate	\$ p.a.		1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545		1,267.545
	Annual Demand Rate	\$/kVA p.a. 350 kVA	15.365	36.319	51.684	0.000	51.684	c/kVA/mth	430.70	13.968	33.017	46.985	46.985
	Additional Demand	\$/kVA p.a.	0.000	15.222	15.222	0.000	15.222	c/kVA/mth	126.85	0.000	13.838	13.838	13.838
	Peak Usage Rate	c/kWh	1.143	1.627	2.770	0.000	2.770	c/kWh	2.77	1.039	1.479	2.518	2.518
	Off-Peak Usage Rate	c/kWh	0.344	1.146	1.490	0.000	1.490	c/kWh	1.49	0.313	1.042	1.355	1.355
Medium Low Voltage Demand (Cust Medi	Supply Rate	\$ p.a.		697.150	697.150		697.150	cents/day	191.00		633.773		633.773
	Annual Demand Rate	\$/kVA p.a. 120 kVA	14.801	51.589	66.390	0.000	66.390	c/kVA/mth	553.25	13.455	46.900	60.355	60.355
	Additional Demand	\$/kVA p.a.	0.000	19.542	19.542	0.000	19.542	c/kVA/mth	162.85	0.000	17.765	17.765	17.765
	Peak Usage Rate	c/kWh	1.143	2.357	3.500	0.000	3.500	c/kWh	3.50	1.039	2.143	3.182	3.182
	Off-Peak Usage Rate	c/kWh	0.344	1.626	1.970	0.000	1.970	c/kWh	1.97	0.313	1.478	1.791	1.791
Subtransmission (Cust Sub	Supply Rate	\$ p.a.		4,066.830	4,066.830		4,066.830	cents/day	1,114.20		3,697.118		3,697.118
	Annual Demand Rate	\$/kW p.a. 10 MW	17.722	4.124	21.846	0.000	21.846	c/kW/mth	182.05	16.111	3.749	19.860	19.860
	Additional Demand	\$/kW p.a.	2.772	4.122	6.894	0.000	6.894	c/kW/mth	57.45	2.520	3.747	6.267	6.267
	Peak Usage Rate	c/kWh	1.136	0.304	1.440	0.000	1.440	c/kWh	1.44	1.033	0.276	1.309	1.309
	Off-Peak Usage Rate	c/kWh	0.354	0.196	0.550	0.000	0.550	c/kWh	0.55	0.322	0.178	0.500	0.500
Zone Sub-station (Cust Zone	Supply Rate	\$ p.a.		1,738.641	1,738.641		1,738.641	cents/day	476.34		1,580.583		1,580.583
	Annual Demand Rate	\$/kW p.a. 5 MW	17.409	10.257	27.666	0.000	27.666	c/kW/mth	230.55	15.826	9.325	25.151	25.151
	Additional Demand	\$/kW p.a.	0.000	10.254	10.254	0.000	10.254	c/kW/mth	85.45	0.000	9.322	9.322	9.322
	Peak Usage Rate	c/kWh } 25 GWh	1.147	0.673	1.820	0.000	1.820	c/kWh	1.82	1.043	0.612	1.655	1.655
	Off-Peak Usage Rate	c/kWh }	0.365	0.485	0.850	0.000	0.850	c/kWh	0.85	0.332	0.441	0.773	0.773
High Voltage (Cust HV	Supply Rate	\$ p.a.		1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545		1,267.545
	Annual Demand Rate	\$/kW p.a. 1 MW	17.305	22.205	39.510	0.000	39.510	c/kW/mth	329.25	15.732	20.186	35.918	35.918
	Additional Demand	\$/kW p.a.	0.000	15.960	15.960	0.000	15.960	c/kW/mth	133.00	0.000	14.509	14.509	14.509
	Peak Usage Rate	c/kWh	1.178	1.432	2.610	0.000	2.610	c/kWh	2.61	1.071	1.302	2.373	2.373
	Off-Peak Usage Rate	c/kWh	0.375	1.045	1.420	0.000	1.420	c/kWh	1.42	0.341	0.950	1.291	1.291
High Voltage Obsolete (Cust HV	Supply Rate	\$ p.a.		1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545		1,267.545
	Annual Demand Rate	\$/kW p.a. 250 kW	17.305	22.205	39.510	0.000	39.510	c/kW/mth	329.25	15.732	20.186	35.918	35.918
	Additional Demand	\$/kW p.a.	0.000	15.960	15.960	0.000	15.960	c/kW/mth	133.00	0.000	14.509	14.509	14.509
	Peak Usage Rate	c/kWh	1.178	1.432	2.610	0.000	2.610	c/kWh	2.61	1.071	1.302	2.373	2.373
	Off-Peak Usage Rate	c/kWh	0.375	1.045	1.420	0.000	1.420	c/kWh	1.42	0.341	0.950	1.291	1.291
Large Low Voltage Demand (Cust Large	Supply Rate	\$ p.a.		1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545		1,267.545
	Annual Demand Rate	\$/kW p.a. 1 MW	16.992	28.236	45.228	0.000	45.228	c/kW/mth	376.90	15.447	25.669	41.116	41.116
	Additional Demand	\$/kW p.a.	0.000	18.504	18.504	0.000	18.504	c/kW/mth	154.20	0.000	16.822	16.822	16.822
	Peak Usage Rate	c/kWh	1.189	1.811	3.000	0.000	3.000	c/kWh	3.00	1.081	1.646	2.727	2.727
	Off-Peak Usage Rate	c/kWh	0.375	1.265	1.640	0.000	1.640	c/kWh	1.64	0.341	1.150	1.491	1.491
Low Voltage Demand (Cust LV D	Supply Rate	\$ p.a.		1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545		1,267.545
	Annual Demand Rate	\$/kW p.a. 300 kW	16.992	33.630	50.622	0.000	50.622	c/kW/mth	421.85	15.447	30.573	46.020	46.020
	Additional Demand	\$/kW p.a.	0.000	20.880	20.880	0.000	20.880	c/kW/mth	174.00	0.000	18.982	18.982	18.982
	Peak Usage Rate	c/kWh	1.189	2.151	3.340	0.000	3.340	c/kWh	3.34	1.081	1.955	3.036	3.036
	Off-Peak Usage Rate	c/kWh	0.375	1.505	1.880	0.000	1.880	c/kWh	1.88	0.341	1.368	1.709	1.709
Medium Low Voltage Demand (Cust Medi	Supply Rate	\$ p.a.		697.150	697.150		697.150	cents/day	191.00		633.773		633.773
	Annual Demand Rate	\$/kW p.a. 100kW	16.366	47.588	63.954	0.000	63.954	c/kW/mth	532.95	14.878	43.262	58.140	58.140
	Additional Demand	\$/kW p.a.	0.000	26.808	26.808	0.000	26.808	c/kW/mth	223.40	0.000	24.371	24.371	24.371
	Peak Usage Rate	c/kWh	1.189	3.101	4.290	0.000	4.290	c/kWh	4.29	1.081	2.819	3.900	3.900
	Off-Peak Usage Rate	c/kWh	0.375	2.125	2.500	0.000	2.500	c/kWh	2.50	0.341	1.932	2.273	2.273
Low Voltage Business- 2 Rate (Cust LV B	Supply Rate	\$ p.a.		249.441	249.441		249.441	cents/day	68.34		226.765		226.765
	Peak Usage Rate	c/kWh	2.057	5.643	7.700	0.000	7.700	c/kWh	7.70	1.870	5.130	7.000	7.000
	Off-Peak Usage Rate	c/kWh	0.391	2.389	2.780	0.000	2.780	c/kWh	2.78	0.355	2.172	2.527	2.527
Low Voltage Business- Single Rate (Cust LV B	Supply Rate	\$ p.a.		69.350	69.350		69.350	cents/day	19.00		63.045		63.045
	Anytime Usage Rate	c/kWh	1.624	5.626	7.250	0.000	7.250	c/kWh	7.25	1.476	5.115	6.591	6.591
Low Voltage Residential- Single Rate (Cust LV R	Supply Rate	\$ p.a.		68.182	68.182		68.182	cents/day	18.68		61.984		61.984
	Anytime Usage Rate	c/kWh	1.646	6.154	7.800	0.000	7.800	c/kWh	7.80	1.496	5.595	7.091	7.091
Low Voltage Off-peak Controlled Load (Cust LV C	Supply Rate	\$ p.a.		25.039	25.039		25.039	cents/day	6.86		22.763		22.763
	Anytime Usage Rate	c/kWh	0.326	1.404	1.730	0.000	1.730	c/kWh	1.73	0.296	1.277	1.573	1.573
Low Voltage Unmetered Usage (Overnight Usage) (Cust LV 1	Anytime Usage Rate	c/kWh	0.729	3.081	3.810	0.000	3.810	c/kWh	3.81	0.663	2.801	3.464	3.464
Low Voltage Unmetered Usage (24 Hour Usage) (Cust LV 2	Anytime Usage Rate	c/kWh	0.911	3.359	4.270	0.000	4.270	c/kWh	4.27	0.828	3.054	3.882	3.882
Other Unmetered Usage (Cust Othe	Supply Rate	\$ p.a.		45.698	45.698		45.698	cents/day	12.52		41.544		41.544
	Peak Usage Rate	c/kWh	1.983	6.217	8.200	0.000	8.200	c/kWh	8.20	1.803	5.652	7.455	7.455
	Off-Peak Usage Rate	c/kWh	0.396	2.434	2.830	0.000	2.830	c/kWh	2.83	0.360	2.213	2.573	2.573

Notes accompanying 2002/ 2003 Tariffs

Notes:

1. The distribution tariffs:
 - (a) are inclusive of the GST imposed as at 1 July 2000; and
 - (b) include the application of AD_i as defined in paragraph E2 of Schedule 7 of the Electricity Pricing Order 1999.
2. ETSA Utilities must assign each Distribution Network User to a distribution tariff in respect of each of its connection points in accordance with the following principles.
 - (a) A Distribution Network User that has an agreed maximum demand of 250kW or more in respect of a connection point, must be assigned to a distribution tariff that includes a demand component in respect of that connection point.
 - (b) A Sub-Transmission (kVA) Network User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide Metropolitan area. A minimum annual demand of 11.50MVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.90 pf).
 - (c) A Zone Substation (kVA) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5.75 MVA and a minimum annual usage of 25GWh apply. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.90 pf).
 - (d) A High Voltage Demand (kVA) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1.15MVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf).
 - (e) A High Voltage (kVA) (Obsolete) customer is a Distribution Network User taking supply generally at 11kV. This tariff is available only to Distribution Network Users that were taking supply under the High Voltage Demand (kW) (Obsolete) tariff as at 11 October 1999. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 300kVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf).
 - (f) A Large Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 1.15MVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf).
 - (g) A Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 350kVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf).
 - (h) A Medium Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and using demand, peak and off-peak metering. A minimum annual demand of 120kVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf).
 - (i) A Low Voltage Business 2 rate customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using peak and off-peak metering.
 - (j) A Low Voltage Business single rate customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using single rate metering.
 - (k) A Low Voltage Residential single rate customer is a Distribution Network User that is a residential customer taking supply at less than 1kV and using single rate metering.
 - (l) A Low Voltage Off-peak Controlled Load is used by a Distribution Network User involving a time switch and separate metering where the timing has been set in accordance with ETSA Utilities' requirements regarding the timing of loads.
 - (m) Unmetered Overnight Usage supply is defined as overnight use by a Distribution Network User for public lighting.
 - (n) Unmetered 24 Hour Usage supply is defined as constant 24 hour per day use by a Distribution Network User, typically public phones, traffic lights and telecommunications installations.

- (o) Other Unmetered Supply is defined as unmetered use by Distribution Network Users other than public lighting or continuous use.
- (p) A Sub-Transmission Network (kW) User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide metropolitan area. A minimum annual demand of 10MW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001
- (q) A Zone Substation (kW) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5MW and a minimum annual usage of 25GWh apply. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001.
- (r) A High Voltage Demand (kW) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1MW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001.
- (s) The High Voltage Demand (kW) (Obsolete) tariff is available only to Distribution Network Users that were taking supply under this tariff as at 11 October 1999. Conditions applicable at that date apply.
- (t) A Large Low Voltage Demand (kW) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 1MW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001.
- (u) A Low Voltage Demand (kW) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 300kW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001.
- (v) A Medium Low Voltage Demand (kW) customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using demand, peak and off-peak metering. A minimum annual demand of 100kW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001.

3. The supply and demand charges are levied and billed to Distribution Network Users periodically on a pro-rata basis.

4. Demand charges are determined on the basis of:

- (a) maximum demand (Annual Demand); and
 - (b) additional maximum demand (Additional Demand),
- determined in accordance with paragraph B2 of Schedule 5 of the Electricity Pricing Order.

5. Peak energy is energy consumed on business days between the hours of 0700 and 2100 (Central Standard Time). For Distribution Network Users with metering that does not recognise specific days, peak energy is energy consumed on each day between the hours of 0700 and 2100 (Central Standard Time).

6. Off-peak energy is energy consumed other than peak energy.