

ETSA UTILITIES NETWORK TARIFFS						
APPLIES TO USAGE FROM 1 JULY 2005						
Customer Category	Units	Min Qty.	TUOS excl GST	DUOS excl GST	Total excl GST	Total incl GST
Low Voltage Residential - Single Rate Type 5 or 6 Meter Read Quarterly						
QSR						
Supply Rate	\$/day			0.226688	0.226688	0.249356
Block 1 Usage Rate	\$/kWh	=<333.3 kWh/mth [†]	0.015562	0.048961	0.064523	0.070975
Block 2 Usage Rate	\$/kWh	Balance Usage	0.015562	0.060098	0.075660	0.083226
Low Voltage Residential - Single Rate Type 5 or 6 Meter Read Monthly						
MRSR						
Supply Rate	\$/day			0.226688	0.226688	0.249356
Block 1 Usage Rate	\$/kWh	=<333.3 kWh/mth [†]	0.015562	0.048961	0.064523	0.070975
Block 2 Usage Rate	\$/kWh	Balance Usage	0.015562	0.060098	0.075660	0.083226
Low Voltage Residential - Single Rate Type 1-4 Meter						
MRSRI						
Supply Rate	\$/day			0.226688	0.226688	0.249356
Block 1 Usage Rate	\$/kWh	=<333.3 kWh/mth [†]	0.015562	0.048961	0.064523	0.070975
Block 2 Usage Rate	\$/kWh	Balance Usage	0.015562	0.060098	0.075660	0.083226
Low Voltage Residential - Single Rate Type 5 or 6 Meter Read Quarterly with Controlled Load						
QSRPCL						
Supply Rate	\$/day			0.226688	0.226688	0.249356
Block 1 Usage Rate	\$/kWh	=<333.3 kWh/mth [†]	0.015562	0.048961	0.064523	0.070975
Block 2 Usage Rate	\$/kWh	Balance Usage	0.015562	0.060098	0.075660	0.083226
Controlled Load Block 1 Usage Rate	\$/kWh	=<666.7 kWh/mth [#]	0.005361	0.015234	0.020595	0.022654
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.005361	0.023213	0.028574	0.031431
Low Voltage Residential - Single Rate Type 5 or 6 Meter Read Monthly with Controlled Load						
MRSROPCL						
Supply Rate	\$/day			0.226688	0.226688	0.249356
Block 1 Usage Rate	\$/kWh	=<333.3 kWh/mth [†]	0.015562	0.048961	0.064523	0.070975
Block 2 Usage Rate	\$/kWh	Balance Usage	0.015562	0.060098	0.075660	0.083226
Controlled Load Block 1 Usage Rate	\$/kWh	=<666.7 kWh/mth [#]	0.005361	0.015234	0.020595	0.022654
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.005361	0.023213	0.028574	0.031431
Low Voltage Residential - Single Rate Type 1-4 Meter with Controlled Load						
Supply Rate	\$/day			0.226688	0.226688	0.249356
Block 1 Usage Rate	\$/kWh	=<333.3 kWh/mth [†]	0.015562	0.048961	0.064523	0.070975
Block 2 Usage Rate	\$/kWh	Balance Usage	0.015562	0.060098	0.075660	0.083226
Controlled Load Block 1 Usage Rate	\$/kWh	=<666.7 kWh/mth [#]	0.005361	0.015234	0.020595	0.022654
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.005361	0.023213	0.028574	0.031431
Low Voltage Controlled Load - Type 5-6 Read Quarterly						
QOPCL						
Controlled Load Block 1 Usage Rate	\$/kWh	=<666.7 kWh/mth [#]	0.005361	0.015234	0.020595	0.022654
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.005361	0.023213	0.028574	0.031431
Low Voltage Controlled Load - Type 5-6 Read Monthly						
MOPCL						
Controlled Load Block 1 Usage Rate	\$/kWh	=<666.7 kWh/mth [#]	0.005361	0.015234	0.020595	0.022654
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.005361	0.023213	0.028574	0.031431
Low Voltage Controlled Load - Type 1-4 Meter						
Controlled Load Block 1 Usage Rate	\$/kWh	=<666.7 kWh/mth [#]	0.005361	0.015234	0.020595	0.022654
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.005361	0.023213	0.028574	0.031431

ETSA UTILITIES NETWORK TARIFFS						
APPLIES TO USAGE FROM 1 JULY 2005						
Customer Category	Units	Min Qty.	TUOS excl GST	DUOS excl GST	Total excl GST	Total incl GST
Low Voltage Business - Single Rate Type 5 or 6 Meter Read Quarterly						
QBSR						
Supply Rate	\$/day			0.226688	0.226688	0.249356
Anytime Usage Rate	\$/kWh		0.016777	0.057931	0.074708	0.082178
Low Voltage Business - Single Rate Type 5 or 6 Meter Read Monthly						
MBSR						
Supply Rate	\$/day			0.226688	0.226688	0.249356
Anytime Usage Rate	\$/kWh		0.016777	0.057467	0.074244	0.081668
Low Voltage Business - Single Rate Type 1 to 4 Meter						
BSR124						
Supply Rate	\$/day			0.226688	0.226688	0.249356
Anytime Usage Rate	\$/kWh		0.016777	0.057467	0.074244	0.081668
Low Voltage Business - Single Rate Type 5 or 6 Meter Read Quarterly with Controlled Load						
QBSROPCL						
Supply Rate	\$/day			0.226688	0.226688	0.249356
Anytime Usage Rate	\$/kWh		0.016777	0.057931	0.074708	0.082178
Controlled Load Block 1 Usage Rate	\$/kWh	=<666.7 kWh/mth [#]	0.005361	0.015234	0.020595	0.022654
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.005361	0.023213	0.028574	0.031431
Low Voltage Business - Single Rate Type 5 or 6 Meter Read Monthly with Controlled Load						
MBSROPCL						
Supply Rate	\$/day			0.226688	0.226688	0.249356
Anytime Usage Rate	\$/kWh		0.017143	0.057467	0.074610	0.082071
Controlled Load Block 1 Usage Rate	\$/kWh	=<666.7 kWh/mth [#]	0.005478	0.015234	0.020712	0.022783
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.005478	0.023213	0.028691	0.031560
Low Voltage Business - Single Rate Type 1 to 4 Meter with Controlled Load						
BSR124OPCL						
Supply Rate	\$/day			0.226688	0.226688	0.249356
Anytime Usage Rate	\$/kWh		0.016777	0.057467	0.074244	0.081668
Controlled Load Block 1 Usage Rate	\$/kWh	=<666.7 kWh/mth [#]	0.005361	0.015234	0.020595	0.022654
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.005361	0.023213	0.028574	0.031431
Low Voltage Business - 2 Rate Type 5 or 6 Meter Read Quarterly						
QB2R						
Supply Rate	\$/day			0.258221	0.258221	0.284043
Peak Block 1 Usage Rate	\$/kWh	=<1,666.6667 kWh/mth [^]	0.021199	0.079295	0.100494	0.110543
Peak Block 2 Usage Rate	\$/kWh	Balance Usage	0.021199	0.059296	0.080495	0.088544
Off-Peak Usage Rate	\$/kWh		0.005418	0.023213	0.028631	0.031494
Low Voltage Business - 2 Rate Type 5 or 6 Meter Read Monthly						
MB2R						
Supply Rate	\$/day			0.258221	0.258221	0.284043
Peak Block 1 Usage Rate	\$/kWh	=<1,666.7 kWh/mth [^]	0.021199	0.078660	0.099859	0.109844
Peak Block 2 Usage Rate	\$/kWh	Balance Usage	0.021199	0.058822	0.080021	0.088023
Off-Peak Usage Rate	\$/kWh		0.005418	0.023027	0.028445	0.031289
Low Voltage Business - 2 Rate Type 1 to 4 Meter						
B2R124						
Supply Rate	\$/day			0.258221	0.258221	0.284043
Peak Block 1 Usage Rate	\$/kWh	=<1,666.7 kWh/mth [^]	0.021199	0.078660	0.099859	0.109844
Peak Block 2 Usage Rate	\$/kWh	Balance Usage	0.021199	0.058822	0.080021	0.088023
Off-Peak Usage Rate	\$/kWh		0.005418	0.023027	0.028445	0.031289
Low Voltage Unmetered Usage (Overnight Usage)						
LVUU						
Anytime Usage Rate	\$/kWh		0.008653	0.032588	0.041241	0.045365
Low Voltage Unmetered Usage (24 Hour Usage)						
LVUU24						
Anytime Usage Rate	\$/kWh		0.009015	0.036480	0.045495	0.050044
Other Unmetered Usage						
OUU						
Supply Rate	\$/day			0.130563	0.130563	0.143619
Peak Usage Rate	\$/kWh		0.021662	0.080187	0.101849	0.112033
Off-Peak Usage Rate	\$/kWh		0.005536	0.023474	0.029010	0.031911

ETSA UTILITIES NETWORK TARIFFS						
APPLIES TO USAGE FROM 1 JULY 2005						
Customer Category	Units	Min Qty.	TUOS excl GST	DUOS excl GST	Total excl GST	Total incl GST
Medium Low Voltage Demand (KVA)						
VMLV						
Supply Rate	\$/day			13.989052	13.989052	15.387957
Annual Demand Rate	\$/kVA/mth	100 KVA	1.910958	3.233829	5.144787	5.659265
Additional Demand	\$/kVA/mth			1.106326	1.106326	1.216958
Peak Usage Rate	\$/kWh		0.005912	0.017361	0.023273	0.025600
Off-Peak Usage Rate	\$/kWh		0.005318	0.013275	0.018593	0.020452
Low Voltage Demand (KVA)						
VLV						
Supply Rate	\$/day			24.480814	24.480814	26.928895
Annual Demand Rate	\$/kVA/mth	250 KVA	1.910958	1.957307	3.868265	4.255091
Additional Demand	\$/kVA/mth			1.106326	1.106326	1.216958
Peak Usage Rate	\$/kWh		0.005912	0.017361	0.023273	0.025600
Off-Peak Usage Rate	\$/kWh		0.005318	0.013275	0.018593	0.020452
Large Low Voltage Demand (KVA)						
VLLV						
Supply Rate	\$/day			44.065384	44.065384	48.471922
Annual Demand Rate	\$/kVA/mth	1,000 KVA	1.910958	1.361569	3.272527	3.599779
Additional Demand	\$/kVA/mth			1.106326	1.106326	1.216958
Peak Usage Rate	\$/kWh		0.005912	0.017361	0.023273	0.025600
Off-Peak Usage Rate	\$/kWh		0.005318	0.013275	0.018593	0.020452
High Voltage (KVA)						
VHV						
Supply Rate	\$/day			32.486297	32.486297	35.734926
Annual Demand Rate	\$/kVA/mth	1,000 KVA	1.875001	1.317505	3.192506	3.511756
Additional Demand	\$/kVA/mth			0.898331	0.898331	0.988164
Peak Usage Rate	\$/kWh		0.005802	0.013839	0.019641	0.021605
Off-Peak Usage Rate	\$/kWh		0.005218	0.009882	0.015100	0.016610
Zone Sub-station (KVA) (Load <10MW and Consumption <40GWh pa)						
VZS						
Supply Rate	\$/day			41.704414	41.704414	45.874855
Annual Demand Rate	\$/kVA/mth	5,000 KVA	1.837263	0.761106	2.598369	2.858205
Additional Demand	\$/kVA/mth			0.591937	0.591937	0.651130
Peak Usage Rate	\$/kWh	25 GWh pa	0.005685	0.007104	0.012789	0.014067
Off-Peak Usage Rate	\$/kWh		0.005113	0.005074	0.010187	0.011205
Zone Sub-station (KVA) Locational						
TUoS Supply Charge	\$/day		See Individual Locational TUoS Charges Below			
Supply Rate	\$/day			41.704414	41.704414	45.874855
Annual Demand Rate	\$/kVA/mth	5,000 KVA		0.761106	0.761106	0.837216
Additional Demand	\$/kVA/mth			0.591937	0.591937	0.651130
Peak Usage Rate	\$/kWh	25 GWh pa		0.007104	0.007104	0.007814
Off-Peak Usage Rate	\$/kWh			0.005074	0.005074	0.005581
Subtransmission (KVA) Locational						
TUoS Supply Charge	\$/day		See Individual Locational TUoS Charges Below			
Supply Rate	\$/day			0.000000		
Annual Demand Rate	\$/kVA/mth	10,000 KVA		0.378396	0.378396	0.416235
Additional Demand	\$/kVA/mth			0.297150	0.297150	0.326865
Peak Usage Rate	\$/kWh			0.002975	0.002975	0.003272
Off-Peak Usage Rate	\$/kWh			0.001915	0.001915	0.002106

ETSA UTILITIES NETWORK TARIFFS						
APPLIES TO USAGE FROM 1 JULY 2005						
Customer Category	Units	Min Qty.	TUOS excl GST	DUOS excl GST	Total excl GST	Total incl GST
OBSOLETE TARIFFS						
Medium Low Voltage Demand (KW)						
WMLV						
Supply Rate	\$/day			2.204332	2.204332	2.424765
Annual Demand Rate	\$/kW/mth	100 KW	2.330450	4.570438	6.900888	7.590976
Additional Demand	\$/kW/mth			2.512062	2.512062	2.763268
Peak Usage Rate	\$/kWh		0.005912	0.035985	0.041897	0.046086
Off-Peak Usage Rate	\$/kWh		0.005318	0.024270	0.029588	0.032546
Low Voltage Demand (KW)						
WLV						
Supply Rate	\$/day			4.353405	4.353405	4.788745
Annual Demand Rate	\$/kW/mth	300 KW	2.330450	3.265773	5.596223	6.155845
Additional Demand	\$/kW/mth			1.955869	1.955869	2.151455
Peak Usage Rate	\$/kWh		0.005912	0.025217	0.031129	0.034241
Off-Peak Usage Rate	\$/kWh		0.005318	0.017331	0.022649	0.024913
Large Low Voltage Demand (KW)						
WLLV						
Supply Rate	\$/day			4.353405	4.353405	4.788745
Annual Demand Rate	\$/kW/mth	1,000 KW	2.330450	2.758779	5.089229	5.598151
Additional Demand	\$/kW/mth			1.733802	1.733802	1.907182
Peak Usage Rate	\$/kWh		0.005912	0.021476	0.027388	0.030126
Off-Peak Usage Rate	\$/kWh		0.005318	0.014677	0.019995	0.021994
High Voltage (KW)						
WHV						
Supply Rate	\$/day			4.212482	4.212482	4.633730
Annual Demand Rate	\$/kW/mth	1,000 KW	2.205898	2.125551	4.331449	4.764593
Additional Demand	\$/kW/mth			1.446205	1.446205	1.590825
Peak Usage Rate	\$/kWh		0.005802	0.016654	0.022456	0.024701
Off-Peak Usage Rate	\$/kWh		0.005218	0.011734	0.016952	0.018647
Zone Sub-station (KW) (Load <10MW and Consumption <40GWh pa)						
WZS						
Supply Rate	\$/day			17.529172	17.529172	19.282089
Annual Demand Rate	\$/kW/mth	5,000 KW	2.161438	0.997244	3.158682	3.474550
Additional Demand	\$/kW/mth			0.895661	0.895661	0.985227
Peak Usage Rate	\$/kWh	25 GWh pa	0.005685	0.007801	0.013486	0.014834
Off-Peak Usage Rate	\$/kWh		0.005113	0.005240	0.010353	0.011388
Zone Sub-station (KW) Locational						
	TUoS Supply Charge	\$/day	See Individual Locational TUoS Charges Below			
	Supply Rate	\$/day		17.529172	17.529172	19.282089
	Annual Demand Rate	\$/kW/mth	5,000 KW	0.997244	0.997244	1.096968
	Additional Demand	\$/kW/mth		0.895661	0.895661	0.985227
	Peak Usage Rate	\$/kWh	25 GWh pa	0.007801	0.007801	0.008581
	Off-Peak Usage Rate	\$/kWh		0.005240	0.005240	0.005764
Subtransmission (KW) Locational						
	TUoS Supply Charge	\$/day	See Individual Locational TUoS Charges Below			
	Supply Rate	\$/day		23.675952	23.675952	26.043547
	Annual Demand Rate	\$/kW/mth	10,000 KW	0.443825	0.443825	0.488207
	Additional Demand	\$/kW/mth		0.351896	0.351896	0.387085
	Peak Usage Rate	\$/kWh		0.003758	0.003758	0.004133
	Off-Peak Usage Rate	\$/kWh		0.002230	0.002230	0.002453
High Voltage Obsolete (KVA)						
VHVO						
Supply Rate	\$/day			4.212482	4.212482	4.633730
Annual Demand Rate	\$/kVA/mth	300 KVA	1.875001	2.262263	4.137264	4.550990
Additional Demand	\$/kVA/mth			1.054764	1.054764	1.160240
Peak Usage Rate	\$/kWh		0.005802	0.012562	0.018364	0.020200
Off-Peak Usage Rate	\$/kWh		0.005218	0.009054	0.014272	0.015699
High Voltage Obsolete (KW)						
WHVO						
Supply Rate	\$/day			4.212482	4.212482	4.633730
Annual Demand Rate	\$/kW/mth	250 KW	2.208989	2.125551	4.334540	4.767994
Additional Demand	\$/kW/mth			1.446205	1.446205	1.590825
Peak Usage Rate	\$/kWh		0.005802	0.016654	0.022456	0.024701
Off-Peak Usage Rate	\$/kWh		0.005218	0.011734	0.016952	0.018647

ETSA UTILITIES NETWORK TARIFFS

APPLIES TO USAGE FROM 1 JULY 2005

Customer Category	Units	Min Qty.	TUOS excl GST	DUOS excl GST	Total excl GST	Total incl GST
OBSOLETE TARIFFS						
Low Voltage Business - 2 Rate Type 5 or 6 Meter Read Quarterly with Controlled Load						
QB2ROPCL						
Supply Rate	\$/day			0.258221	0.258221	0.284043
Peak Block 1 Usage Rate	\$/kWh	=<1,666.7 kWh/mth [^]	0.021199	0.079295	0.100494	0.110543
Peak Block 2 Usage Rate	\$/kWh	Balance Usage	0.021199	0.059296	0.080495	0.088544
Off-Peak Usage Rate	\$/kWh		0.005418	0.023213	0.028631	0.031494
Controlled Load Block 1 Usage Rate	\$/kWh	=<666.7 kWh/mth [#]	0.005361	0.015234	0.020595	0.022654
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.005361	0.023213	0.028574	0.031431
Low Voltage Business - 2 Rate Type 5 or 6 Meter Read Monthly with Controlled Load						
MB2ROPCL						
Supply Rate	\$/day			0.258221	0.258221	0.284043
Peak Block 1 Usage Rate	\$/kWh	=<1,666.7 kWh/mth [^]	0.021199	0.078660	0.099859	0.109844
Peak Block 2 Usage Rate	\$/kWh	Balance Usage	0.021199	0.058822	0.080021	0.088023
Off-Peak Usage Rate	\$/kWh		0.005418	0.023027	0.028445	0.031289
Controlled Load Block 1 Usage Rate	\$/kWh	=<666.7 kWh/mth [#]	0.005361	0.015234	0.020595	0.022654
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.005361	0.023213	0.028574	0.031431
Low Voltage Business - 2 Rate Type 1 to 4 Meter with Controlled Load						
B2R124OPCL						
Supply Rate	\$/day			0.258221	0.258221	0.284043
Peak Block 1 Usage Rate	\$/kWh	=<1,666.7 kWh/mth [^]	0.021199	0.078660	0.099859	0.109844
Peak Block 2 Usage Rate	\$/kWh	Balance Usage	0.021199	0.058822	0.080021	0.088023
Off-Peak Usage Rate	\$/kWh		0.005418	0.023027	0.028445	0.031289
Controlled Load Block 1 Usage Rate	\$/kWh	=<666.7 kWh/mth [#]	0.005361	0.015234	0.020595	0.022654
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.005361	0.023213	0.028574	0.031431
Low Voltage Demand (KVA) with Controlled Load						
VLVOPCL						
Supply Rate	\$/day			24.480814	24.480814	26.928895
Annual Demand Rate	\$/kVA/mth	250 KVA	1.910958	1.957307	3.868265	4.255091
Additional Demand	\$/kVA/mth			1.106326	1.106326	1.216958
Peak Usage Rate	\$/kWh		0.005912	0.017361	0.023273	0.025600
Off-Peak Usage Rate	\$/kWh		0.005318	0.013275	0.018593	0.020452
Controlled Load Block 1 Usage Rate	\$/kWh	=<666.7 kWh/mth [#]	0.005361	0.015234	0.020595	0.022654
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.005361	0.023213	0.028574	0.031431
Medium Low Voltage Demand (KW) with Controlled Load						
WMLVOPCL						
Supply Rate	\$/day			2.204332	2.204332	2.424765
Annual Demand Rate	\$/kW/mth	100 KW	2.330450	4.570438	6.900888	7.590976
Additional Demand	\$/kW/mth			2.512062	2.512062	2.763268
Peak Usage Rate	\$/kWh		0.005912	0.035985	0.041897	0.046086
Off-Peak Usage Rate	\$/kWh		0.005318	0.024270	0.029588	0.032546
Controlled Load Block 1 Usage Rate	\$/kWh	=<666.7 kWh/mth [#]	0.005361	0.015234	0.020595	0.022654
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.005361	0.023213	0.028574	0.031431
Low Voltage Demand (KW) with Controlled Load						
WLVOPCL						
Supply Rate	\$/day			4.353405	4.353405	4.788745
Annual Demand Rate	\$/kW/mth	300 KW	2.330450	3.265773	5.596223	6.155845
Additional Demand	\$/kW/mth			1.955869	1.955869	2.151455
Peak Usage Rate	\$/kWh		0.005912	0.025217	0.031129	0.034241
Off-Peak Usage Rate	\$/kWh		0.005318	0.017331	0.022649	0.024913
Controlled Load Block 1 Usage Rate	\$/kWh	=<666.7 kWh/mth [#]	0.005361	0.015234	0.020595	0.022654
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.005361	0.023213	0.028574	0.031431

DRAFT

ETSA Utilities

INDIVIDUAL LOCATIONAL TUOS CHARGES			
APPLIES TO USAGE FROM 1 JULY 2005			
NMI	Tariff	TUoS excl GST (\$/day)	TUoS incl GST (\$/day)
2001000378	Subtranmsission (KVA) Locational	1,345.224657	1,479.747122
2001000608	Zone Substation (KVA) Locational	935.841095	1,029.425204
2002112609	Subtranmsission (KVA) Locational	7,012.230136	7,713.453149
2002133131	Zone Substation (KVA) Locational	526.191780	578.810958
SAAAAAA018	Subtranmsission (KVA) Locational	4,074.400000	4,481.840000
SAAAAAA019	Zone Substation (KVA) Locational	881.002739	969.103012
SAAAAAA021	Zone Substation (KVA) Locational	2,695.257534	2,964.783287
SAAAAAA022	Zone Substation (KVA) Locational	2,288.800000	2,517.680000
SAAAAAA024	Zone Substation (KW) Locational	1,863.761643	2,050.137807
SAAAAAA026	Zone Substation (KVA) Locational	1,110.673972	1,221.741369
SAAAAAA029	Zone Substation (KW) Locational	1,503.109589	1,653.420547
SAAAAAA031	Zone Substation (KW) Locational	1,399.775342	1,539.752876
SAAAAAA035	Zone Substation (KW) Locational	1,145.131506	1,259.644656
SAAAAAA084	Subtranmsission (KW) Locational	2,505.147945	2,755.662739
SAAAAAA438	Zone Substation (KVA) Locational	938.690410	1,032.559451
SAAAAAB557	Subtranmsission (KW) Locational	1,540.684931	1,694.753424