

Schedule of Distribution Use of System (DUOS) Tariffs: 1 January 2009 (GST Exclusive)

Description	Tariff Code	Network Tariff Component							Eligibility (consumption/ category)		Minimum Chargeable Rolling Demand
		Standing Charge (c/day)	Summer Peak Energy (c/kWh)	Non Summer Peak Energy Block 1 (c/kWh)	Non Summer Peak Energy Block 2 (c/kWh)	Off Peak Energy (c/kWh)	Rolling Peak Demand c/kVA/day	Summer Demand Incentive Charge c/kW/day or c/kVA/day	kVA	MWh pa	kVA
Low voltage small 1 rate	LVS1R	4.892	5.983	3.851					Residential Customer		
Low voltage small 2 rate*	LVS2R*	10.329	7.414	5.623		1.286					
Dedicated circuit	LVDed					1.214					
Unmetered supplies	UnMet		7.369	5.392		1.330					
Winter Energy Tariff**	WET2Step**	6.513	4.857	3.599	1.348				<20	<70	
Reverse cycle airconditioning time of use	RCACKWTOU		4.220	1.061		1.042		53.032	<20	<70	
Low voltage medium 1 rate	LVM1R	9.538	8.384	5.230					Business Customer		
Low voltage medium 2 rate 5 day*	LVM2R5D*	13.694	6.650	5.441		1.355					
Low voltage medium 2 rate 7 day*	LVM2R7D*	14.707	6.386	5.400		1.272					
Low voltage KW time of use*	LVkWTOU*		5.938	3.475		1.382		28.432	<150	<400	
Low voltage KW time of use - HOT	LVkWTOUH		5.316	4.088		1.202		46.791	<150	<400	
Low voltage large 1 rate*	LVL1R*	9.198	4.211	3.323							
Low voltage large 2 rate*	LVL2R*	13.267	6.593	5.241		1.254					
Low voltage large KVA time of use	LVkVATOU		0.930	0.788		0.781	8.971	13.382	>150	>400	150
Low voltage large KVA time of use - HOT	LVkVATOUH		0.828	0.685		0.679	9.524	22.466	>150	>400	150
High voltage KVA time of use	HVkVATOU		0.560	0.495		0.486	5.708	7.840	>150	>400	1,150
High voltage KVA time of use - HOT	HVkVATOUH		0.590	0.489		0.483	6.715	16.261	>150	>400	1,150
Subtransmission KVA time of use*	SubTkVATOU		0.326	0.253		0.220	0.569	0.835	>150	>400	11,100

*Tariff closed to premises not already taking supply under this tariff and new connections

**Winter Energy Tariff - Step 1 <=1020kwh/Quarter, Step 2 >1020kwh/Quarter

Non-summer peak energy rates apply for period 1st April to 31st October

Schedule of Transmission Use of System (TUOS) Tariffs: 1 January 2009 (GST Exclusive)

Description	Tariff Code	Network Tariff Component							Eligibility (consumption/ category)		Minimum Chargeable Rolling Demand
		Standing Charge (c/day)	Summer Peak Energy (c/kWh)	Non Summer Peak Energy Block 1 (c/kWh)	Non Summer Peak Energy Block 2 (c/kWh)	Off Peak Energy (c/kWh)	Rolling Peak Demand c/kVA/day	Summer Demand Incentive Charge c/kW/day or c/kVA/day	kVA	MWh pa	kVA
Low voltage small 1 rate	LVS1R		1.352	1.130					Residential Customer		
Low voltage small 2 rate*	LVS2R*		2.271	1.819							
Dedicated circuit [#]	LVDed [#]										
Unmetered supplies	UnMet		2.128	1.702							
Winter Energy Tariff**	WET2Step**		1.514	1.211	1.211				<20	<70	
Reverse cycle airconditioning time of use	RCACKWTOU		10.255	2.283				6.502	<20	<70	
Low voltage medium 1 rate	LVM1R		1.604	1.281					Business Customer		
Low voltage medium 2 rate 5 day*	LVM2R5D*		1.196	0.957							
Low voltage medium 2 rate 7 day*	LVM2R7D*		1.590	1.273							
Low voltage KW time of use*	LVkWTOU*		1.108	0.887				5.170	<150	<400	
Low voltage KW time of use - HOT	LVkWTOUH		0.697	0.557				6.249	<150	<400	
Low voltage large 1 rate*	LVL1R*		1.585	1.267							
Low voltage large 2 rate*	LVL2R*		1.218	0.976							
Low voltage large KVA time of use	LVkVATOU		0.694	0.557			2.836	3.875	>150	>400	150
Low voltage large KVA time of use - HOT	LVkVATOUH		0.438	0.352			1.789	4.704	>150	>400	150
High voltage KVA time of use	HVkVATOU		0.488	0.391			3.247	3.409	>150	>400	1,150
High voltage KVA time of use - HOT	HVkVATOUH		0.280	0.224			1.861	3.758	>150	>400	1,150
Subtransmission KVA time of use*	SubTkVATOU		0.329	0.265			2.333	2.832	>150	>400	11,100

*Tariff closed to premises not already taking supply under this tariff and new connections

**Winter Energy Tariff - Step 1 <=1020kwh/Quarter, Step 2 >1020kwh/Quarter

[#]Dedicated Tariff - not applicable to TUOS

Non-summer peak energy rates apply for period 1st April to 31st October

Schedule of Network Use of System (NUOS) Tariffs: 1 January 2009 (GST Exclusive)

Description	Tariff Code	Network Tariff Component							Eligibility (consumption/ category)		Minimum Chargeable Rolling Demand
		Standing Charge (c/day)	Summer Peak Energy (c/kWh)	Non Summer Peak Energy Block 1 (c/kWh)	Non Summer Peak Energy Block 2 (c/kWh)	Off Peak Energy (c/kWh)	Rolling Peak Demand c/kVA/day	Summer Demand Incentive Charge c/kW/day or c/kVA/day	kVA	MWh pa	kVA
Low voltage small 1 rate	LVS1R	4.892	7.335	4.981					Residential Customer		
Low voltage small 2 rate*	LVS2R*	10.329	9.685	7.442		1.286					
Dedicated circuit	LVDed					1.214					
Unmetered supplies	UnMet		9.497	7.094		1.330					
Winter Energy Tariff**	WET2Step**	6.513	6.371	4.810	2.559				<20	<70	
Reverse cycle airconditioning time of use	RCACKWTOU		14.475	3.344		1.042		59.534	<20	<70	
Low voltage medium 1 rate	LVM1R	9.538	9.988	6.511					Business Customer		
Low voltage medium 2 rate 5 day*	LVM2R5D*	13.694	7.846	6.398		1.355					
Low voltage medium 2 rate 7 day*	LVM2R7D*	14.707	7.976	6.673		1.272					
Low voltage KW time of use*	LVkWTOU*		7.046	4.362		1.382		33.602	<150	<400	
Low voltage KW time of use - HOT	LVkWTOUH		6.013	4.645		1.202		53.040	<150	<400	
Low voltage large 1 rate*	LVL1R*	9.198	5.796	4.590							
Low voltage large 2 rate*	LVL2R*	13.267	7.811	6.217		1.254					
Low voltage large KVA time of use	LVkVATOU		1.624	1.345		0.781	11.807	17.257	>150	>400	150
Low voltage large KVA time of use - HOT	LVkVATOUH		1.266	1.037		0.679	11.313	27.170	>150	>400	150
High voltage KVA time of use	HVkVATOU		1.048	0.886		0.486	8.955	11.249	>150	>400	1,150
High voltage KVA time of use - HOT	HVkVATOUH		0.870	0.713		0.483	8.576	20.019	>150	>400	1,150
Subtransmission KVA time of use*	SubTkVATOU		0.655	0.518		0.220	2.902	3.667	>150	>400	11,100

*Tariff closed to premises not already taking supply under this tariff and new connections

**Winter Energy Tariff - Step 1 <=1020kwh/Quarter, Step 2 >1020kwh/Quarter

Non-summer peak energy rates apply for period 1st April to 31st October

2009 Prescribed Metering Service Charges (GST Exclusive)

Metering Data Services	\$/meter/annum
Monthly read meter	\$65.610
Quarterly read meter	\$19.925
Metering Data Services (Unmetered Supplies)	\$/light/annum
Per light	\$1.099
Meter Provision Charges	\$/meter/annum
Single phase non off peak meter (single element)	\$2.391
Single phase off peak meter (two element)	\$6.296
Three phase direct connected meter	\$16.883
Three phase current transformer connected meter	\$26.556

Schedule of Distribution Use of System (DUOS) Tariffs: 1 January 2009 (GST Inclusive)

Description	Tariff Code	Network Tariff Component							Eligibility (consumption/ category)		Minimum Chargeable Rolling Demand
		Standing Charge (c/day)	Summer Peak Energy (c/kWh)	Non Summer Peak Energy Block 1 (c/kWh)	Non Summer Peak Energy Block 2 (c/kWh)	Off Peak Energy (c/kWh)	Rolling Peak Demand c/kVA/day	Summer Demand Incentive Charge c/kVA/day or c/kVA/day	kVA	MWh pa	kVA
Low voltage small 1 rate	LVS1R	5.381	6.581	4.236					Residential Customer		
Low voltage small 2 rate*	LVS2R*	11.362	8.155	6.185		1.415					
Dedicated circuit	LVDed					1.335					
Unmetered supplies	UnMet		8.106	5.931		1.463					
Winter Energy Tariff**	WET2Step**	7.164	5.343	3.959	1.483				<20	<70	
Reverse cycle airconditioning time of use	RCACKWTOU		4.642	1.167		1.146		58.335	<20	<70	
Low voltage medium 1 rate	LVM1R	10.492	9.222	5.753					Business Customer		
Low voltage medium 2 rate 5 day*	LVM2R5D*	15.063	7.315	5.985		1.491					
Low voltage medium 2 rate 7 day*	LVM2R7D*	16.178	7.025	5.940		1.399					
Low voltage KW time of use*	LVkWTOU*		6.532	3.823		1.520		31.275	<150	<400	
Low voltage KW time of use HOT	LVkWTOUH		5.848	4.497		1.322		51.470	<150	<400	
Low voltage large 1 rate*	LVL1R*	10.118	4.632	3.655							
Low voltage large 2 rate*	LVL2R*	14.594	7.252	5.765		1.379					
Low voltage large KVA time of use	LVkVATOU		1.023	0.867		0.859	9.868	14.720	>150	>400	150
Low voltage large KVA time of use - HOT	LVkVATOUH		0.911	0.754		0.747	10.476	24.713	>150	>400	150
High voltage KVA time of use	HVkVATOU		0.616	0.545		0.535	6.279	8.624	>150	>400	1,150
High voltage KVA time of use - HOT	HVkVATOUH		0.649	0.538		0.531	7.387	17.887	>150	>400	1,150
Subtransmission KVA time of use*	SubTkVATOU		0.359	0.278		0.242	0.626	0.919	>150	>400	11,100

*Tariff closed to premises not already taking supply under this tariff and new connections

**Winter Energy Tariff - Step 1 <=1020kwh/Quarter, Step 2 >1020kwh/Quarter

Non-summer peak energy rates apply for period 1st April to 31st October

Schedule of Transmission Use of System (TUOS) Tariffs: 1 January 2009 (GST Inclusive)

Description	Tariff Code	Network Tariff Component							Eligibility (consumption/ category)		Minimum Chargeable Rolling Demand
		Standing Charge (c/day)	Summer Peak Energy (c/kWh)	Non Summer Peak Energy Block 1 (c/kWh)	Non Summer Peak Energy Block 2 (c/kWh)	Off Peak Energy (c/kWh)	Rolling Peak Demand c/kVA/day	Summer Demand Incentive Charge c/kW/day or c/kVA/day	kVA	MWh pa	kVA
Low voltage small 1 rate	LVS1R		1.487	1.243					Residential Customer		
Low voltage small 2 rate*	LVS2R*		2.498	2.001							
Dedicated circuit [#]	LVDed [#]										
Unmetered supplies	UnMet		2.341	1.872							
Winter Energy Tariff**	WET2Step**		1.665	1.332	1.332				<20	<70	
Reverse cycle airconditioning time of use	RCACKWTOU		11.281	2.511				7.152	<20	<70	
Low voltage medium 1 rate	LVM1R		1.764	1.409					Business Customer		
Low voltage medium 2 rate 5 day*	LVM2R5D*		1.316	1.053							
Low voltage medium 2 rate 7 day*	LVM2R7D*		1.749	1.400							
Low voltage KW time of use*	LVkWTOU*		1.219	0.976				5.687	<150	<400	
Low voltage KW time of use HOT	LVkWTOUH		0.767	0.613				6.874	<150	<400	
Low voltage large 1 rate*	LVL1R*		1.744	1.394							
Low voltage large 2 rate*	LVL2R*		1.340	1.074							
Low voltage large KVA time of use	LVkVATOU		0.763	0.613			3.120	4.263	>150	>400	150
Low voltage large KVA time of use - HOT	LVkVATOUH		0.482	0.387			1.968	5.174	>150	>400	150
High voltage KVA time of use	HVkVATOU		0.537	0.430			3.572	3.750	>150	>400	1,150
High voltage KVA time of use - HOT	HVkVATOUH		0.308	0.246			2.047	4.134	>150	>400	1,150
Subtransmission KVA time of use*	SubTkVATOU		0.362	0.292			2.566	3.115	>150	>400	11,100

*Tariff closed to premises not already taking supply under this tariff and new connections

**Winter Energy Tariff - Step 1 <=1020kwh/Quarter, Step 2 >1020kwh/Quarter

[#]Dedicated Tariff - not applicable to TUOS

Non-summer peak energy rates apply for period 1st April to 31st October

Schedule of Network Use of System (NUOS) Tariffs: 1 January 2009 (GST Inclusive)

Description	Tariff Code	Network Tariff Component							Eligibility (consumption/ category)		Minimum Chargeable Rolling Demand
		Standing Charge (c/day)	Summer Peak Energy (c/kWh)	Non Summer Peak Energy Block 1 (c/kWh)	Non Summer Peak Energy Block 2 (c/kWh)	Off Peak Energy (c/kWh)	Rolling Peak Demand c/kVA/day	Summer Demand Incentive Charge c/kVA/day or c/kVA/day	kVA	MWh pa	kVA
Low voltage small 1 rate	LVS1R	5.381	8.068	5.479					Residential Customer		
Low voltage small 2 rate*	LVS2R*	11.362	10.653	8.186		1.415					
Dedicated circuit	LVDed					1.335					
Unmetered supplies	UnMet		10.447	7.803		1.463					
Winter Energy Tariff**	WET2Step**	7.164	7.008	5.291	2.815				<20	<70	
Reverse cycle airconditioning time of use	RCACKWTOU		15.923	3.678		1.146		65.487	<20	<70	
Low voltage medium 1 rate	LVM1R	10.492	10.986	7.162					Business Customer		
Low voltage medium 2 rate 5 day*	LVM2R5D*	15.063	8.631	7.038		1.491					
Low voltage medium 2 rate 7 day*	LVM2R7D*	16.178	8.774	7.340		1.399					
Low voltage KW time of use*	LVkWTOU*		7.751	4.799		1.520		36.962	<150	<400	
Low voltage KW time of use HOT	LVkWTOUH		6.615	5.110		1.322		58.344	<150	<400	
Low voltage large 1 rate*	LVL1R*	10.118	6.376	5.049							
Low voltage large 2 rate*	LVL2R*	14.594	8.592	6.839		1.379					
Low voltage large KVA time of use	LVkVATOU		1.786	1.480		0.859	12.988	18.983	>150	>400	150
Low voltage large KVA time of use - HOT	LVkVATOUH		1.393	1.141		0.747	12.444	29.887	>150	>400	150
High voltage KVA time of use	HVkVATOU		1.153	0.975		0.535	9.851	12.374	>150	>400	1,150
High voltage KVA time of use - HOT	HVkVATOUH		0.957	0.784		0.531	9.434	22.021	>150	>400	1,150
Subtransmission KVA time of use*	SubTkVATOU		0.721	0.570		0.242	3.192	4.034	>150	>400	11,100

*Tariff closed to premises not already taking supply under this tariff and new connections

**Winter Energy Tariff - Step 1 <=1020kwh/Quarter, Step 2 >1020kwh/Quarter

Non-summer peak energy rates apply for period 1st April to 31st October

2009 Prescribed Metering Service Charges (GST Inclusive)

Metering Data Services	\$/meter/annum
Monthly read meter	\$72.171
Quarterly read meter	\$21.918
Metering Data Services (Unmetered Supplies)	\$/light/annum
Per light	\$1.209
Meter Provision Charges	\$/meter/annum
Single phase non off peak meter (single element)	\$2.630
Single phase off peak meter (two element)	\$6.926
Three phase direct connected meter	\$18.571
Three phase current transformer connected meter	\$29.212