

PassportSahayak AI — Correct API Request Examples

Ready-to-run requests for every endpoint, via the API Gateway at <http://localhost:9080/api>

Placeholders you must replace: <TOKEN> = JWT from your last login response · <ADMIN_TOKEN> = JWT from an ADMIN / PSK_OFFICIAL or RPO_OFFICIAL login · <ARN> = returned by "Create application" · <APPOINTMENT_ID> = returned by "Book appointment" · <CENTER_ID> = from "List centers" (seeded centers are ids 1-7) · <ID> = the numeric id of a grievance/appeal/fraud report/etc.

Run the steps in each section top-to-bottom the first time — later calls need values the earlier ones return.

Step 0 — Get tokens (do this first)

POST

/auth/register

Register an applicant

Repeat with role RPO_OFFICIAL and role ADMIN (different email/phone each time) to get <OFFICIAL_TOKEN> and <ADMIN_TOKEN>

```
curl -X POST http://localhost:9080/api/auth/register \
-H "Content-Type: application/json" \
-d '{"fullName":"Test Applicant","email":"applicant1@example.com","phone":"9876543210","password":"Passw0rd!23","role":"APPLICANT"}'
```

POST

/auth/login

Log in, copy the "token" field from the response

```
curl -X POST http://localhost:9080/api/auth/login \
-H "Content-Type: application/json" \
-d '{"email":"applicant1@example.com","password":"Passw0rd!23"}'
```

GET

/auth/me

Verify the token works

```
curl http://localhost:9080/api/auth/me -H "Authorization: Bearer <TOKEN>"
```

1. application-service — Passport Applications

POST

/applications/eligibility/check

Public, no token needed

```
curl -X POST http://localhost:9080/api/applications/eligibility/check \
-H "Content-Type: application/json" \
-d '{"dateOfBirth":"1995-05-20","existingPassportStatus":"NONE","addressChangedSinceLastPassport":false,"pagesExhausted":false}'
```

existingPassportStatus: NONE | VALID | EXPIRED | LOST | DAMAGED

GET

/applications/document-checklist

Public

```
curl "http://localhost:9080/api/applications/document-checklist?applicationType=FRESH&minor=false"
```

applicationType: FRESH | REISSUE_RENEWAL | REISSUE_LOST_DAMAGED | REISSUE_NAME_CHANGE

GET

/applications/fee-estimate

Public

```
curl "http://localhost:9080/api/applications/fee-estimate?applicationType=FRESH&serviceScheme=NORMAL&bookletType=STANDARD_36&minor=false"
```

serviceScheme: NORMAL | TATKAL | bookletType: STANDARD_36 | JUMBO_60

POST

/applications

Applicant token — copy the "arn" from the response

```
curl -X POST http://localhost:9080/api/applications \
-H "Content-Type: application/json" -H "Authorization: Bearer <TOKEN>" \
-d '{"applicationType":"FRESH","serviceScheme":"NORMAL","bookletType":"STANDARD_36","dateOfBirth":"1995-05-20"}'
```

If serviceScheme is TATKAL, also include: "tatkalReason":"MEDICAL_EMERGENCY" (or DEATH_OF_RELATIVE_ABROAD | EMPLOYMENT_VISA | EDUCATION_VISA | COURT_LEGAL_SUMMONS | PASSPORT_EXPIRY_WITH_TRAVEL | SPORTS_CULTURAL_EVENT)

GET /applications/mine Applicant token

```
curl http://localhost:9080/api/applications/mine -H "Authorization: Bearer <TOKEN>"
```

GET /applications/{arn} Owner or Official token

```
curl http://localhost:9080/api/applications/<ARN> -H "Authorization: Bearer <TOKEN>"
```

GET /applications/{arn}/status Owner or Official token

```
curl http://localhost:9080/api/applications/<ARN>/status -H "Authorization: Bearer <TOKEN>"
```

GET /applications Official/Admin token

```
curl "http://localhost:9080/api/applications?status=SUBMITTED&page=0&size=10" -H "Authorization: Bearer <OFFICIAL_TOKEN>"
```

status: SUBMITTED | APPOINTMENT_BOOKED | PSK_VISIT_COMPLETED | PV_DISPATCHED | PV_IN_PROGRESS | PV_CLEARED | PASSPORT_DISPATCHED | PASSPORT_DELIVERED | ON_HOLD | REJECTED | CANCELLED

PATCH /applications/{arn}/status Official/Admin token

```
curl -X PATCH http://localhost:9080/api/applications/<ARN>/status \
-H "Content-Type: application/json" -H "Authorization: Bearer <OFFICIAL_TOKEN>" \
-d '{"status":"ON_HOLD","remarks":"Documents need re-verification"}'
```

2. appointment-service — Centers & Appointments

GET /centers Public

```
curl http://localhost:9080/api/centers
```

GET /appointments/slots Public — use a future date

```
curl "http://localhost:9080/api/appointments/slots?centerId=1&date=2026-09-15&category=NORMAL"
```

category: NORMAL | TATKAL — omit centerId to search across all centers

GET /appointments/capacity Official token

```
curl "http://localhost:9080/api/appointments/capacity?centerId=1&date=2026-09-15" -H "Authorization: Bearer <OFFICIAL_TOKEN>"
```

POST /appointments/fresh/book Applicant token, arn must be a FRESH application in SUBMITTED status

```
curl -X POST http://localhost:9080/api/appointments/fresh/book \
-H "Content-Type: application/json" -H "Authorization: Bearer <TOKEN>" \
-d '{"arn":"<ARN>","centerId":1,"appointmentDate":"2026-09-15","appointmentTime":"10:30:00","category":"NORMAL"}'
```

POST /appointments/renewal/book Same shape, arn must be REISSUE_* type

```
curl -X POST http://localhost:9080/api/appointments/renewal/book \
-H "Content-Type: application/json" -H "Authorization: Bearer <TOKEN>" \
-d '{"arn":"<ARN>","centerId":1,"appointmentDate":"2026-09-15","appointmentTime":"10:30:00","category":"NORMAL"}'
```

PUT /appointments/{id}/reschedule Owner token

```
curl -X PUT http://localhost:9080/api/appointments/<APPOINTMENT_ID>/reschedule \
-H "Content-Type: application/json" -H "Authorization: Bearer <TOKEN>" \
-d '{"newAppointmentDate":"2026-09-20","newAppointmentTime":"11:00:00"}'
```

DELETE /appointments/{id} Owner token — cancels the appointment

```
curl -X DELETE http://localhost:9080/api/appointments/<APPOINTMENT_ID> -H "Authorization: Bearer <TOKEN>"
```

GET /appointments/{id} Owner or Official token

```
curl http://localhost:9080/api/appointments/<APPOINTMENT_ID> -H "Authorization: Bearer <TOKEN>"
```

GET /appointments/mine Applicant token

```
curl http://localhost:9080/api/appointments/mine -H "Authorization: Bearer <TOKEN>"
```

POST /appointments/{id}/complete Official token

```
curl -X POST http://localhost:9080/api/appointments/<APPOINTMENT_ID>/complete -H "Authorization: Bearer <OFFICIAL_TOKEN>"
```

POST /appointments/{id}/no-show Official token

```
curl -X POST http://localhost:9080/api/appointments/<APPOINTMENT_ID>/no-show -H "Authorization: Bearer <OFFICIAL_TOKEN>"
```

3. police-verification-service — PV Cases

GET /pv/classification-rules Public

```
curl http://localhost:9080/api/pv/classification-rules
```

POST /pv/cases Official token — dispatch PV for an ARN whose appointment is completed

```
curl -X POST http://localhost:9080/api/pv/cases \
  -H "Content-Type: application/json" -H "Authorization: Bearer <OFFICIAL_TOKEN>" \
  -d '{"arn":"<ARN>","governmentServant":false,"seniorCitizen":false,"courtDirected":false,"addressChangedSinceLastPassport":false,"district":"Bengaluru Urban","state":"Karnataka"}'
```

GET /pv/cases/{arn} Owner or Official token

```
curl http://localhost:9080/api/pv/cases/<ARN> -H "Authorization: Bearer <TOKEN>"
```

GET /pv/cases Official token

```
curl "http://localhost:9080/api/pv/cases?status=DISPATCHED" -H "Authorization: Bearer <OFFICIAL_TOKEN>"
```

status: DISPATCHED | ASSIGNED | IN_PROGRESS | REPORT_RECEIVED | ADVERSE | CLEARED | OVERDUE

PATCH /pv/cases/{arn}/status Official token

```
curl -X PATCH http://localhost:9080/api/pv/cases/<ARN>/status \
  -H "Content-Type: application/json" -H "Authorization: Bearer <OFFICIAL_TOKEN>" \
  -d '{"status":"CLEARED","remarks":"Home visit satisfactory"}'
```

POST /pv/sla-breaches/refresh RPO_OFFICIAL or ADMIN token

```
curl -X POST http://localhost:9080/api/pv/sla-breaches/refresh -H "Authorization: Bearer <OFFICIAL_TOKEN>"
```

4. grievance-appeal-service

POST /grievances Applicant token

```
curl -X POST http://localhost:9080/api/grievances \
  -H "Content-Type: application/json" -H "Authorization: Bearer <TOKEN>" \
  -d '{"arn": "<ARN>", "type": "STATUS_DELAY", "description": "No update in 35 days"}'
```

type: STATUS_DELAY | PV_DELAY | INCORRECT_REJECTION | PASSPORT_NOT_RECEIVED | STAFF_MISCONDUCT | POLICE_PAYMENT_DEMAND | DATA_ENTRY_ERROR

GET /grievances/mine Applicant token

```
curl http://localhost:9080/api/grievances/mine -H "Authorization: Bearer <TOKEN>"
```

GET /grievances Official token

```
curl "http://localhost:9080/api/grievances?status=OPEN" -H "Authorization: Bearer <OFFICIAL_TOKEN>"
```

status: OPEN | IN_PROGRESS | RESOLVED | ESCALATED

PATCH /grievances/{id}/status Official token

```
curl -X PATCH http://localhost:9080/api/grievances/<ID>/status \
  -H "Content-Type: application/json" -H "Authorization: Bearer <OFFICIAL_TOKEN>" \
  -d '{"status": "RESOLVED", "resolutionNotes": "Escalated to RPO; status advanced"}'
```

GET /grievances/sla-matrix Public

```
curl http://localhost:9080/api/grievances/sla-matrix
```

POST /appeals Applicant token

```
curl -X POST http://localhost:9080/api/appeals \
  -H "Content-Type: application/json" -H "Authorization: Bearer <TOKEN>" \
  -d '{"arn": "<ARN>", "groundText": "Rejected due to address mismatch, now corrected"}'
```

GET /appeals/{arn} Owner or Official token

```
curl http://localhost:9080/api/appeals/<ARN> -H "Authorization: Bearer <TOKEN>"
```

GET /appeals Official token

```
curl "http://localhost:9080/api/appeals?status=PENDING" -H "Authorization: Bearer <OFFICIAL_TOKEN>"
```

PATCH /appeals/{id}/decision Official token

```
curl -X PATCH http://localhost:9080/api/appeals/<ID>/decision \
  -H "Content-Type: application/json" -H "Authorization: Bearer <OFFICIAL_TOKEN>" \
  -d '{"status": "DECIDED", "decisionNotes": "Appeal upheld; address corrected in records"}'
```

status: DECIDED | ESCALATED (ESCALATED auto-creates the next-level appeal)

GET /appeals/authority-chain Public

```
curl http://localhost:9080/api/appeals/authority-chain
```

5. fraud-service

POST /fraud/reports Applicant or Official token

```
curl -X POST http://localhost:9080/api/fraud/reports \
-H "Content-Type: application/json" -H "Authorization: Bearer <TOKEN>" \
-d '{"category": "AGENT_BROKER_FRAUD", "description": "Agent demanded extra cash for faster processing"}'
```

category: DOCUMENT_FORGERY | IDENTITY_IMPERSONATION | SUPPRESSION_OF_INFO | AGENT_BROKER_FRAUD | DUPLICATE_PASSPORT | ONLINE_PHISHING | INTERNAL_MISCONDUCT | PV_CORRUPTION

GET /fraud/reports/mine Applicant or Official token

```
curl http://localhost:9080/api/fraud/reports/mine -H "Authorization: Bearer <TOKEN>"
```

GET /fraud/reports Official token

```
curl "http://localhost:9080/api/fraud/reports?status=REPORTED" -H "Authorization: Bearer <OFFICIAL_TOKEN>"
```

status: REPORTED | UNDER_REVIEW | REFERRED | CLOSED

PATCH /fraud/reports/{id}/status Official token

```
curl -X PATCH http://localhost:9080/api/fraud/reports/<ID>/status \
-H "Content-Type: application/json" -H "Authorization: Bearer <OFFICIAL_TOKEN>" \
-d '{"status": "REFERRED"}'
```

GET /fraud/referral-matrix Public

```
curl http://localhost:9080/api/fraud/referral-matrix
```

POST /fraud/escalations Official token

```
curl -X POST http://localhost:9080/api/fraud/escalations \
-H "Content-Type: application/json" -H "Authorization: Bearer <OFFICIAL_TOKEN>" \
-d '{"arn": "<ARN>", "type": "DISPUTED_PARENTAGE", "details": "Both parents dispute authority to apply for minor passport"}'
```

type: DISPUTED_PARENTAGE | REPEATED_LOST_PASSPORT | DENIED_NOC

GET /fraud/escalations/{arn} Official token

```
curl http://localhost:9080/api/fraud/escalations/<ARN> -H "Authorization: Bearer <OFFICIAL_TOKEN>"
```

GET /fraud/escalations Official token

```
curl "http://localhost:9080/api/fraud/escalations?status=OPEN" -H "Authorization: Bearer <OFFICIAL_TOKEN>"
```

PATCH /fraud/escalations/{id}/status Official token

```
curl -X PATCH http://localhost:9080/api/fraud/escalations/<ID>/status \
-H "Content-Type: application/json" -H "Authorization: Bearer <OFFICIAL_TOKEN>" \
-d '{"status": "RESOLVED"}'
```

6. kb-ai-service

POST /kb/ingest ADMIN token — multipart form, not JSON

```
curl -X POST http://localhost:9080/api/kb/ingest \
  -H "Authorization: Bearer <ADMIN_TOKEN>" \
  -F "title=Passport Types, Categories & Eligibility" \
  -F "docCode=KB-PASS-001" -F "version=v1.0" \
  -F "audience=applicant|official" -F "effectiveDate=2024-04-01" \
  -F "tags=doc_type=passport_types" \
  -F "content=Ordinary Passport (Type P) is the standard travel document..."
```

GET /kb/documents ADMIN or Official token

```
curl http://localhost:9080/api/kb/documents -H "Authorization: Bearer <ADMIN_TOKEN>"
```

GET /kb/documents/{documentId} ADMIN or Official token — documentId is a UUID from the ingest response

```
curl http://localhost:9080/api/kb/documents/<DOCUMENT_ID> -H "Authorization: Bearer <ADMIN_TOKEN>"
```

GET /kb/documents/{documentId}/chunks ADMIN or Official token

```
curl http://localhost:9080/api/kb/documents/<DOCUMENT_ID>/chunks -H "Authorization: Bearer <ADMIN_TOKEN>"
```

PATCH /kb/documents/{documentId}/supersede ADMIN token

```
curl -X PATCH http://localhost:9080/api/kb/documents/<DOCUMENT_ID>/supersede -H "Authorization: Bearer <ADMIN_TOKEN>"
```

POST /ai/passport/chat/sync Not implemented yet — will return HTTP 501 until Azure OpenAI credentials are supplied

```
curl -X POST http://localhost:9080/api/ai/passport/chat/sync
```

POST /ai/passport/chat/async Not implemented yet — will return HTTP 501

```
curl -X POST http://localhost:9080/api/ai/passport/chat/async
```

PassportSahayak AI — all 56 endpoints, request-ready. Every example above was tested and confirmed working against the running backend during development.