BoyScout - BoysActivities : List<String> + BoyScout (name : String) + AddBoysActivity (activity : String) + FilterBoysActivities (activities : List<String>) : List<String> + AddActivity (activity : Activity, score : Byte) : BoyScout + Print (number : int)



```
Scout
+ Name: String
- Activities : Dictionary<String, Byte>
+ Scout ( name : String )
# AddActivity (activity : String, score : Byte)
+ RemoveActivity (name : String)
+ GetAvgScore () : float
+ GetTotalScore (): int
+ GetActivitiesCount (): int
# Print (number : int)
+ PrintActivities () : List<String>
```



GirlScout - GirlsActivities : List<String> + GirlScout (name : String) + AddGirlsActivity (activity : String) + FilterGirlsActivities (activities : List<String>) : List<String> + AddActivity (activity : String, score : Byte) : BoyScout + Print (number : int)

```
ScoutCamp
+ ALL: Byte
+ BOY: Byte
+ GIRL: Byte
+ ACTIVE : Boolean
+ LAZY : Boolean
- ScoutList : List<Scout>
+ ShowMenu ()
AddNewScout ()
ShowActivitiesMenu ()
- ShowScoutActivities (scout : Scout)
TypeScoutActivities (scout : Scout) : List<String>ShowDisplayScoutsMenu ()

    DisplayScouts (mode : Byte, message : String)

    ShowCalculationMenu ()

+ CalculateCampAvg () : float
+ CalculateHighestAvh (mode : Byte) : Scout
+ CalculateHighestTotal (mode : Byte) : Scout
+ CalculateActive (mode : Byte, best : Boolean) : Scout - GetScoutByIndex (index : int) : Scout
+ AddFooData ()
```