The Integration of Clinical Communication Frameworks with Regulatory Standards: A Strategic Crosswalk of Calgary-Cambridge, NURSE, and SHARE Models with ACGME Milestones and ABMS Competencies

The transformation of medical education from a time-based apprenticeship to a competency-based model has necessitated the development of rigorous, observable, and measurable standards for clinical practice. Central to this evolution is the recognition that interpersonal and communication skills are not merely auxiliary traits but are fundamental clinical procedures that directly impact patient safety, treatment adherence, and healthcare outcomes.[1] The American Board of Medical Specialties (ABMS) and the Accreditation Council for Graduate Medical Education (ACGME) have codified these requirements through six core competencies, identifying Interpersonal and Communication Skills (ICS) and Professionalism (PROF) as foundational pillars of physician certification.[3] To operationalize these abstract competencies into daily clinical training, educators rely on evidence-based communication frameworks such as the Calgary-Cambridge Guide (CCG), the NURSE empathy mnemonic, and the AHRQ SHARE approach for shared decision-making.[5]

The alignment between these frameworks and the ACGME Milestones 2.0 provides a longitudinal roadmap for resident development, tracing a trajectory from the novice practitioner to the expert role model.[8] By mapping discrete communication behaviors to the developmental levels of the milestones, the medical education community can establish a standardized language for assessment, remediation, and professional growth.[9] This report provides an exhaustive analysis of how these communication frameworks satisfy the high-stakes regulatory requirements of modern medical practice, emphasizing the mechanism of action for each skill and the second-order implications for the healthcare system.

The Calgary-Cambridge Guide: Operationalizing the Consultation Process

The Calgary-Cambridge Guide (CCG) represents the most comprehensive process model for the medical interview, dividing the consultation into six distinct phases: initiating the session,

gathering information, providing structure, building the relationship, explanation and planning, and closing the session.[5] Developed by Kurtz and Silverman, the model identifies over seventy discrete communication behaviors that facilitate a patient-centered approach, balancing the biomedical perspective with the patient's unique illness framework.[14]

Phase I: Initiating the Session and Establishing Rapport

The initiation phase of the CCG focuses on the initial rapport-building and agenda-setting behaviors that define the trajectory of the encounter. Specific behaviors include greeting the patient, identifying the patient's name, introducing the clinician and their role, and obtaining consent where necessary.[5] These actions are the behavioral anchors for ACGME Milestone ICS-1 (Patient- and Family-Centered Communication) at Level 1, which requires the trainee to demonstrate basic introductions and the identification of initial patient needs.[16]

Identifying the reasons for the consultation is a critical CCG behavior that involves using open-ended questions and listening attentively to the patient's opening statement without interruption.[5] The CCG mandates that the clinician should "confirm the list and screen for further problems" (e.g., "so that's headaches and tiredness, anything else?") before negotiating the agenda.[5] This screening process is essential for the ABMS competency of Patient Care and Procedural Skills, which emphasizes gathering comprehensive data to promote health.[3] By negotiating the agenda to account for both the physician's and the patient's needs, the clinician demonstrates the "responsiveness to patient needs" required by the ABMS Professionalism standards.[18]

Calgary-Cambridge Behavior: Initiating the Session	**Clinical Mechanism and Rationale**	**Regulatory Alignment (Milestones/ABMS)**
1. Greets patient and obtains name	Establishes the human connection and confirms patient identity. [5]	ICS-1 Level 1: Introductions and basic rapport. [16]
2. Introduces self, role, and nature of interview	Clarifies the clinician's authority and sets the context for the visit. [12]	PROF-2: Accountability and role identification. [20]
3. Demonstrates respect and interest; attends to comfort	Reduces patient anxiety and promotes a safe clinical environment. [15]	ABMS Professionalism: Sensitivity to patient needs. [3]

4. Uses appropriate opening question for issues	Facilitates the patient's narrative without premature closure. [15]	ICS-1 Level 2: Eliciting patient concerns. [16]
5. Listens attentively to opening statement	Prevents the loss of critical diagnostic information early in the visit. [5]	ABMS Interpersonal Skills: Effective listening. [4]
6. Confirms list and screens for further problems	Prevents "doorknob" concerns and improves clinic efficiency. [13]	SBP-2: System navigation and time management. [10]
7. Negotiates agenda with the patient	Aligns physician and patient goals, increasing patient agency. [5]	Patient Care: Fostering patient-centered care. [17]

Phase II: Gathering Information and the Patient's Perspective

The gathering information phase of the CCG is divided into exploring the biomedical perspective and understanding the patient's illness perspective.[14] The latter is famously captured through the I.C.E. mnemonic: Ideas, Concerns, and Expectations.[5]

The CCG behaviors in this section—encouraging the patient to tell the story in their own words, moving from open to closed questions, and facilitating responses through silence or repetition—align with the ACGME ICS-1 Level 2 requirement to establish a therapeutic relationship in routine situations.[5] More advanced skills, such as picking up non-verbal cues and clarifying unclear statements, move the trainee toward Level 3.[13]

The deep exploration of the patient's perspective (I.C.E.) is where the CCG directly maps to the Level 3 descriptors for the ICS-1 Milestone, which require the resident to "elicit patient and family understanding, values, and expectations" to align clinical goals.[5] By understanding the effects of the problem on the patient's life and actively determining their beliefs about the cause, the clinician satisfies the ABMS requirement for "demonstrating humanism" and "being sensitive to diverse patient populations".[3]

Phase III: Providing Structure and Building the Relationship

Consultations often fail not due to a lack of empathy, but due to a lack of clarity. The CCG addresses this through "providing structure," which includes making organization overt through signposting and transitional statements.[5] Signposting (e.g., "Now that we've discussed the pain, I'd like to move on to your family history") helps the patient understand

where the interview is going and why.[12] This structure fulfills the ABMS competency of Interpersonal and Communication Skills, specifically "effective information exchange".[4]

Building the relationship is a continuous thread throughout the CCG, focusing on empathy, non-judgmental acceptance, and support.[5] Behaviors such as "dealing sensitively with embarrassing and disturbing topics" and "sharing thinking with the patient" are critical for the Professionalism milestones (PROF-1).[13] These skills are essential for managing complex or stressful situations, which is a requirement for Level 3 and Level 4 in the Professionalism subcompetency.[20]

Calgary-Cambridge Behavior: Building the Relationship	Clinical Implication and Application	ACGME Milestone Alignment
26. Non-verbal behavior (eye contact, posture)	Conveys presence and attention beyond the verbal narrative. [15]	ICS-1: Relationship building thread. [16]
27. If using computer, ensure it does not interfere	Mitigates the "third party" effect of technology in the room. [13]	PROF-2: Accountability and attention to detail. [20]
28. Provides support and expresses willingness to help	Builds trust and fosters a collaborative therapeutic alliance. [5]	PROF-1: Compassion and integrity. [18]
29. Deals sensitively with embarrassing topics	Maintains patient dignity and encourages honest disclosure. [5]	PROF-1 Level 3: Professionalism in complex situations. [20]
30. Shares thinking with the patient	Demystifies the clinical reasoning process and invites input. [15]	ICS-1 Level 3: Eliciting understanding and values. [16]

Phase IV & V: Explanation, Planning, and Closing the Session

The final phases of the CCG focus on shared understanding and forward planning. The "chunking and checking" technique—giving information in small segments and checking for understanding—is a primary behavioral indicator for health literacy management.[5] This

behavior is essential for ACGME ICS-1 Level 4, where the resident must facilitate complex decisions and ensure the patient's understanding of the plan.[16]

The CCG also emphasizes "safety netting," which involves explaining possible unexpected outcomes and what to do if the plan is not working.[5] This behavior is a critical component of Systems-Based Practice (SBP-1), as it involves patient safety and the management of clinical risks.[10] Closing the session requires ensuring an appropriate point of closure and summarizing the care plan, which fulfills the ABMS requirement for maintaining "comprehensive, timely, and legible medical records" (through oral summary) and "effective information exchange".[4]

The NURSE Framework: The Behavioral Foundation of Empathy

While the Calgary-Cambridge Guide provides the macro-structure of the medical encounter, the NURSE framework provides the specific micro-skills necessary for responding to emotional cues.[6] Empathy, defined by the NIH as the act of correctly acknowledging another's emotional state without experiencing it oneself, is a core component of the ACGME and ABMS Professionalism competencies.[3]

Naming and Understanding: Validating the Affective State

The first two steps of the NURSE mnemonic—Naming and Understanding—focus on identifying and validating the patient's emotions.[6] By "Naming" an emotion (e.g., "It sounds like you are frustrated"), the clinician de-escalates tension and demonstrates attentive listening.[25] This behavior aligns with Milestone ICS-1 Level 2, as it establishes a therapeutic relationship through the recognition of emotional cues.[16]

"Understanding" involves acknowledging the legitimacy of the patient's feelings (e.g., "I can see how dealing with this might be challenging").[29] This step is critical for avoiding the "paternalistic" trap of telling a patient "I understand," which can feel dismissive.[25] Instead, the NURSE framework encourages clinicians to state, "Help me understand more about...".[6] This approach satisfies the ABMS requirement for "sensitivity and responsiveness to a diverse patient population" by inviting the patient to define their own experience.[18]

Respecting, Supporting, and Exploring: Building the Alliance

The latter half of the NURSE framework focuses on strengthening the partnership between the clinician and the patient.[6] "Respecting" involves praising the patient's coping efforts (e.g., "I admire your dedication to your family").[28] This behavior is a direct application of the "humanism" and "compassion" required by ABMS standards.[3]

"Supporting" involves offering a partnership and commitment (e.g., "Our team is here to help

you").[25] This aligns with ACGME Milestone PROF-1 Level 3, where the resident must demonstrate professional behavior in stressful situations.[20] Finally, "Exploring" uses open-ended questions to deepen the understanding of the patient's feelings (e.g., "Can you tell me more about what you're thinking?").[6] This behavior is essential for satisfying the ACGME ICS-1 Level 3 requirement to align patient goals with treatment plans.[16]

NURSE Step	Discrete Behavioral Examples	Clinical Context/Scenario	Regulatory Milestone (ACGME)
Naming	"You seem worried about the results."	Acknowledging fear during a diagnostic talk. [24]	ICS-1 Level 2: Identifying cues. [16]
Understanding	"I can only imagine how hard this is."	Responding to news of a chronic illness. [28]	PROF-1 Level 3: Professionalism. [20]
Respecting	"I'm impressed by your independence."	Praising a patient for their self-care. [24]	ABMS: Demonstrating humanism. [3]
Supporting	"We are committed to helping you."	Offering a partnership in treatment. [25]	PROF-1: Responsiveness to needs. [18]
Exploring	"Tell me more about what you're feeling."	Deepening the narrative of a complex issue. [6]	ICS-1 Level 3: Values elicitation. [16]

The integration of NURSE statements into high-stakes clinical scenarios, such as discussing serious illness or lack of consensus in family meetings, is a hallmark of "expert" communication (Milestone Level 5).[16] By employing these empathic responses, clinicians can mitigate the effects of "claims" vs. "no claims," as patients who feel heard and understood are less likely to initiate litigation even when outcomes are suboptimal.[26]

The SHARE Approach: Operationalizing Shared

Decision-Making

Shared Decision-Making (SDM) is the process where clinicians and patients collaborate to make health decisions based on clinical evidence and the patient's preferences and values.[7] The Agency for Healthcare Research and Quality (AHRQ) developed the SHARE approach as a five-step model to ensure this collaboration is effective and standardized.[30]

The SHARE Behavioral Sequence

The SHARE approach follows a logical progression that mirrors the later stages of the Calgary-Cambridge Guide but provides more granular detail on the decision-making process.[7]

1. **Step 1: Seek your patient's participation.** This step involves communicating that a choice exists and inviting the patient to be involved.[7] This fulfills the ACGME requirement for "respect for patient autonomy".[18]
2. **Step 2: Help your patient explore and compare options.** This involves discussing the risks, benefits, and limitations of all available options, including doing nothing.[7] The use of decision aids and the "teach-back" technique in this step aligns with ABMS standards for "effective information exchange" and "health literacy".[4]
3. **Step 3: Assess your patient's values and preferences.** This step mirrors the I.C.E. phase of the CCG, asking open-ended questions about what matters most to the patient (e.g., recovery time, cost, or functional level).[7] This is a core behavior for ACGME Milestone ICS-1 Level 3.[16]
4. **Step 4: Reach a decision with your patient.** This involves confirming the decision and checking if the patient needs more time or information.[7] This behavior is essential for ACGME ICS-1 Level 4 (independent shared decision-making).[16]
5. **Step 5: Evaluate your patient's decision.** This final step involves monitoring the extent to which the decision is implemented and managing any barriers.[7] This aligns with ABMS Systems-Based Practice, as it requires the clinician to coordinate care across the healthcare system.[27]

SHARE Step	Specific Communication Behaviors	Regulatory Alignment (ABMS/ACGME)
Seek	Summarize health problem; invite participation. [7]	PROF-1: Respect for patient autonomy. [18]
Help	List options; describe benefits/risks in plain language. [7]	ICS-1: Addressing communication barriers. [16]

Assess	Ask about values (e.g., out-of-pocket costs). [7]	ICS-1 Level 3: Aligning goals with treatment. [16]
Reach	Ask if ready to decide; confirm the choice. [7]	Patient Care: Patient-centered decision-making. [3]
Evaluate	Monitor implementation; assist with barriers. [31]	SBP-2: System navigation and care coordination. [10]

The SHARE approach is particularly effective for patients with limited health literacy, as it emphasizes the use of visual aids, slow speech, and the avoidance of medical jargon.[7] This emphasis on "health literacy and listening" is a specific requirement of the ABMS Interpersonal and Communication Skills competency.[4]

Cross-Referencing the Harmonized Milestones 2.0

The ACGME Milestones 2.0 were developed to "harmonize" the non-patient care and non-medical knowledge competencies across all specialties.[9] This ensures that a resident in pediatrics and a resident in surgery are assessed on the same fundamental communication and professionalism standards.[8]

ICS-1: Patient- and Family-Centered Communication

The ICS-1 subcompetency is divided into three fundamental threads: relationship building, identifying/overcoming barriers, and eliciting values/expectations.[16]

- **Relationship Building:** This thread traces the development of rapport from Level 1 (basic introductions) to Level 4 (independent management of complex relationships).[16] The Calgary-Cambridge behaviors of greeting, introducing, and demonstrating interest (items 1-3) are the primary indicators for Level 1 and 2.[5] The NURSE empathy statements are the tools used to reach Level 3 and 4 in this thread.[16]
- **Barriers to Communication:** This thread involves identifying personal and situational stressors that impede effective communication.[16] The SHARE approach's focus on health literacy and the use of interpreter services is a Level 2 and Level 3 behavior in this thread.[7]
- **Eliciting Understanding and Values:** This thread is the heart of shared decision-making. Level 1 involves basic data gathering, while Level 3 requires aligning goals with treatment.[16] The CCG's I.C.E. model and the SHARE approach's Step 3 (Assess values) are the behavioral benchmarks for this thread.[5]

ICS-2: Interprofessional and Team Communication

This subcompetency focuses on communication with the entire healthcare team, including social workers, care coordinators, and other specialists.[16]

- **Consultations:** Level 1 involves simply requesting or providing a consultation, while Level 4 involves proficient use of the health record to convey complex clinical reasoning.[16] The CCG behavior of "sharing thinking" (item 30) and "explaining rationale" (item 31) are critical for effective consultations.[5]
- **Team Dynamics:** This thread focuses on the trainee's ability to adjust their communication within a team setting.[10] The ABMS requirement to "work effectively as a member or leader of a healthcare team" is satisfied here.[18]

PROF-1: Professional Behavior and Ethical Principles

The Professionalism milestones focus on a commitment to carrying out professional responsibilities and an adherence to ethical principles.[18]

- **Professional Behavior:** Level 1 requires the identification of triggers for professionalism lapses (e.g., fatigue or high workload).[20] The NURSE framework's "Exploring" phase can be used as a self-reflection tool to identify these triggers in oneself.[6]
- **Ethical Principles:** This thread addresses informed consent, confidentiality, and stewardship of resources.[20] The SHARE approach's emphasis on autonomy and Step 2 (Discussing limitations of what is known) directly addresses the ethical principle of informed consent.[7]

ABMS Competencies: The Overarching Regulatory Framework

The ABMS and ACGME core competencies serve as the foundation for both initial and continuing certification.[3] These six domains define the expected attributes of a competent physician and are integrated into every stage of training and assessment.[17]

ABMS Competency	Core Definition and Focus	Integrated Framework Behaviors
Patient Care	Compassionate, appropriate, and effective; promote health and safety. [3]	CCG: History taking and physical exam; SHARE: Decision-making. [5]

Medical Knowledge	Established and evolving biomedical and social-behavioral sciences. [4]	CCG: Biomedical perspective and causation explanation. [13]
Interpersonal Skills	Effective information exchange and teaming with patients/families. [4]	CCG: Rapport, listening, summarizing; NURSE: Empathy statements. [5]
Professionalism	Ethical principles; commitment to responsibilities; sensitivity to diversity. [3]	NURSE: Respecting and Supporting; CCG: Demonstrating respect. [15]
Systems-Based Practice	Awareness of and responsiveness to larger context of healthcare systems. [18]	SHARE Step 5: Managing implementation barriers in the system. [7]
Practice-Based Learning	Investigate/evaluate care; appraise evidence; continuous improvement. [4]	SHARE Step 2: Utilizing evidence-based aids for comparisons. [22]

The "Patient Care" competency is particularly broad, encompassing clinical reasoning, history-taking, and physical examination.[33] The CCG's detailed checklist for "Gathering Information" (items 8-16) and "Explanation and Planning" (items 33-42) provides the behavioral evidence that a candidate is meeting the ABMS Patient Care standards.[4] Furthermore, the ABMS "Systems-Based Practice" competency requires an awareness of population health and system resources.[3] This is directly supported by the CCG's behavior of "negotiating the agenda" (item 7) and the SHARE approach's focus on "risk-benefit analysis" (Step 2).[4]

The Developmental Trajectory: From Novice to Expert

The ACGME Milestones utilize the Dreyfus Model of Development as a foundation, progressing from Level 1 (Novice) to Level 4 (Proficient/Graduation Target) and Level 5 (Expert/Aspirational).[1]

Level 1: The Novice (Initial Resident/Fellow)

The Level 1 resident is characterized as "rule-driven" with a limited ability to prioritize

information.[1] In the context of the CCG, a Level 1 resident may follow the checklist mechanically—greeting the patient and introducing themselves because it is a "rule," but perhaps failing to notice the patient's non-verbal distress.[1] Their use of the NURSE framework may be scripted and feel unauthentic as they focus on "Naming" the emotion correctly rather than truly "Understanding" it.[6]

Level 2: The Advanced Beginner

At this stage, the resident begins to sort through rules based on experience.[1] They can establish a therapeutic relationship in "routine situations".[16] Using the CCG, they may move beyond simple introductions to "identifying the reasons for the consultation" and "negotiating the agenda" with some fluidity.[5] They begin to "independently recognize status of personal and professional well-being," which is a core behavior for Milestone PROF-3.[20]

Level 3: The Competent Resident

The competent resident "embraces appropriate level of responsibility" and can handle the "big picture" for most common problems.[1] This is the level where the CCG's I.C.E. model and the NURSE framework's middle steps (Respecting and Supporting) become integrated into the clinical encounter.[5] The resident is now "eliciting understanding, values, and expectations" to align clinical goals with patient treatment (ICS-1 Level 3).[16]

Level 4: The Proficient Resident (Graduation Goal)

The proficient resident is comfortable with "dual process thinking" and can independently manage complex situations.[1] In communication terms, this means the resident can lead a high-stakes shared decision-making discussion using the full SHARE approach, even when there is "lack of consensus" or "family conflict".[7] They can "independently develop a plan to optimize personal and professional well-being" (PROF-3 Level 4) and "proactively implement strategies" to ensure team needs are met (PROF-2 Level 4).[20]

Level 5: The Expert (Role Model/Coach)

Level 5 represents an aspirational target where the resident acts as a role model or coach for others.[1] An "expert" in communication frameworks is one who can "coach others when their behavior fails to meet professional expectations" (PROF-1 Level 5) and identify "system-level factors that induce or exacerbate ethical problems".[20] They are the masters of the CCG, NURSE, and SHARE models, adapting them seamlessly to the most "atypical or complex" clinical environments.[33]

Cognitive Dissonance and the Resistance to Competency-Based Assessment

Implementing the Milestones assessment system often encounters resistance from faculty who are comfortable with traditional, subjective methods of evaluation.[35] The ACGME suggests using "cognitive dissonance" to create a sense of urgency for change.[35]

- **Traditionalist Perspective:** Relies on "gut feeling" for promotion decisions and assumes competence is based on "years of education" (e.g., three years for internal medicine).[1]
- **Outcome-Based Perspective:** Relies on direct observation and objective benchmarks, such as the behaviors in the CCG or SHARE checklists.[2]

The Calgary-Cambridge behaviors (e.g., "Summarizes at the end of a specific line of inquiry") provide the "measurable framework of specialty-specific outcomes" that the ACGME mandates.[5] Without these specific frameworks, faculty often provide feedback that is not "specific, timely, objective, and associated with a clear plan for improvement".[35]

Synthesis: The Systematic Impact of Communication Frameworks

The integration of the Calgary-Cambridge Guide, the NURSE framework, and the SHARE approach into medical education creates a comprehensive system for clinical excellence. Each framework addresses a different dimension of the clinician-patient relationship, and together they satisfy the complex regulatory requirements of the ABMS and ACGME.

The Calgary-Cambridge Guide as the Clinical Process Core

The CCG provides the structural integrity for the medical encounter. By ensuring that every phase of the visit—from initiation to closure—is organized and patient-centered, the CCG satisfies the ABMS requirement for "effective information exchange" and "patient-centered decision-making".[3] It serves as the primary tool for achieving Milestone ICS-1 and PC-3.[16]

The NURSE Framework as the Professionalism and Empathy Engine

The NURSE mnemonic operationalizes the "soft skill" of empathy into observable behaviors. This allows program directors to assess a resident's "compassion, integrity, and respect for others," as required by ABMS and ACGME Professionalism standards.[6] It is the essential mechanism for handling Milestone PROF-1 and ICS-1 Level 3.[16]

The SHARE Approach as the Ethical and Shared Decision-Making Anchor

The SHARE approach ensures that clinical decisions are ethically sound and evidence-based. It fulfills the ABMS competency for "Practice-Based Learning and Improvement" (by using evidence-based aids) and the ACGME ICS-1 requirement for facilitating shared decision-making.[3] It also bridges the gap to "Systems-Based Practice" by requiring clinicians

to manage implementation barriers within the larger healthcare system.[7]

The Future of Integrated Communication Assessment

The move toward Milestones 2.0 and "harmonized" milestones represents a commitment to standardization and continuous quality improvement in medical education.[8] These new milestones are stated in "more straightforward language" and are fewer in number, reducing the bureaucratic burden on programs while maintaining the rigor of the assessment.[9]

The inclusion of public members on the milestone development groups ensures that the patient perspective remains central to the evolution of these standards.[8] This focus on "patient-centeredness" and "safety" aligns with the ACGME values of "Honesty and Integrity," "Accountability," and "Excellence".[8] As the medical landscape continues to evolve with digital health, telemedicine, and interprofessional teams, the behavioral foundations provided by the Calgary-Cambridge, NURSE, and SHARE models will remain the essential coordinates for professional competence and patient-centered care.[10]

Final Conclusion on Regulatory Alignment

The exhaustive crosswalk of communication behaviors with regulatory competencies demonstrates that modern medical practice is increasingly defined by the clinician's ability to navigate the complex psychological and ethical terrain of the patient encounter. The Calgary-Cambridge Guide provides the map for the journey, the NURSE framework provides the language of empathy, and the SHARE approach provides the collaborative destination. By adhering to these frameworks, resident physicians not only satisfy the rigorous requirements of the ACGME and ABMS but also fulfill the ultimate goal of the medical profession: providing care that is as humanistic as it is technically proficient. The measurable behaviors identified in this report are the evidence of that mastery, ensuring a healthcare system that is safe, effective, and deeply centered on the unique needs and values of every patient.

Works cited

1. Milestones Guidebook for Residents and Fellows - ACGME, accessed January 12, 2026, https://www.acgme.org/globalassets/pdfs/milestones/milestonesguidebookforresidentsfellows.pdf
2. The Milestones Guidebook: - ACGME, accessed January 12, 2026, https://www.acgme.org/globalassets/milestonesguidebook.pdf
3. AMERICAN BOARD OF MEDICAL SPECIALTIES STANDARDS FOR INITIAL CERTIFICATION, accessed January 12, 2026, https://www.abms.org/wp-content/uploads/2020/11/abms-standards-for-initial-certification-20160511.pdf
4. Focus on MP: ABMS and ACGME: Six Core Competencies for Initial Certification, accessed January 12, 2026,

https://www.theabr.org/beam/focus-on-mp-august-2022/
5. calgary-cambridge guide communication ... - Doctors Speak Up, accessed January 12, 2026, https://doctorsspeakup.com/sites/default/files/CCG%20Process.pdf
6. 'NURSE' Empathy Statements, accessed January 12, 2026, https://www.elliscme.com/uploads/9/1/9/0/91901496/handout_ford_grand_rounds.pdf
7. Tool 1, The Share Approach, Essentials Steps of ... - Alliant Quality, accessed January 12, 2026, https://quality.allianthealth.org/wp-content/uploads/2021/06/Shared-decision-Making-Guide.pdf
8. Milestones 2.0: A Step Forward - ACGME, accessed January 12, 2026, https://www.acgme.org/globalassets/pdfs/milestones/milestones2.0astepforward.pdf
9. Rationale for Milestones - ACGME, accessed January 12, 2026, https://www.acgme.org/globalassets/pdfs/milestones/rationaleformilestones2022.pdf
10. Sleep Medicine Milestones 2.0: designed for our field - PMC - NIH, accessed January 12, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC7927340/
11. Adolescent Medicine Fellowship Milestones 2.0: An Overview of Updates - IU Indianapolis ScholarWorks, accessed January 12, 2026, https://scholarworks.indianapolis.iu.edu/bitstreams/8c50d3f5-f9fc-43d7-921f-f58b6027826e/download
12. CALGARY-CAMBRIDGE PROCESS SKILLS Marrying communication to clinical method, accessed January 12, 2026, https://heeoe.hee.nhs.uk/sites/default/files/cambridge_calgary_pt1.pdf
13. Calgary Cambridge – the communication process - GP-Training.net, accessed January 12, 2026, https://gp-training.net/communication-skills/calgary-cambridge-model/communication-process/
14. The Calgary-Cambridge Guide to the Medical Interview - Bradford VTS, accessed January 12, 2026, https://www.bradfordvts.co.uk/wp-content/onlineresources/communication-skills/teach-communication-skills/calgary-cambridge/04b%20calgary%20cambridge%20guide%20quick%20reference%20guide.pdf
15. Checklist Calgary Cambridge | PDF | Nonverbal Communication | Information - Scribd, accessed January 12, 2026, https://www.scribd.com/document/244603090/Checklist-Calgary-Cambridge-docx
16. Strengthening Interpersonal and Communication Skills ... - ACGME, accessed January 12, 2026, https://www.acgme.org/globalassets/pdfs/milestones/harmonizingics.pdf
17. ACGME Core Competencies - The American Board of Pediatrics, accessed January 12, 2026, https://www.abp.org/content/acgme-core-competencies
18. ACGME Core Competencies | Graduate Medical Education - Stanford Medicine,

accessed January 12, 2026, https://med.stanford.edu/gme/housestaff/current/core_competencies.html
19. Professionalism - ACGME Competencies | University of Maryland Medical Center, accessed January 12, 2026, https://www.umms.org/ummc/pros/gme/acgme-competencies/professionalism
20. Refining the Milestones for Assessment of Professionalism ... - ACGME, accessed January 12, 2026, https://www.acgme.org/globalassets/pdfs/milestones/harmonizingprof.pdf
21. Video conversations Calgary-Cambridge Guide - HSE, accessed January 12, 2026, https://www.hse.ie/eng/about/our-health-service/healthcare-communication/video-consultations/nhcp-video-conversations-mobile.pdf
22. The SHARE Approach Steps of Shared Decision Making: Quick Reference Guide - CU Anschutz School of Medicine, accessed January 12, 2026, https://medschool.cuanschutz.edu/docs/librariesprovider294/default-document-library/share1_final.pdf?sfvrsn=9f557bba_0
23. Milestones 2.0: A Step Forward - PMC - NIH, accessed January 12, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC6008021/
24. Communication Models: Responding to emotional cues - End-of-Life Essentials, accessed January 12, 2026, https://www.endoflifeessentials.com.au/Portals/14/document/education/NURSE.pdf
25. When Emotions Run High, Here's How to Respond | University of Utah Health, accessed January 12, 2026, https://healthcare.utah.edu/integrative-health-wellness/resiliency-center/news/2022/11/when-emotions-run-high-heres-how-respond
26. After the Harm: Advanced Communication Skills that Enhance Empathetic, Patient-Focused Conversation, accessed January 12, 2026, https://www.qualityhealth.org/wpsc/wp-content/uploads/sites/3/2019/11/5-DAquila-A-Cascade-11-Room-1110am-Empathic-Comm-in-Complex-Situations.pdf
27. ACGME Core Competencies - MedSchoolCoach, accessed January 12, 2026, https://www.medschoolcoach.com/acgme-core-competencies/
28. 03. Communication About Serious Illness - UCSF Hospitalist Handbook, accessed January 12, 2026, https://hospitalhandbook.ucsf.edu/03-communication-about-serious-illness/03-communication-about-serious-illness
29. EMPATHIC RESPONSES*** Naming Understanding Respecting Supporting Exploring “I Wish” This must be, accessed January 12, 2026, https://www.ethics.va.gov/goalsofcaretraining/EmpathicResponses.pdf
30. The SHARE Approach Steps of Shared Decision Making: Expanded Reference Guide With Sample Conversation Starters - CU Anschutz School of Medicine, accessed January 12, 2026, https://medschool.cuanschutz.edu/docs/librariesprovider294/default-document-library/SHARE2_final.pdf
31. Shared Decision-Making to Improve Health Literacy - RHIhub Toolkit, accessed

January 12, 2026, https://www.ruralhealthinfo.org/toolkits/health-literacy/2/organization/shared-decision-making
32. Core Competencies ABMS/ACGME IOM, accessed January 12, 2026, https://www.msm.edu/Education/ExtendedProfessionalEducation/EPEDocuments/corecompetenciessflbEpe.pdf
33. Internal Medicine Milestones - ACGME, accessed January 12, 2026, https://www.acgme.org/globalassets/PDFs/Milestones/InternalMedicineMilestones2.0.pdf
34. Family Medicine Milestones - ACGME, accessed January 12, 2026, https://www.acgme.org/globalassets/pdfs/milestones/familymedicinemilestones.pdf
35. A GUIDEBOOK FOR IMPLEMENTING AND CHANGING ASSESSMENT IN THE MILESTONES ERA - ACGME, accessed January 12, 2026, https://www.acgme.org/globalassets/milestones-implementation-2020.pdf
36. guide-to-the-common-program-requirements-residency.pdf - ACGME, accessed January 12, 2026, https://www.acgme.org/globalassets/pdfs/guide-to-the-common-program-requirements-residency.pdf