



# Shifted minimum-birth-bandwidth boundary under $p = q$ ( $n = m = 30$ , base $L_{n,m} = 2$ , $K_{n,m} = 8$ )


$c_{\text{shift}} = 0$ ,  $(k_b, k_d) = (6, 2)$   
 $(\lambda_b, \lambda_d) = (0.015625, 0.25)$




$c_{\text{shift}} = 1$ ,  $(k_b, k_d) = (7, 3)$   
 $(\lambda_b, \lambda_d) = (0.0078125, 0.125)$




$c_{\text{shift}} = 2$ ,  $(k_b, k_d) = (8, 4)$   
 $(\lambda_b, \lambda_d) = (0.0039062, 0.0625)$



$c_{\text{shift}} = 3$ ,  $(k_b, k_d) = (9, 5)$   
 $(\lambda_b, \lambda_d) = (0.0019531, 0.03125)$



$c_{\text{shift}} = 4$ ,  $(k_b, k_d) = (10, 6)$   
 $(\lambda_b, \lambda_d) = (0.00097656, 0.015625)$



$c_{\text{shift}} = 5$ ,  $(k_b, k_d) = (11, 7)$   
 $(\lambda_b, \lambda_d) = (0.00048828, 0.0078125)$

