

Scleractinia Taxa	Average Abundance	Average Abundance	Average Dissimilarity	Dissimilarity Standard Deviation	Percent Contribution	Cumulative Percentage
Groups	West	North				
Average dissimilarity = 84.41						
Merulina ampliata	5.73	1.61	5.15	1.03	6.10	6.10
Goniopora columna	5.16	0.82	5.06	0.53	5.99	12.09
Porites sp.	3.71	3.12	4.41	0.92	5.22	17.31
Groups	West	South				
Average dissimilarity = 82.34						
Goniopora columna	5.16	0.89	7.61	0.54	9.24	9.24
Merulina ampliata	5.73	1.41	6.53	1.14	7.93	17.18
Porites sp.	3.71	3.33	5.48	0.94	6.65	23.83
Groups	Deep	Shallow				
Average dissimilarity = 84.00						
Pectinia paeonia	6.08	2.23	6.16	1.12	7.33	7.33
Porites sp.	2.71	3.75	4.71	0.93	5.61	12.94
Podabacia crustacea	2.60	2.79	3.83	0.95	4.56	17.50
Groups	Reefs	Seawalls				
Average dissimilarity = 85.44						
Goniopora columna	4.18	0.67	5.08	0.48	5.95	5.95
Porites sp.	1.81	4.35	4.56	1.08	5.34	11.29
Pectinia paeonia	3.28	4.12	4.16	1.02	4.87	16.16