Twitch Chatter Watch Functional Specification

VERSION 0.1 | 7 NOVEMBER 2026 | WORKING DRAFT

Document purpose

Consolidate the extension's existing functionality and the 19 requested improvements, including the visibility of approved chatters and automatic approval. This document supports further additions and product decisions before implementation is authorized.

Status and authorization

This is not a development authorization, a completed diagnosis, or a claim that the requested improvements have been implemented. Acceptance criteria are proposed, testable conditions for future implementation. Open decisions must not be resolved implicitly.

Item	Reference
Product	Twitch Chatter Watch, a browser extension for Twitch moderation and chat reading.
Functional baseline	Local code identified as version 1.2.0, including the autosave and language changes present in the workspace.
Platforms	Desktop Chromium/Chrome/Edge 116+ and desktop Firefox 140+.
Deliverables	Editable DOCX and reference PDF containing the same functional content.
Scope of this assignment	Documentation only. No changes to the extension or its packages.
Scope approval	Pending. The product owner will continue adding functionality.

How to interpret status

- Existing: behavior identified in the project's code or documentation; this does not imply live Twitch verification during this assignment.
- Reported issue: a problem reported by the user, not yet reproduced or assigned a confirmed cause in this task.
- Requested improvement: a desired outcome requiring development or completion of the existing baseline.
- Open decision: a product, policy, or feasibility detail that must be resolved before closing the requirement.

No existing functionality is removed unless its replacement is explicitly described and approved, such as removing general KPIs. The application preserves the separation between chat reading, chatter review, and actual moderation actions. RF identifiers are retained from the Spanish edition for cross-language traceability.

1. Scope and requirements map

Section 2 describes the existing inventory. Section 3 details RF-01 through RF-19. Sections 4 through 9 define states, persistence, workflows, decisions, acceptance, and traceability. Appendix A adds preparation notes for future store review; it does not change the functional scope.

ID	Request	Starting point
RF-01	Fix dark-mode issues	Existing feature; reported issue
RF-02	Dark mode by default	Change to initial preference
RF-03	Autosave and Save button	Existing; preserve and complete
RF-04	Remember position and size	Manual workspaces exist
RF-05	Same settings across all views	Shared baseline; check parity
RF-06	Hide Client Secret text	No Client Secret; clarify field
RF-07	Clearer export icon	TXT export exists
RF-08	Taskbar attention and sound	New optional feature
RF-09	Correct opening and internal return	Reported issue; unclear destination
RF-10	RAID and FRONT PAGE quick notes	Free-text notes exist
RF-11	Confirmations and more visible actions	Partial; delete/translate pending
RF-12	Default timeout and duration input	Minute-based input exists
RF-13	Reappearance after 15 min or stream end	New review lifecycle
RF-14	Only the pending-review count	Remove general KPIs
RF-15	Prevent resizing when switching tabs	Reported issue
RF-16	Resolve random disconnections	Reconnect exists; diagnose cause
RF-17	Wider main window	Define view and dimensions
RF-18	Keep extension open across tab changes	Persistent sidebar/window
RF-19	Approved chatters and auto-approval	Reported issue and new rules

Not authorized: implementing these requirements, adding translation services, changing permissions, introducing a Client Secret, migrating data, publishing to stores, or performing real sanctions. Any new decision must first be recorded in this draft.

2. Existing baseline: access and review

EX-01 | Browsers, entry points, and authentication

- Manifest V3 extension with a moderation popup, sidebar, and independent Multichat windows. Chromium uses a service worker and sidePanel; Firefox uses background scripts and sidebarAction.
- OAuth through the browser identity API. The extension displays an installation-specific redirect URL for registration with Twitch and accepts a Client ID.
- No Client Secret is requested or stored. The token and session identity are stored in storage.session; settings use storage.local. Signing in again may be necessary after fully closing the browser.
- Primary-channel connection and disconnection, token validation, and permission handling. Current scopes cover IRC reading and, depending on the operation, bans/timeouts, warnings, followers, and chat settings.

EX-02 | Primary-channel chatter review

- Chatters are recorded by channel and user ID, with profile, account age, first/last activity, session message count, recent messages, note, and review state.
- Configurable signals: young account, first message, and recent follow, combined with OR/AND. Pending or failed lookups are not presented as confirmed data.
- Manual approval removes a chatter from the pending list. Free-text notes, recent history, warnings, bans, and timeouts are available. Dismissal or other resolutions can also exclude a chatter from that list.
- The panel currently shows metrics for chatters observed during the session, new accounts, and pending review. Its chatter count must not be interpreted as concurrent audience measured by Twitch.
- Automatic review applies only to the primary channel. Additional channels do not receive those automatic sanctions. Visual filtering and account review are separate processes.

EX-03 | Existing thresholds and actions

The current trust threshold suppresses first-message and recent-follower signals when messageCount >= trustMessageThreshold. It does not itself mark the chatter as approved or necessarily remove the young-account signal. It does not implement RF-19's OR-based auto-approval rules.

Manual ban/timeout in the panel already requests a reason and confirmation using native dialogs. Timeout accepts a saved default and an input from 1 to 20,160 minutes. Automatic timeout is optional, is disabled by default, and follows separate rules without confirmation for each execution.

In Multichat, the /srs 1s button on a pinned message manually applies a one-second timeout with reason /srs and checked permissions, without additional confirmation. RF-11 must explicitly determine how this exception changes.

2. Existing baseline: chat and organization

EX-04 | Connection and presentation

- A single shared IRC/WebSocket connection manages JOIN/PART for the primary and additional channels. Closing one view does not disconnect the others; Disconnect stops the shared channels.
- Up to six unique channels; a one-, two-, or three-column grid adapts to narrow widths. A channel can be detached into a native window, or another full grid can be opened.
- A chronological unified feed uses channel labels and ordering by timestamp, channel, and sequence. Single-channel windows retain their individual view.
- Virtual rendering recycles rows and uses batches and bounded buffers. It does not retain one DOM node for every message received.

EX-05 | Reading, filters, and local actions

- Pause on hover, upward scrolling of at least one pixel, focus, or button. Scroll remains locked until the user reaches the bottom or requests live mode. Messages continue entering the bounded buffer while paused.
- Space toggles pause/live; End returns to live; S opens settings; N opens another grid; Esc closes dialogs. Shortcuts are not intercepted while typing, on controls, or with incompatible modifiers.
- Filters cover normalized repetition, frequency, restricted regex, and local slow mode per chatter/channel. They hide messages locally without deleting them or imposing sanctions because of that filter.
- Actual Twitch slow mode is separate from the local filter: 0 disables it and 3 to 120 seconds enables it. It requires explicit confirmation, the correct scope, and the appropriate role.
- Up to twelve regex highlight rules with colors; the first matching rule takes priority when matches overlap. Rules apply to visible history and pinned messages.
- Up to three pinned messages per window, with full-message reading and unpinning. Pinning returns the feed to live; message pins are different from keeping the extension open under RF-18.
- CLEARMSG/CLEARCHAT retain received messages as red ghosts in buffers and pins. UTF-8 TXT export of the live buffer includes date, channel, author, and [deleted] markers, with no server upload.

EX-06 | Workspaces

Up to eight named workspaces store configuration and geometry for up to twelve windows. Explicit restoration reuses matching windows, preserves unrelated windows, and supports negative coordinates. Workspaces do not include credentials, chat history, pins, or pauses, and do not change the primary moderation channel. The operating system may adjust a position when a monitor is no longer available.

2. Existing baseline: settings and safeguards

EX-07 | Language, appearance, and autosave

Language is shared by the panel and Multichat: the saved choice takes precedence; otherwise, the browser interface language is used. Regional en/de/es variants are normalized and unsupported languages fall back to English. The Twitch profile is not queried to determine language.

Light and dark themes and a saved appearance preference exist. The current baseline still falls back to light when no preference is saved. Dark-mode CSS does not establish correct contrast for every component; reported visual issues still require diagnosis.

Valid panel and Multichat settings save after 350 ms without typing or when a field is committed. A Save button remains available. Edits are protected from stale replies, panel writes are serialized, and Multichat uses confirmed revisions. Cross-window conflicts are rejected; invalid drafts preserve the persisted value.

EX-08 | Limits and data

Resource	Existing limit or scope
Chat	6 channels; 1,000 retained messages and 250 pending entries per channel; unified feed also limited to 1,000.
Text and filters	2,000 characters per message; up to 5,000 tracking keys per channel; regex up to 240 characters and 12 alternatives, without groups or quantifiers.
Review	256 pending/in-progress jobs, 4 concurrent; panel response limited to 100 chatters; grouped state updates at most every 500 ms while the panel is open.
Chatter history	Up to 50 recent messages per account/session; profiles, notes, and accounts in IndexedDB without automatic purging.
Pins and workspaces	3 pins per window, 12 highlights, 8 workspaces, 12 windows per workspace.
Persistence	Local settings, notes, and workspaces; session tokens; non-durable chat buffers. No cross-device synchronization.

EX-09 | Security, packaging, and verification

Messages are handled as text, channel names are validated, and CSP is restricted to local resources and Twitch. There is no independent backend or telemetry. Exports may contain personal data and deleted content and must be handled with authorization.

Reproducible ZIPs and loadable directories for Chromium and Firefox are generated using a runtime-file allowlist. Firefox retains a Gecko ID and data-transmission declarations. The generated ZIP is unsigned: permanent Firefox installation requires Mozilla signing.

Tests exist for the core, mocked worker, packaging, and headless interfaces in Chromium and Firefox. They do not establish guarantees for live OAuth, sustained IRC delivery, effective sanctions, physical multi-monitor restoration, or continuity during machine sleep. Those validations remain pending and are not performed as part of this document.

3. Appearance: RF-01 and RF-02

RF-01 | Fix dark-mode issues

Status: Reported issue; diagnosis pending.

Current baseline. A dark theme exists, but some colors and states are defined in individual components. A definitive list of visual defects has not been reproduced during this assignment.

Requested behavior. Make dark mode consistent and readable in the popup, sidebar, detached windows, and extension page, including settings, dialogs, notes, pinned messages, deleted messages, and moderation actions.

Acceptance criteria:

- All surfaces, text, icons, fields, and focus/error/selection/disabled states remain readable without unintended light backgrounds.
- Deleted messages, highlighted text, and dangerous actions remain distinguishable; color is not the sole indicator of state.
- Review both browser engines, supported languages, compact widths, and zoom. Proposed contrast target: WCAG AA, 4.5:1 for normal text and 3:1 where applicable to large text or controls.

Decisions or dependencies. Collect examples of reported defects and approve the palette. No technical cause is assigned yet, and a complete redesign is not imposed.

RF-02 | Dark mode by default

Status: Improvement to the initial preference.

Current baseline. The appearance preference persists, but views may start in light mode when no value has been saved.

Requested behavior. Use dark mode for an installation or profile without an appearance preference. Respect the user's explicitly selected theme and apply it when each view opens.

Acceptance criteria:

- With empty appearance storage, every view starts in dark mode without a perceptible light flash.
- An explicit light-mode choice survives reload, opening another view, and browser restart.
- Changing the theme does not modify language, authentication, filters, history, or position.

Decisions or dependencies. Decide how existing installations are migrated: a previously saved light value does not necessarily reveal whether it was deliberate. Do not overwrite it without an approved policy.

3. Persistence: RF-03 and RF-04

RF-03 | Autosave with a Save button

Status: Existing; preserve and complete coverage.

Current baseline. The panel and Multichat already save valid changes after 350 ms or a field commitment. Save and protection against stale replies or revisions exist.

Requested behavior. Retain autosave and explicit saving throughout settings views. Apply the same consistency to any approved new settings.

Acceptance criteria:

- A valid edit is present when any relevant view is reopened. Save flushes pending work without duplicating an equivalent write already in progress.
- Distinguish unsaved edits, saving, confirmed persistence, and errors. An error is not presented as success and does not destroy the last persisted value.
- Rapid changes are processed in order. Invalid drafts, conflicts, and closing before a write completes have documented behavior.
- Autosaving a setting does not execute a ban, manual timeout, message deletion, or other dangerous action; those retain their own workflows.

Decisions or dependencies. Define which new settings require Apply instead of taking effect immediately. Retain the warning about abrupt closure and the absence of a persistence guarantee before a write is confirmed.

RF-04 | Remember window position and size

Status: Improvement over manually saved workspaces.

Current baseline. Workspaces store geometry and restore it on request. There is no global policy that automatically remembers the last window used.

Requested behavior. Remember the position and size of independent windows and recover them when the same function or channel is reopened, without requiring a manually saved workspace.

Acceptance criteria:

- Moving, resizing, closing, and reopening a window restores its last valid geometry according to the agreed window identity.
- If a monitor is missing, the window remains accessible on an available display rather than being lost outside the desktop.
- Unrelated windows are not moved and unintended duplicates are not created. Automatic restoration and manual workspaces have a defined precedence.

Decisions or dependencies. Determine whether geometry is remembered per channel, view, or workspace and whether restoration occurs at browser startup. Popup geometry and sidebar width are subject to browser control.

3. Consistency: RF-05 and RF-06

RF-05 | Same settings throughout the extension

Status: Shared baseline; complete synchronization and parity.

Current baseline. Views share storage and the connection. Multichat receives preference changes; differences in controls and local behavior still need to be inventoried.

Requested behavior. The popup, sidebar, detached window, and extension page use one source of truth for product settings. A preference change appears in existing and future views without contradictory per-view profiles.

Acceptance criteria:

- The agreed theme, language, rules, timeout defaults, and alert settings show the same confirmed values wherever they are exposed.
- One window does not silently overwrite a valid edit in another. Conflicts are visible or resolved through an explicit policy.
- Scroll, pause, focus, and message pins remain local unless otherwise agreed. Geometry belongs to the relevant window, not to all windows simultaneously.
- Opening an additional view does not create another Twitch session or execute duplicate actions or alerts.

Decisions or dependencies. Approve the global/per-channel/per-window settings matrix in Section 5. Identical settings do not necessarily imply identical layouts on differently sized surfaces.

RF-06 | Hide credential-field text

Status: Ambiguous request: no Client Secret currently exists.

Current baseline. Only a visible Client ID is requested. The token is not shown as an editable field, and the current flow does not require a Client Secret.

Requested behavior. Confirm which field the user meant. If the Client ID is to be hidden, treat this as visual privacy with an accessible show/hide control, not as a client secret or a change to OAuth.

Acceptance criteria:

- The agreed field starts masked, supports intentional reveal, and retains its value when visibility changes or settings are saved.
- Tokens or actual secrets do not appear in notes, exports, visible URLs, errors, or logs. Visual masking is not described as encryption.
- This improvement does not introduce a request for, or storage of, a Client Secret.

Decisions or dependencies. Decide whether Client ID or another value should be masked. Introducing a Client Secret or backend would be an architectural change outside this scope.

3. Utilities: RF-07 and RF-08

RF-07 | Clearly identifiable export action

Status: Improvement to an existing action.

Current baseline. Headers allow TXT export of a channel's live buffer or the unified feed; an accessible description already exists.

Requested behavior. Use a recognizable download/export icon with a clear accessible name and tooltip, distinct from detaching a window or pinning a message.

Acceptance criteria:

- The icon and its states are readable in both themes and keyboard-operable. Its label identifies Export TXT.
- The output preserves date, channel, author, text, and deletion markers and does not contain tokens or upload data to a server.
- It is unambiguous whether the export covers one channel or the unified feed and that it contains the retained live buffer, not the complete historical record.

Decisions or dependencies. Confirm the icon and whether a visible text label is needed. A format change, longer retention, or cloud export is not requested.

RF-08 | Taskbar attention and sound alerts

Status: New optional functionality.

Current baseline. Connection states and local error messages exist, but there is no configured policy for system attention requests and audible alerts.

Requested behavior. Allow sound and visual attention requests to be enabled independently for agreed events. The extension must not steal focus to imitate an alert.

Acceptance criteria:

- The two options can be enabled/disabled independently and tested with a dedicated action; provide volume and mute controls if those controls are approved.
- A single incident produces one alert even when several views are open. Bursts are grouped or rate-limited to prevent continuous alerts.
- New alerts are distinguished from reconnections or duplicate deliveries. Audio autoplay restrictions are reported without falsely claiming sound was played.
- When the browser or operating system cannot flash the taskbar, provide an agreed alternative and disclose the limitation; do not promise universal behavior.

Decisions or dependencies. Decide the events (new pending chatter, keyword, disconnection, or others), initial state, and maximum frequency. System notifications or extra permissions require approval. Verify actual Windows/Chromium/Firefox support.

3. Navigation: RF-09 and RF-10

RF-09 | Correct opening and internal return

Status: Reported issue; meaning of front page remains open.

Current baseline. Chat windows open extension-owned pages. OAuth uses the browser identity API and a browser-provided callback URL; the reported failure has not been reproduced.

Requested behavior. Define an internal main screen and ensure ordinary entry points and the return after authentication lead to the appropriate extension view. Do not send the user to the Twitch home page as incidental navigation.

Acceptance criteria:

- Each entry point has a documented destination and preserves channel/context where applicable.
- After OAuth success, cancellation, or error, the user returns to a usable internal view with the real state and without duplicated windows.
- Official Twitch sign-in remains in the browser-supported flow; do not embed a login page or arbitrarily replace the registered OAuth redirect URL.

Decisions or dependencies. Clarify whether front page means the product's main screen, the Twitch home page, or bringing a window to the foreground. The technical callback and the final navigation destination are distinct. This request does not authorize bypassing OAuth security.

RF-10 | Quick context notes

Status: Improvement over existing free-text notes.

Current baseline. Each account can have a local note edited through a dialog. No quick-note catalog exists.

Requested behavior. Add options such as RAID <RAIDEDFROM> and FRONT PAGE while retaining free-text notes. The RAID template requests or uses a confirmed source channel.

Acceptance criteria:

- Selecting RAID allows the source to be specified and saves a readable note without leaving the <RAIDEDFROM> placeholder unresolved.
- FRONT PAGE and other approved options do not accidentally replace previous notes. The view clearly identifies the person or context receiving the note.
- Notes persist, are visible on the agreed surfaces, never execute text as HTML, and do not send chat messages by themselves.

Decisions or dependencies. Decide whether notes belong to a person, channel, or stream; whether they append or replace; and whether multiple tags and a date are supported. Do not automatically infer a raid or front-page placement without a verified source.

3. Moderation: RF-11 and RF-12

RF-11 | Sanction confirmation and visible actions

Status: Partially existing; expanded UX and actions.

Current baseline. The panel already confirms bans/timeouts through native dialogs. /srs 1s and automatic timeout are exceptions without per-execution confirmation. Pinning exists; row-level message deletion and translation are not implemented.

Requested behavior. Expose Delete message, Translate, and Pin as ordinary visible per-message actions. Keep Ban and Timeout accessible but distinct from local actions, with clear in-app confirmation for manual sanctions.

Acceptance criteria:

- Confirmation identifies the person, channel, sanction type, duration where applicable, and reason; cancellation sends no sanction request.
- One confirmation produces at most one action. Show pending, confirmed success, or error without changing the target when new messages arrive.
- Delete affects only the identified, authorized message, not the entire user. Translation preserves the original, distinguishes the result, and does not modify Twitch.
- Pinning retains existing limits and behavior. Actions are not exclusively hover-dependent and are keyboard-accessible.

Decisions or dependencies. Decide whether every sanction, including /srs 1s or automatic timeout, requires confirmation. Agree on deletion confirmation and the translation provider, privacy, cost, and languages before sending messages to a third party.

RF-12 | Default and editable timeout duration

Status: Input exists; improve controls and consistency.

Current baseline. A saved timeout duration and a minute-based prompt exist. A ban is permanent and has no duration; /srs 1s is a specific action.

Requested behavior. Provide a shared default and an explicit duration field, with presets if approved. Confirmation always displays the effective duration and unit.

Acceptance criteria:

- The user can tell whether the unit is seconds or minutes. Reject empty, negative, ambiguous, or Twitch-out-of-range values.
- Defaults match across relevant views and persist; changing a duration does not execute a sanction.
- Entering zero or canceling never converts a timeout into a ban or vice versa. A ban is identified as permanent.
- Insufficient scope or role is shown as a real error, without apparent success or automatic repetition of a sanction.

Decisions or dependencies. Define presets, units, initial value, and whether the last-used duration replaces the default. Verify the actual API range before expanding the current interface range.

3. Review: RF-13 and RF-14

RF-13 | Reappearance after inactivity or stream end

Status: New lifecycle for review eligibility.

Current baseline. Approval and dismissal flags persist in IndexedDB. Session counts reset when the connection session changes, but that is not reliable detection of a stream ending.

Requested behavior. Allow a chatter to reappear for review after 15 minutes without chatting or when the stream ends, according to an explicit expiry policy. Distinguish returning to chat from returning to the review queue.

Acceptance criteria:

- There is no premature reappearance before the 15-minute threshold. The threshold is evaluated per person and channel using a defined clock and excluding duplicate messages.
- Once eligible, the next message can create one review entry under the approved policy, without duplicating the person or deleting notes.
- Stream end is obtained from a valid status source; a network failure, closed window, or worker restart is not automatically considered a stream end.
- Test interaction with manual, automatic, and persistent approvals, with RF-19, and with a new stream.

Decisions or dependencies. Decide which states expire, whether the exact boundary is >= 15 minutes, whether reappearance is immediate or on the next message, and whether auto-approval conditions may immediately approve the person again. Expiry never revokes a Twitch ban.

RF-14 | Show only the pending-review chatter count

Status: Simplification of the main panel.

Current baseline. The panel displays Current Chatters, new accounts, and pending review. Multichat's technical filtering and overload indicators serve a different purpose.

Requested behavior. Remove general panel KPIs, including Current Chatters. The sole prominent people total will be the number awaiting review.

Acceptance criteria:

- The main panel does not display Current Chatters or general new-chatter/activity KPIs.
- The review total counts unique pending people in the agreed scope, not messages, approved people, or dismissed people. Multiple open views do not multiply the count.
- Approval, sanction, or resolution updates the count consistently; loading and error states are not confused with zero.
- The total is not silently capped at the first 100 cards available in the current response.

Decisions or dependencies. Define whether the total covers the primary channel or another future scope and whether per-filter subcounts remain. This request does not automatically remove overload warnings, timeout duration, or other operational numbers.

3. Stability: RF-15 and RF-16

RF-15 | Stable dimensions when switching tabs

Status: Reported issue; reproduction pending.

Current baseline. Views use responsive layouts and different containers. This assignment has not identified which tab transition causes a size change.

Requested behavior. Switching internal sections preserves the window frame and uses internal scrolling for larger content. Changing a browser tab does not resize an already-open independent window.

Acceptance criteria:

- Switching between settings, chat, review, or equivalent sections does not resize the window without user intent.
- Long content, translations, and errors adapt through flow and scrolling without moving controls during a click.
- Manual resizing remains available and is remembered through RF-04 where applicable. Verify behavior at different zoom levels and in multiple languages.

Decisions or dependencies. Clarify whether tabs means internal navigation or browser tabs and identify the affected view. An anchored popup is subject to browser-imposed size limits.

RF-16 | Diagnose and reduce random disconnections

Status: Reported issue; recovery mechanisms exist.

Current baseline. Heartbeat, reconnect with progressive backoff, and one shared socket exist. Session tokens, worker suspension, networking, and machine sleep affect the lifecycle.

Requested behavior. Identify the causes of disconnects and correct extension defects, recovering the connection and channels consistently without promising continuity while Twitch or the network is unavailable.

Acceptance criteria:

- Distinguish manual disconnection, network failure, expired authentication, remote closure, and suspension where sufficient evidence is available.
- Recoverable failures reconnect with controlled backoff, without multiple sockets, duplicate JOINs, or request loops.
- Manual disconnection prevents retries; invalid permissions or authentication require a clear action and are not hidden behind endless reconnection.
- All views converge on the same state. Do not promise recovery of messages missed during the interruption; durable notes and preferences remain intact.

Decisions or dependencies. Build reproductions with secret-free traces and tests for networking, sleep/wake, and actual background suspension. RF-13 must not substitute connection state for stream-end detection.

3. Windows: RF-17 and RF-18

RF-17 | Wider main window

Status: Layout improvement; dimensions pending.

Current baseline. Panel content is limited to approximately 520 px. Multichat defaults to a 1,180 x 760 grid window and a 460 x 760 single-channel window; not all of these are what the user calls the main window.

Requested behavior. Increase the initial width of the agreed main view so messages and actions are easier to read without immediate manual resizing.

Acceptance criteria:

- Opening without saved geometry uses the approved width. A window with remembered dimensions follows the precedence defined by RF-04.
- Messages, notes, and actions remain readable without clipping or overlaps; small screens retain a functional layout.
- Do not force an impossible width on a popup or sidebar; an extension window or page may be selected for a wider experience.

Decisions or dependencies. Agree on the main surface and target width/height. Current Multichat dimensions are references, not a proposed new size.

RF-18 | Keep an extension view persistently open

Status: Improved access and continuity of use.

Current baseline. A sidebar and independent windows exist. The browser-action popup closes when it loses focus according to native browser behavior.

Requested behavior. Provide a clear action to keep the extension open while switching tabs or working on another page, using a supported persistent surface.

Acceptance criteria:

- The user can move from the popup to a sidebar or independent window without losing the session or configuration.
- The selected view remains available across tab changes within the scope supported by each browser. Any limitations are explicit.
- Distinguish pinning the toolbar icon, keeping a view open, and pinning a message. None accidentally activates another.
- The persistent view can be closed or stopped, and a single request does not repeatedly open copies.

Decisions or dependencies. Choose a sidebar, detached window, or dedicated extension tab as the preferred experience. Do not promise a permanently open native popup or an always-on-top window above other applications without actual platform support.

3. Approved chatters and auto-approval: RF-19

Status: reported Live Chat Feed issue and a new approval policy. This requirement incorporates the user's latest addition and is not considered fulfilled by the existing trust threshold.

RF-19.A | Visibility of approved chatters

Approval is a review state, not an instruction to hide messages. The complete live chat feed must continue displaying new messages from manually or automatically approved chatters in individual and unified views, without duplication or loss of approval state.

- The review queue may exclude approved people; Live Chat Feed must not exclude them for that reason. If a visual filter hides a message, it must do so under its own rule, not because of approval state.
- If the user calls the current review-card list Live Chat Feed, agree on a visible distinction between Live Chat and Pending Review before changing the query.
- Approving a chatter during a session does not remove already-retained messages. Reloading or opening another view recovers the person's persisted state, within normal history limits.

RF-19.B | Requested conditions

The requested condition is: auto-approve when messages > N, OR the person follows the channel, OR the person is currently subscribed, OR a previous subscription is verified. The initial interpretation is OR: one enabled, confirmed condition is sufficient. The threshold is strictly greater than N, not greater than or equal to N.

- N is configurable; its initial value and counting period remain open. With N = 10 as a boundary example, 10 messages do not qualify through quantity, while 11 do.
- The counter concerns messages received from that person in that channel within the agreed scope. It must deduplicate messages and must not depend solely on visible rows or content still retained in the buffer.
- Being a follower differs from being a recent follower. Current and previous subscription are distinct states, each with identifiable evidence and lookup age.
- Auto-approval is a local review resolution. It does not grant moderator privileges, modify a subscription, or revoke existing Twitch bans/timeouts.

RF-19.C | State and evidence

Record the manual or automatic origin, reason, date, and sufficient evidence to explain approval per person/channel. An unavailable lookup, denied permission, or absent badge does not prove a previous subscription. An unknown condition must not cause approval; another confirmed OR condition may still be sufficient.

The authorized account is not guaranteed to have access to complete historical subscription data. Verify actual sources and permissions before committing to this condition. Locally observed history only proves what the extension recorded, not the account's entire lifetime.

3. RF-19: acceptance and boundaries

Proposed functional acceptance criteria

- CA-19.01: with visual filters that allow the message, a manually approved chatter remains visible in chat and does not re-enter review merely by sending another message.
- CA-19.02: an automatically approved chatter remains visible in live chat and is removed from the pending count when the local resolution is confirmed.
- CA-19.03: the N/N+1 boundary is exact; duplicate messages or messages from another channel do not incorrectly cause approval.
- CA-19.04: test each enabled OR condition independently and in combination; unknown data is neither true nor confirmed negative history.
- CA-19.05: missing permission or a missing source for past subscriptions is reported verifiably and does not fabricate an approval.
- CA-19.06: simultaneously opening the popup, sidebar, and pop out does not count messages or approve a person repeatedly. The reason remains consistent across views.
- CA-19.07: approval and RF-13 reappearance follow a decided precedence; the person does not oscillate endlessly between pending and approved on every message.
- CA-19.08: auto-approval does not undo a real sanction. Visual filtering and the review queue remain independent.

Case	Expected result
Manually approved; allowed message	Visible in live chat; excluded from Pending Review while approval remains valid.
Messages = N; other conditions false	Do not auto-approve based on quantity.
Messages = N + 1; rule enabled	Eligible for quantity-based auto-approval.
Confirmed follower; few messages	Auto-approve if that condition is enabled and no higher-priority blocking policy applies.
Confirmed current subscriber	Auto-approve if that condition is enabled.
Confirmed previous subscription	Auto-approve if enabled and supported by a valid source.
Unknown subscription history	Do not use unknown data as proof; evaluate the other conditions.
Auto-approved; message filtered as spam	Do not confuse visual suppression with losing approval.
15 minutes without chatting or stream ended	Apply RF-13 according to the expiry policy, without affecting Twitch bans.

Open decisions: N and counting period; conditions enabled by default; permissions and data sources; precedence against manual rejection and automatic timeout; lifetime of manual/automatic approvals; extension to additional channels. Automatic behavior remains scoped to the primary channel unless an expansion is approved.

4. Review states and reappearance

Proposed functional model to avoid mixing chat, review, sanctions, and activity. It does not yet prescribe database field names or a migration.

Dimension	States or information	Separation rule
Review	Unevaluated, pending, manually approved, automatically approved, dismissed, eligible for reevaluation.	Affects the queue and Pending Review total, not chat visibility directly.
Visibility	Visible, locally filtered, deleted on Twitch but retained as a ghost, evicted from buffer.	Approved does not mean hidden; retained deletion does not mean restored on Twitch.
Activity	Active/inactive, last activity, and associated stream.	Inactivity is per person/channel; stream end is not IRC disconnection.
Channel relationship	Follower, current subscriber, previous subscriber, confirmed negative, or unknown.	Each value has a source and validity period; unknown confirms no positive condition.
Sanction	No action, pending, timeout, ban, confirmed error.	Local approval never undoes a remote sanction.

Functional ordering to resolve

- Identify and deduplicate a message by channel, add it to chat subject to visual filters, and update the person's activity.
- Check whether a review state has expired under RF-13, then evaluate the current RF-19 conditions using available information.
- The result determines whether one pending entry exists. Effects on automatic sanctions require explicit precedence, not the incidental order of API responses.
- The pending count is derived from people and states, not the number of messages or open views.

Product-policy conflict requiring a decision

A person may become eligible after 15 minutes while remaining a follower or subscriber. If OR rules run immediately again, the person may be automatically approved before appearing for review. Options include preserving durable approvals, expiring only session approvals, or forcing review after expiry. This document does not select an option without approval.

Also define what happens when approval is manually removed: allowing immediate auto-approval can override the moderator's intent. An explicit precedence or blocking policy is needed, with an agreed duration.

5. Settings and persistence

Proposed scope matrix for RF-03, RF-04, RF-05, and RF-19. Synchronization is limited to the same browser profile; cloud synchronization, cross-device synchronization, and synchronization between Chromium and Firefox installations are not requested.

Data	Proposed scope	Lifetime and behavior
Language and appearance	Installation/profile	Persistent; shared across views; explicit user choice takes precedence.
Authentication	Installation session	Credentials in session storage; not copied into workspaces or documents.
Primary channel and moderation settings	Current shared configuration	Persistent; changes applied consistently with validation.
Auto-approval rules and N	Shared or per-channel: open	Persistent if approved; read consistently from every view.
Approval state and notes	Person + channel	Persistence and expiry under RF-13/RF-19; do not merge channels by display name.
Grid, filters, and highlights	Current shared configuration	Preserve the existing model unless an expansion is approved.
Pause, scroll, and message pins	Window	Local; do not impose one reader's position on another window.
Position and size	Window, channel, or workspace: open	Accessible restoration; precedence over manual workspaces defined.
Alerts and default duration	Shared or per-channel: open	One logical event; do not repeat alerts in every view.
Chat history	Bounded memory	This document does not expand it into a durable archive.
Relationship and stream evidence	Person/channel or channel/stream	Source and date recorded; minimum retention undecided; no claim of complete history.

Integrity rules

- A Twitch user ID, not a display name, identifies a person. Name changes do not duplicate approvals or notes.
- A save error leaves the confirmed state explicit. A view with a draft must not silently overwrite a later revision.
- New preferences require agreed initial values and a migration policy; old data must not be silently reinterpreted.
- If persistent subscription history or stream status is approved, it requires retention and deletion policies. Tokens are not added to logs or exports.

6. Main functional workflows

FL-01 | First opening and configuration

Open an extension surface, apply theme and language using saved preferences or initial values, and show authentication and configuration state. Autosave valid changes while retaining Save. Enter the official OAuth flow and return to the agreed internal context. Cancellation or failure must not leave a blank window or false success.

FL-02 | Continuous work across views

Open the popup and select a persistent view. Switch browser tabs without losing that persistent view. Change a setting in one surface and observe its confirmed value elsewhere. Keep scroll and pause local. Closing and reopening a window recovers its geometry under the selected policy.

FL-03 | Review and approval

Receive a message, display it in live chat according to filters, and evaluate the person per channel. When applicable, add one pending card. Manual approval or a confirmed automatic condition removes the card and updates the count without removing the author from chat. The auto-approval reason remains available to explain the resolution.

FL-04 | Actions on a message

Select Delete, Translate, or Pin on a stable message target. Delete validates message identity and permissions; translation retains the original and discloses provider use where applicable; pinning retains the local pin. Ban/timeout opens a dialog with an immutable target and complete details; cancellation sends nothing, and one confirmation records the actual result.

FL-05 | Inactivity and a new stream

After 15 minutes without messages per person/channel or a verified stream end, apply the eligibility policy. The next message is reevaluated without duplicate states or lost notes. Resolve interactions with prior approval and OR conditions before deciding whether the person reappears in Pending Review.

FL-06 | Disconnection and recovery

Detect a connection loss and show a common state. Retry only recoverable errors using one shared connection. Resume IRC subscriptions without duplicate processing. Request authentication when the token is invalid; preserve manual disconnection. Do not turn a network interruption into a stream end or recover messages that Twitch does not replay.

FL-07 | Alerts, notes, and export

A configured event produces one logical alert without stealing focus. A quick note is associated with its confirmed target without unintended text replacement. Export generates a local file for the selected view and makes its limited coverage clear. None of these actions is confused with moderation or posting chat messages.

7. Open decisions: experience

These decisions remain part of the draft. They do not prevent adding further features, but they must be resolved before closing affected requirements. No answer is assumed.

ID	Decision	Affects
D-01	Which surface is the main window: popup, sidebar, page, or detached window? What are its initial width and height?	RF-09, 17, 18
D-02	Does front page mean the internal starting screen, Twitch home page, or bringing a window to the foreground? Provide the failing workflow.	RF-09
D-03	Which specific dark-mode defects must be corrected? Approve the palette and the migration policy for existing saved light preferences.	RF-01, 02
D-04	Should the visible Client ID or another field be masked? Confirm that introducing a Client Secret is not intended.	RF-06
D-05	Does pinning mean a persistent sidebar, detached window, dedicated tab, or toolbar icon? Must it cover switching browser windows too?	RF-18
D-06	Is geometry remembered per channel, function, or workspace? Restore at startup or only on reopening? What takes precedence over a manual workspace?	RF-04, 17
D-07	Which settings are global and which are per-channel? Which require Apply instead of immediate-effect autosave?	RF-03, 05
D-08	Which events trigger sound/attention? Enabled by default? What frequency, volume, mute behavior, and notification alternatives are needed?	RF-08
D-09	Do RAID/FRONT PAGE notes belong to a person, channel, or stream? Append or replace? Will the catalog be editable?	RF-10
D-10	Which translation provider and languages are permitted, with what privacy, limits, and cost? What is the initial target language?	RF-11
D-11	Are the tabs causing size changes internal or browser tabs? Specify the view, steps, and dimensions before and after.	RF-15
D-12	Is Pending Review a primary-channel total? Are per-filter counts and technical indicators outside the main panel retained?	RF-14

Experience decisions must be documented before final screen designs are created. This draft does not prescribe visual designs, additional dimensions, or development priorities that the user has not approved.

7. Open decisions: moderation

ID	Decision	Affects
D-13	Does confirmation for every manual ban/timeout include /srs 1s? Does automatic timeout continue, become disabled, or become a proposal requiring confirmation?	RF-11, 12
D-14	Which presets, units, default, and range apply to timeouts? Does the last-used duration change the saved default? Does deletion require confirmation?	RF-11, 12
D-15	Which states allow return to review after 15 minutes or stream end: dismissed, automatically approved, manually approved, or all?	RF-13, 19
D-16	Does reappearance happen immediately at the threshold or upon the next message? Does exactly 15 minutes qualify?	RF-13
D-17	How is actual stream end detected and distinguished from network failure? What happens when an offline channel has active chat?	RF-13, 16
D-18	What are N, its minimum/maximum, and the counting period: stream, session, rolling window, or lifetime? The requested comparison is strictly > N.	RF-19
D-19	Can each OR condition be enabled separately? Which are enabled initially? Does automation remain limited to the primary channel?	RF-19
D-20	Which sources and permissions establish follower, current subscriber, and previous subscriber status? Is locally observed history sufficient, and how is its coverage disclosed?	RF-19
D-21	What precedence applies to manual approval, manual rejection, renewed auto-approval, and automatic sanction? Are approvals durable or per-stream?	RF-11, 13, 19
D-22	Does Live Chat Feed mean complete Multichat or the current review list? Is an approval indicator needed beside a message?	RF-19
D-23	What retention and deletion rules apply to new relationship evidence, decisions, and stream records?	RF-13, 19

Boundaries that require explicit scope expansion

- Do not invent follower relationships or subscription history when the source cannot establish them.
- Do not promise a persistent native popup when the platform does not support one.
- Do not introduce a Client Secret, backend, chat transmission for translation, or additional permissions without an explicit decision.
- Do not remove existing confirmations or enable automatic sanctions by default as a side effect of these improvements.

8. Future validation and acceptance

This plan applies once the user authorizes development of the final scope. It is not a report of tests performed on the proposed improvements.

Area	Proposed minimum verification
Compatibility	Chromium and Firefox; popup, sidebar, detached window, and internal page where included in scope.
Appearance	Light/dark themes, startup without preferences, three languages, compact/wide sizes, zoom, contrast, focus, and error states.
Persistence	Autosave and Save; reload; concurrent views; delayed reply; write failure; invalid values; preference migration.
Windows	Switching sections and tabs; stable dimensions; close/reopen; missing monitor; negative coordinates; persistent view without duplicates.
OAuth and security	Success/cancellation/error; internal return; insufficient permissions; no secrets in screenshots, URLs, exports, or logs.
Moderation	Confirm/cancel; stable target as messages arrive; double-click; valid duration; remote error; /srs 1s and automation under the approved policy.
Approval	Manual and automatic; N/N+1 boundary; each OR condition; unknown evidence; deduplication; live visibility and review total.
Expiry	Before, at, and after 15 minutes; actual stream end; offline channel; new stream; interaction with approvals and notes.
Connection	Network loss, authentication error, manual disconnect, view closure, background suspension, and sleep/wake without duplicate reconnection.
Alerts and export	One alert per event across views; audio restrictions; visual fallback; TXT coverage and deleted data; no unauthorized content upload.

Completion criteria for a future release

- Release requirements and decisions are approved, with verifiable criteria and no unresolved issues that alter essential behavior.
- Automated core, worker, both-engine UI, and packaging checks pass; authorized live Twitch tests cover workflows that depend on the real API.
- Reported issues are reproduced and corrected with evidence, or clearly identified as unreproduced with precise limitations; hypotheses are not presented as confirmed fixes.
- Documentation and packages match final behavior. Store signing/publication are treated as separate external steps.

Future sanctions and tests involving real data require an authorized account and a test channel. Until then, simulated checks do not establish actual Twitch authorization or delivery.

9. Traceability and further additions

Relationship between baseline and requested changes

Existing baseline	Related requirements
EX-01 Access, browsers, and OAuth	RF-05, 06, 09, 16, 18
EX-02 Chatter review	RF-10, 11, 13, 14, 19
EX-03 Thresholds and moderation	RF-11, 12, 13, 19
EX-04 Connection and presentation	RF-04, 05, 09, 15, 16, 17, 18
EX-05 Reading, filters, and local actions	RF-01, 07, 08, 11, 19
EX-06 Workspaces	RF-04, 05, 15, 17, 18
EX-07 Language, appearance, and autosave	RF-01, 02, 03, 05
EX-08 Limits and data	RF-08, 13, 14, 19; preserve limits unless changes are approved
EX-09 Security and verification	All requirements affecting data, permissions, or distribution

Existing-state references

The inventory was checked through README.md, AGENTS.md, docs/es.md, core.js, worker.js, dashboard.js, and related surfaces. References describe the local state at drafting time, not a published or signed release. Pre-existing local changes are not reverted or reinterpreted as part of this documentation assignment.

Key reference functions: normalizeSettings/getFlagReasons/recordMessage for configuration and signals; snapshot/processChatMessage for review; runAction for current confirmations; saveChatConfig and panel saves for persistence; workspaces and VirtualChat for windows, buffers, and pauses.

Document history

Version	Date	Change
0.1 EN	7 Nov 2026	Full English edition of the consolidated baseline, 18 original requests, and RF-19 for approved chatters and auto-approval. Adds a store-review preparation appendix without authorizing implementation.

How to add further functionality

Retain RF-01 through RF-19 to preserve references. Register the next request as RF-20. Each addition should include the need, current baseline, desired behavior, acceptance criteria, dependencies, open decisions, and data/permission effects. Updating the draft does not authorize development.

Final status of this edition: open for further additions. No schedule, effort estimate, implementation order, or feasibility commitment is established for unresolved decisions.

Appendix A. Future store-review preparation

Purpose: support a future submission to Chrome Web Store and Mozilla Add-ons (AMO). This specification is a supporting reference, not a submission form, privacy policy, tested release certificate, or approval from either store. No submission, signing, or publication has been performed as part of this assignment.

Describe only the package actually submitted

Use Section 2 as a baseline reference and verify it against the exact release package before submitting. Section 3 contains requested changes, some partly implemented and others pending; it must not be copied into a listing as a claim of shipped functionality. Update the implementation status and unresolved decisions when a release is selected.

Preparation item	What remains to be supplied or confirmed
Release package	Select a tested version and its browser-specific ZIP. Confirm the manifest, supported versions, package contents, and matching release description.
Publisher and listing	Use the responsible developer account. Complete the store's product description, listing assets, support information, and distribution choices.
Permissions and privacy	Justify the permissions of the actual package and complete the relevant privacy/data declarations. Supply an applicable privacy policy; this document is not a substitute.
Reviewer test instructions	Explain how to register the browser-specific Twitch redirect, connect an authorized test channel, and exercise the shipped features safely. Provide any necessary test access through the store's designated private channel, not in this specification.
Source and reproducibility	Retain readable source and packaging instructions. Provide source material if required by the store or reviewer. The current extension uses native JavaScript/HTML/CSS and packaging-only dependencies.
Validation and distribution	Resolve validation findings and complete the store process. Firefox signing and a listed/unlisted distribution choice are separate from generating a ZIP. Chrome submission and publication are also separate from document delivery.

Important disclosure boundaries

- No telemetry or independent backend does not mean no data transmission: the extension authenticates with Twitch and sends the identifiers and requests needed for its features. Declarations must reflect actual behavior.
- If translation, system notifications, subscription-history evidence, or other new services are later implemented, reassess data flows, permissions, retention, consent, and reviewer instructions before submission.
- No promise of approval or a review deadline is made. Current store policies and dashboard requirements must be checked again at submission time.

Official references checked on 7 November 2026

Chrome Web Store: Publish your extension. Covers uploading a ZIP, listing and privacy details, test instructions, and submitting for review.

https://developer.chrome.com/docs/webstore/publish/

Mozilla Extension Workshop: Submitting an add-on. Covers AMO submission, validation, source where needed, listing/privacy/reviewer notes, and signed self-distribution.

https://extensionworkshop.com/documentation/publish/submitting-an-add-on/