

Github link:

<https://github.com/yerbolaiserik-wq/WEB-technologies-fronthend-assignment-1.git>

Task-B:

What a Web Page Is Made Of and How Browsers Display It

A web page begins its life as a text file written in HTML, consisting of structured tags that specify the content rather than the way it looks. When you open an .html file in a browser, the browser goes through the file line by line, interprets each tag and creates in its mind a structure known as the DOM (Document Object Model). It then applies default styling since it knows that headers should be larger, links should be blue, and paragraphs should have margins, after which it produces the actual pixels that you see on your screen. Metadata tags such as `<meta charset="UTF-8">` inform the browser about how to decode the text, while `<meta viewport>` instructs it to adjust the display for use on mobile devices. The browser also downloads any linked materials (such as images or stylesheets if they are included) and shows them in sequence. That is the reason why semantic structure is important: the tags `<header>`, `<nav>`, `<main>`, and `<footer>` are more than just labels; they indicate to assistive technology and search engines what each section is meant to represent.

Three Places I Chose Semantic Tags Over Divs

Originally in index.html I replaced the div with an `<article>` to enclose the chef's quote. An `<article>` represents self-contained, reusable content — the quote from the chef in effect forms its own unit of meaning. Using a div would have meant that this feature would not have been picked up by screen readers and search engines. The blockquote within it also serves to indicate the quoted text in a semantic way.

Secondly, in menu.html I created an actual `<table>` using `<caption>`, `<thead>`, `<tbody>`, `<th scope="col">`, and `<th scope="rowgroup">`. Although I could have simulated a table using nested divs and CSS, that would have been accessibility sabotage. The table I constructed makes it clear that 'the first row contains the headers', 'the columns are for price and item' and 'the rows represent groupings' — machines are able to read it, export it and sort it, and screen readers can navigate it. In contrast, the divs would have remained silent.

Third, in order.html, I used <fieldset> and <legend> to group the different sections of the form—namely "Personal Details" and "Order Parameters". I linked each <label for="username"> to the corresponding <input id="username">. When a sighted person taps an input field, a mobile user or a user with a screen reader taps the label and as a result the input becomes active. Using divs would have broken that connection.

What Happens When a Visitor Presses the Submit Button

If a person clicks "Тапсырысты Растай" (Confirm Order) in order.html, the browser carries out HTML5 validation first: it verifies that the name, email, and phone have been filled in, that the email has the correct format (as specified by type="email"), and that a date has been entered in the date field. In the case of failed validation, the browser displays error messages and the form does not then get submitted. If the validation is successful, the form tries to submit. The form tag has action="#" and method="post" — the # indicates that it currently goes nowhere (there is no server yet, as I explained in my code comments). The method="post" means that the data would be sent as part of a POST request and would not appear in the URL. In a real deployment, the user's name, phone number, chosen dish, delivery type, any extras and the comments would be sent to a server script which would then process the order. For now, the form resets once it appears to have submitted and no data is stored. As my code comment states clearly, "Form processing functionality is omitted at this stage as server-side script integration is scheduled for future assignment modules."

Dashboard | frontpage

yerbolaiserik-wq/WEB-

Showing results for

< > ↺

validator.w3.org/nu/#file





Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for colophon.html (checked with vnu 26.9.9)

Checker Input

Show

☐ source

☐ outline

☐ image report

☐ errors & warnings only

Options...

Check by

file upload

Choose File

index.html

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.
Total execution time 5 milliseconds.

[About this checker](#) • [Report an issue](#)

Dashboard | frontpage

yerbolaiserik-wq/WEB-

Showing results for

< > ↺

validator.w3.org/nu/#file





Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for menu.html (checked with vnu 26.9.9)

Checker Input

Show

☐ source

☐ outline

☐ image report

☐ errors & warnings only

Options...

Check by

file upload

Choose File

menu.html

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.
Total execution time 5 milliseconds.

[About this checker](#) • [Report an issue](#)

Dashboard | frontpage

yerbolaiserik-wq/WEB-

Showing results for

< > ↺

validator.w3.org/nu/#file





Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for order.html (checked with vnu 26.9.9)

Checker Input

Show

☐ source

☐ outline

☐ image report

☐ errors & warnings only

Options...

Check by

file upload

Choose File

order.html

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.
Total execution time 5 milliseconds.

[About this checker](#) • [Report an issue](#)

Dashboard | frontpage | yerbolaiserik-wq/WEB- | nu Showing results for x +

< > ↺ validator.w3.org/nu/#file

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for order.html (checked with vnu 26.9.9)

Checker Input

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only Options...

Check by file upload Choose File colophon.html

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.
Total execution time 5 milliseconds.

[About this checker](#) • [Report an issue](#)

HTML TAG CHECKLIST

[FILE: colophon.html]

* <!DOCTYPE html> | Line 1

- * <html lang="en"> | Line 2
- * <head> | Line 3
- * <meta charset> | Line 4
- * <meta viewport> | Line 5
- * <meta description> | Line 6
- * <meta author> | Line 7
- * <title> | Line 8
- * <body> | Line 11
- * <header> | Line 13
- * <h1> | Line 14
- * <nav> | Line 15
- * | Line 16
- * | Line 17
- * <a href> | Line 17
- * <main> | Line 25
- * <section> | Line 26
- * <h2> | Line 27
- * <p> | Line 28
- * | Line 29
- * <abbr title> | Line 29
- * <code> | Line 39
- * | Line 39
- * <kbd> | Line 46
- * <samp> | Line 46
- * <h3> | Line 49
- * <pre> | Line 50
- * <div class> | Line 60
- * | Line 61
- * <small> | Line 62

- * <figure> | Line 65
 - * | Line 66
 - * <figcaption> | Line 67
 - * <footer> | Line 71
-

[FILE: index.html]

- * <!DOCTYPE html> | Line 1
- * <html lang="kk"> | Line 2
- * <head> | Line 3
- * <meta charset> | Line 4
- * <meta viewport> | Line 5
- * <meta description> | Line 6
- * <meta author> | Line 7
- * <title> | Line 8
- * <body> | Line 11
- * <header> | Line 13
- * <h1> | Line 14
- * <nav> | Line 15
- * | Line 16
- * | Line 17
- * <a href> | Line 17
- * <main> | Line 25
- * <section id> | Line 26
- * <h2> | Line 27
- * <p> | Line 28
- * | Line 29
- * | Line 32

- * <article> | Line 36
 - * <blockquote cite> | Line 39
 - * <cite> | Line 42
 - * <aside> | Line 45
 - * <mark> | Line 47
 - * <figure> | Line 52
 - * | Line 53
 - * <figcaption> | Line 54
 - * <footer> | Line 62
-

[FILE: menu.html]

- * <!DOCTYPE html> | Line 1
- * <html lang="kk"> | Line 2
- * <head> | Line 3
- * <meta charset> | Line 4
- * <meta viewport> | Line 5
- * <meta description> | Line 6
- * <meta author> | Line 7
- * <title> | Line 8
- * <body> | Line 11
- * <header> | Line 13
- * <h1> | Line 14
- * <nav> | Line 15
- * | Line 16
- * | Line 17
- * <a href> | Line 17
- * <main> | Line 25

- * <section id> | Line 26
- * <h2> | Line 27
- * <p> | Line 28
- * <abbr title> | Line 29
- * <table> | Line 32
- * <caption> | Line 33
- * <thead> | Line 34
- * <tr> | Line 35
- * <th scope="col"> | Line 36
- * <tbody> | Line 42
- * <th scope="rowgroup"> | Line 44
- * <td> | Line 45
- * <sup> | Line 168
- * <small> | Line 212
- * <h3> | Line 217
- * <ol type="I"> | Line 218
- * <dl> | Line 225
- * <dt> | Line 226
- * <dd> | Line 227
- * <figure> | Line 231
- * | Line 232
- * <figcaption> | Line 233
- * <footer> | Line 237

[FILE: order.html]

- * <!DOCTYPE html> | Line 1
- * <html lang="kk"> | Line 2

- * <head> | Line 3
- * <meta charset> | Line 4
- * <meta viewport> | Line 5
- * <meta description> | Line 6
- * <meta author> | Line 7
- * <title> | Line 8
- * <body> | Line 11
- * <header> | Line 13
- * <h1> | Line 14
- * <nav> | Line 15
- * | Line 16
- * | Line 17
- * <a href> | Line 17
- * <main> | Line 25
- * <section> | Line 26
- * <h2> | Line 27
- * <p> | Line 28
- * <form> | Line 31
- * <fieldset> | Line 32
- * <legend> | Line 33
- * <label for> | Line 36
- * <input type="text"> | Line 37
- * <input type="email"> | Line 42
- * <input type="tel"> | Line 47
- * <input type="date"> | Line 55
- * <input type="number"> | Line 60
- * <select> | Line 65
- * <option> | Line 66
- * <input type="radio"> | Line 75

* <input type="checkbox"> | Line 84

* <textarea> | Line 93

* <input type="submit"> | Line 97

* <input type="reset"> | Line 98

* | Line 105

* <div class> | Line 109

* <kbd> | Line 110

* <footer> | Line 114

Task-A:

4. Page structural diagram

`<html lang="en">`

`<head>`

Meta tags

`<title>`

Stylesheets & Scripts

`<body>`

`<div id="react-app">`

`<div>` Logo & Nav (`<header>` + `<nav>`)

`<div>` Menu Items (`<section>` + `<article>`)

pizza 1 (T 2450)

pizza 2 (T 2790)

pizza 3 ...

`<div>` Order Form & No `<label for>`

`<div>` Footer (should be `<footer>`)

5. Three structural problems found

1) No semantic HTML tags

where: Everything is `<div>`, no `<header>`, `<nav>`

`<main>`, `<footer>`

`<div id="react-app">...</div>`

Replace with semantic tags. Screen readers can't understand structure.

Website Analysis

Ex: <http://dodopizza.kz/en/Astana>

Date: 2026.09.13 Aisyerik Yerbol
From SE-2536

1) Structural Elements (Find in)

Doctype	<!Doctype html>
lang="..."	lang="en"
charset	UTF-8
viewport	width=device-width (mobile)
<title>	Pizza Delivery - Dodo pizza

2) Three meta tags:

- 1) Description (for SEO)
- 2) theme-color (blue/brand color)
- 3) apple-mobile-web-app-capable

3) Semantic Tags (header, nav, main, section, so on)

None of these tags found! Only <div> tags used

• <div id="react-app"> - entire page

• <div class="sc-KF#K5b-3"> - menu items

4) Forms & Tables

Are form labels connected with for="id"?

Labels NOT connected to inputs

Are prices in <table> or <div>?

Prices mixed in divs

2) Forms have no proper <label> connections

Order form, delivery options, all inputs

<input type="radio"><label> Option</label>

Add ~~for~~="id" to label and id to input,

Mobile users can't tap labels.

3) Prices stored as text in <div>, not in <table>

Pizza menu, Combo prices, all costs

<div class="price">24.50</div>

Use <table><thead><th scope="col">

For structure. Data = unreadable now.

Item	Description	Price	Options
Pizza	Small	24.50	Pepperoni, Cheese
Pizza	Medium	28.50	Pepperoni, Cheese
Pizza	Large	32.50	Pepperoni, Cheese
Pizza	Extra Large	36.50	Pepperoni, Cheese
Pizza	Small	24.50	Pepperoni, Cheese
Pizza	Medium	28.50	Pepperoni, Cheese
Pizza	Large	32.50	Pepperoni, Cheese
Pizza	Extra Large	36.50	Pepperoni, Cheese

Item	Description	Price	Options
Pizza	Small	24.50	Pepperoni, Cheese
Pizza	Medium	28.50	Pepperoni, Cheese
Pizza	Large	32.50	Pepperoni, Cheese
Pizza	Extra Large	36.50	Pepperoni, Cheese
Pizza	Small	24.50	Pepperoni, Cheese
Pizza	Medium	28.50	Pepperoni, Cheese
Pizza	Large	32.50	Pepperoni, Cheese
Pizza	Extra Large	36.50	Pepperoni, Cheese

AI log

AI Tool Used: Gemini

"How to resolve git push rejected error (fetch first) and sync changes with origin main?"

AI Response Summary: The AI explained that the remote repository contained commits not present locally and suggested using `git pull origin main --rebase` or resolving conflicts before pushing. I used to AI help me to push images or new commits. Also, fixing the errors on the terminal.

Applied the suggested Git commands in the VS Code terminal to successfully push local commits, images, and HTML files to GitHub.

Dashboard | frontpage

Showing results for order.html (check)

Web Technologies Task 8 PDF Co...

yerbolaiken-wq/WEB-technologies-1

gemin.google.com/app/9220e3746db851dc

Upgrade

image файлды қалай қосамын

Сурет файлдарын жобаныңа қосып, оларды HTML беттерінде көрсету үшін мына қадамдарды орындаңыз:

- Суреттерді "images" папкасына салыңыз

Патка құрылымы

Ашылған тұрған проводник терезесінде images папкасы бар. Компьютеріңіздегі керек сурет файлдарын (мысалы, logo.png немесе photo.jpg) осы images папкасының ішіне көшіріп орналастырыңыз.
- HTML файлына

тегіні жазыңыз" subtitle="HTML">

Суретті HTML бетте көрсету үшін тиісті .html файлына осы кодты қосыңыз:

HTML

```

```

(Мұндағы сурет_аты.png орнына images папкасындағы суреттің дәл атын жазыңыз).
- Өзгерістерді GitHub-қа жіберіңіз

Terminal

+ Ask Gemini

Flash

Gemini is AI and can make mistakes.

Upgrade

неге қайта images жоғалып кетті

GitHub репозиторийінде images папкасының көрінбей кетуіне негізгі 2 себеп бар:

1. .gitignore файлында сурет кеңейтімдері бұғатталған
Соңғы рет .gitignore файлы қосылған екен. Егер ол файлда .jpg, .jpeg, .png сияқты кеңейтімдер жазылып кетсе, Git бұл суреттерді серверге жүктемей тастап кетеді.
.gitignore файлын тексеру:
 1. GitHub-тағы .gitignore файлын басып ашыңыз.
 2. Ішінде .png, .jpg, .jpeg немесе images/ деген сөздер болса, сол жолдарды өшіріп тастаңыз.
2. Папкадағы суреттер Git-ке git add арқылы қосылмаған
Жергілікті папкаға суреттерді салғанда, оларды Git сезбей қалуы мүмкін.

Емдеу жолы (Терминалда/Git Bash-та орындалатын командалар):

Проектіңіз орналасқан папкада терминалды ашып, мына командаларды кезегімен енгізіңіз:

Bash

```
git add .
```

+ Ask Gemini

Flash

Gemini is AI and can make mistakes.

Dashboard | frontpage

Showing results for order.html (check)

Web Technologies Task 8 PDF Co

yerbolaisenik-wq/WEB-technologies-

gemini.google.com/app/9220e3746db851dc

Upgrade

web technologies Task-8

convert to pdf file

Show code

Your PDF document is ready:

web_technologies_t... PDF

Open

Summary of Converted Content:

Section 1: What a Web Page Is Made Of and How Browsers Display It

Details the HTML parsing process, DOM creation, default CSS styling, rendering pipeline, and the role of metadata (`<meta charset="UTF-8">`, `<meta viewport>`) alongside semantic tags (`<header>`, `<nav>`, `<main>`, `<footer>`).

Section 2: Three Places I Chose Semantic Tags Over Divs

`index.html`: Replaced generic `<div>`s with `<article>` and `<blockquote>` for the chef's quote to preserve semantic meaning for screen readers and SEO.

`menu.html`: Implemented standard HTML `<table>` elements (`<caption>`, `<thead>`, `<tbody>`, `<th>`) rather than styled divs to ensure table accessibility and screen-reader support.

`order.html`: Grouped form sections using `<fieldset>` and `<legend>` ("Personal Details" and "Order Parameters") and explicitly paired `<label>` tags with

+ Ask Gemini

Flash

Gemini is AI and can make mistakes.

Dashboard | frontpage

Showing results for order.html (check)

Web Technologies Task 8 PDF Co

yerbolaisenik-wq/WEB-technologies-

gemini.google.com/app/9220e3746db851dc

Upgrade

Bash

git status

Ереп On branch main және working tree clean деп шықса, барлық файлдар мен суреттер GitHub-қа сәтті өтті деген сөз.



Терминалдағы `git status` жауабына қарасақ, rebase аяқталмай тұр және жергілікті локальді бұтағыңыз GitHub-тағы бұтақтан 1 коммитке артта қалып тұр (`behind 'origin/main'`).

Rebase-тен толық шығып, GitHub-тағы соңғы өзгерісті алу үшін терминалға мына командаларды кезекпен жазыңыз:

Bash

git rebase --quit

Осыдан кейін GitHub-та тұрған соңғы коммитті жергілікті компьютерге жүктеп алыңыз:

Bash

git pull origin main

+ Ask Gemini

Flash

Gemini is AI and can make mistakes.

The image shows a screenshot of a web browser displaying the Gemini AI chat interface. The browser's address bar shows the URL 'gemini.google.com/app/9220e3746db851dc'. The chat interface has a dark theme. At the top, there's a navigation bar with a Gemini logo, a search icon, and an 'Upgrade' button. The main chat area contains a conversation with the AI. The user's message is: 'Кодты ризш ету барысында қандай да бір қате (error) шықса, не жазылғанын жіберсеңіз, көмектесемін.' The AI's response includes a terminal screenshot showing a 'git add .' command and a list of files being added. Below this, the AI explains the command and provides a list of commands to commit the changes: 'git commit -m "Your message here"'. A 'Snipping Tool' window is open in the bottom right corner, showing a screenshot of the chat interface and the text 'Screenshot copied to clipboard. Automatically saved to screenshots folder.' The bottom of the chat interface has a 'Ask Gemini' button and a 'Flash' dropdown menu.