

THIS AGREEMENT is made the 3rd day of January, 2025

BETWEEN THE GOVERNMENT OF THE REPUBLIC OF GHANA (hereinafter called "the Government") acting by **SAMUEL A. JINAPOR**, the Minister of Lands and Natural Resources (hereinafter called "the Minister") of the one part and

M G EMMANUEL MINING LIMITED COMPANY with registered address at **HOUSE NUMBER OPPOSITE ADB BANK ADUKROM-AKUAPIM NORTH, KIBI, P. O. BOX 12, ASIAKWAH-KIBI E/R, GHANA** (hereinafter called "the Company") of the other part.

W H E R E A S:

- A. It is Government's policy to take all such steps as it deems appropriate and effective for promoting prospecting for **gold and other minerals** throughout the Republic of Ghana and for mining to ensure that optimum benefits accrue to the nation from the exploitation of its mineral resources; and
- B. In pursuit of this policy Government desires to secure the co-operation of companies which possess the necessary financial, technical and human resources for carrying out mineral operations; and
- C. The Company is desirous of undertaking the mineral operations in furtherance of Government's policies and in accordance with applicable laws and regulations; and
- D. The Company therefore warrants that it has the financial, technical and human resources required for undertaking the mineral operations and has declared itself willing to engage in exploration in Ghana on the understanding that it shall bear the risk of the operations on its own account and upon establishing to the satisfaction of the Government that there are good prospects for undertaking commercial mining operations may apply for and be granted a mining lease subject to the provisions of the Minerals and Mining Act, 2006, (Act 703).

NOW THIS AGREEMENT WITNESSES AS FOLLOWS:

1. **GRANT OF PROSPECTING LICENCE**

The Government hereby grants unto the Company the right and licence to prospect for and prove **gold and other minerals** under or in the area described in the Schedule hereto and shown on the map which forms part of this Agreement (hereinafter called "the Licensed Area") excluding any parts which shall be relinquished from time to time for a term of **THREE (3) YEARS**

from the date of this Agreement with a right of extension as hereinafter provided.

2. RIGHTS OF THE COMPANY

- a. The Company shall have the right to conduct such geological and geophysical investigations in the Licensed Area as it considers necessary to determine an adequate quantity of geologically proven and mineable reserve of **gold and other minerals**
- b. The Company may exercise all or any of the rights and powers granted under this Agreement through agents, independent contractors or sub-contractors.
- c. Nothing contained in this Agreement shall be deemed to permit the Company to dispense with the necessity of applying for and obtaining any permit or authority, which the Company may be required by law or regulation to obtain in respect of any works or activities to be carried out under this Agreement.

3. RIGHTS OF THIRD PARTIES

- a. The Government reserves the right to grant licences to third parties for prospecting or to enter into Agreements for the production of **minerals other than gold** in the Licensed Area, provided that any such activity shall not unreasonably interfere with the rights granted to the Company hereunder.
- b. The Company shall not hinder or prevent members of the local population from exercising their customary rights and privileges in or over the Licensed Area, including the right to hunt game, gather firewood for domestic purposes, collect snails, till and cultivate farms; and observe rites in respect of groves and other areas held to be sacred.
- c. Where the exercise of these customary rights and privileges unduly interferes with or obstructs the operations of the Company, the Company shall make arrangements with members of the local population for the limitation or waiver of such rights and privileges, such arrangements where necessary to include the payment of compensation in accordance with section 72 to 75 of Act 703.

4. CONDUCT OF OPERATIONS

- a. The Company shall conduct all of its operations in accordance with the applicable laws in force at any time, including in particular the laws and regulations on minerals and mining and environmental protection.
- b. The Company shall conduct all of its operations with due diligence, efficiency safety, and economy to the maximum extent possible consistent with good mining industry practice and in a proper workmanlike manner observing sound technical and engineering principles and practices, using appropriate modern and effective equipment, machinery, materials and methods and ensure protection of the environment.
- c. The Company shall maintain all equipment in good repair and all pits and trenches and all excavated areas in safe and good condition and take all practicable steps:
 - i. to prevent damage to adjoining farms and villages;
 - ii. to avoid damage to trees, crops, building, structures and other property in the Licensed Area;Provided that for any such damage that is unavoidable the Company shall pay fair and reasonable compensation in accordance with section 72 to 75 of Act 703.
- d. The Company shall not conduct any operations in a sacred area and shall not without the prior written consent of the Minister conduct any operations:
 - i. within 100 metres of any forest reserve, river, stream, building, installation, reservoir, dam, public road, railway or area appropriated for a railway; or
 - ii. within 300 metres of a pylon; or
 - iii. in an area occupied by a market, burial ground, cemetery or within a town or village or an area set apart for, used, appropriated or dedicated to a public purpose.
- e. The Company shall provide and maintain in good repair and condition proper roads, gates, stiles and fences for the convenient occupation of the surface of the Licensed Area.
- f. The Company shall comply with the provisions of the Minerals and Mining (General) Regulations, 2012 (L.I. 2173) in relation to the engagement of expatriates, recruitment and training of Ghanaians, and procurement of local goods and services.

5. WORKING OBLIGATIONS

- a. The Company shall commence prospecting operations within three months from the date of this Agreement.
- b. The Company shall use modern geological, geophysical and other methods normally associated with prospecting operations in the Licensed Area with a view to establish the existence of **gold** in commercial quantities.
- c. The Company, having prior to the commencement of this Agreement submitted its work programme to the Government, shall carry out its operations in accordance with the Work Programme (attached as Appendix A) and the Minerals Commission shall from time to time inspect the operations to ensure that the Company does so.
- d. The Company shall diligently continue to carry out its operations and shall spend as actual direct prospecting expenditure not less than the minimum amounts specified in the Work Programme.
- e. The Company shall spend the minimum amounts stipulated in the Work Programme to be spent for the period of this Agreement and if at the expiration or termination of the Agreement the Company has not expended the stipulated minimum expenditure, it shall be liable to pay to the Government within 30 days from the date of the expiration or termination of the Licence, the difference between the amounts actually expended and the minimum expenditure stipulated in the Work Programme for the period of the Agreement.
- f. If the Company proves to the reasonable satisfaction of the Minister that **lithium mineralisation does not exist** in sufficient quantities in the area to warrant completion of the Work Programme, the Company shall not be liable to pay to the Government monies in respect of the minimum expenditure.

6. NOTIFICATION OF DISCOVERY OF OTHER MINERALS

The Company shall report any discovery of other minerals in the Licensed Area immediately to the Minister, the Chief Executive Officer of the Minerals Commission, and the Director of Ghana Geological Survey, and the Company shall be given the first option to prospect further and to work the said mineral(s) subject to satisfactory arrangements between the Government and the Company.

7. SAMPLES

- a. The Company shall not during the currency of this Agreement remove, dispose of or destroy, except in analyses, any cores or samples obtained from the Licensed Area without the prior written consent of the Director of Ghana Geological Survey and the Chief Executive Officer of the Minerals Commission.
- b. The Company shall provide the Director of Ghana Geological Survey and the Chief Executive Officer of the Minerals Commission with such samples from the Licensed Area as they may from time to time reasonably request.
- c. All cores and samples obtained from the Licensed Area shall be delivered to the Director of Ghana Geological Survey on the termination of this Agreement and in the event of the Company not obtaining a mining lease.

8. RECORDS

- a. The Company shall maintain at its registered office copies of the following:
 - i. full and complete records and books of account relating to the prospecting programme in Ghana.
 - ii. the detailed records and results of analyses or all investigations, surveys and other tests conducted pursuant to the Work Programme and the provisions of this Agreement.
- b. The records referred to in the foregoing paragraph shall include copies of all geological, geophysical and geochemical investigations, relating to the Licensed Area and all maps, drawings and diagrams pertaining to these records.
- c. The records shall be made available for inspection upon request at reasonable times to the Chief Executive Officer of the Minerals Commission and shall be retained in Ghana unless removed with Government's consent.
- d. Failure to keep the records and to produce them for inspection upon receipt of reasonable notice may be considered just cause for the termination of this Agreement.
- e. Copies of the records shall be delivered to the Chief Executive Officer of the Minerals Commission on the termination of this Agreement and in the event of the Company not obtaining a mining lease in respect of the Licensed Area.

9. REPORTS

- a. The Company shall furnish to the Chief Executive Officer of the Minerals Commission and the Director of Ghana Geological Survey not later than the 15th day of each third month, a report giving a general description of the work done by the Company in the preceding quarter and containing a description accompanied by a sketch plan of the areas where **gold and any other minerals** were found, particulars of the type of minerals found and the number and weight of samples taken, if any.
- b. The Company shall furnish to the Chief Executive Officer of Minerals Commission and the Director of Ghana Geological Survey not later than sixty days after the end of each calendar year, an Annual Report in such form as may be prescribed by the Minerals Commission.
- c. All records, reports, plans and information which the Company is required to supply to the Government and its agents pursuant to the provisions of this Agreement shall be supplied at the expense of the Company.
- d. Any information or material supplied by the Company to the Government pursuant to the provisions of this Agreement and agreed by the parties to be confidential shall be treated by the Government, its officers and agents as confidential and shall not be revealed to third parties except with the consent of the Company (which consent shall not be unreasonably withheld) for a period of 12 months with respect to technical information and 36 months with respect to financial information from the date of submission of such information. The Government and persons authorised by the Government may nevertheless use any such information received from the Company for the purpose of preparing and publishing reports or analyses relating to minerals in Ghana.

10. FINANCIAL OBLIGATIONS

- a. The Company shall pay all fees and charges as provided under applicable laws and regulations.
- b. In accordance with section 23 of Act 703 the Company shall pay an annual ground rent to the Office of the Administrator of Stool Lands. Payment of this amount shall be made yearly in advance, the first year's payment having been made on or before the issue of this Agreement.
- c. The Company shall pay an annual mineral right fee in accordance with section 24 of Act 703 and the applicable provisions of the Minerals and Mining (Licensing) Regulations, 2012 (L.I. 2176), payable in advance not later than one month before each anniversary of the Licence.

11. ASSIGNMENT, MORTGAGE, ETC

- a. The Company shall not transfer, assign, or mortgage an interest in the Licence, or enter into an option or joint venture agreement in respect of the Licence, or deal in the Licence in any manner without the prior written consent of the Minister.
- b. The Minister may impose such conditions on the giving of such consent as it thinks fit.

12. SURRENDER

- a. The Company may surrender all its rights in respect of all or any part of the Licensed Area in accordance with regulations 158 to 167 of L.I. 2176.
- b. The Company shall be relieved of all obligations in respect of the part or parts of the Licensed Area surrendered except those obligations which accrued prior to the effective date of surrender.
- c. The Company shall leave the part of the Licensed Area surrendered and everything in the Licensed Area in a safe condition, and shall take all reasonable measures to restore the surface of such part of the Licensed Area surrendered and all structures which are not the property of the Company to their original condition. In the event that the Company fails to do so, the Chief Executive Officer of the Minerals Commission shall make such part and everything thereon safe at the expense of the Company.

13. EXTENSION OF TERM OF LICENCE

- a. If the Company applies in accordance with regulation 104 of L.I. 2176 not less than ninety days before the expiration of this Agreement for an extension of the term of the Licence and if the Company is not in default at that time in the performance of any of its obligations under this Agreement or any laws, the Company may, subject to the provisions of the law, be granted an extension for a period not exceeding **three (3) years** upon such terms and conditions as the parties may agree subject to applicable laws
- b. The Company shall, prior to the expiration of the initial term, surrender not less than half the number of blocks of the Licensed Area so long as a minimum of one hundred and twenty-five blocks remain subject to the licence.

14. TERMINATION BY THE GOVERNMENT:

- a. The Government may terminate this Agreement if any of the following events occur:
 - i. the Company fails to make any payments as required under this Agreement or under any laws including Act 703 and L.I. 2176 by the due date;
 - ii. the company's actual expenditure on the prospecting operations is not in accordance with the stipulated expenditure in the Work Programme;
 - iii. the Company is insolvent or bankrupt or enters into any agreement or scheme of composition with its creditors or takes advantage of any law for the benefit of debtors or goes into liquidation, whether compulsory or voluntary, except for the purposes of reconstruction or amalgamation;
 - iv. the Company knowingly submits any false statement or gives false information to the Government in connection with this Agreement;
 - v. the Company fails to conduct the prospecting operations according to the Work Programme;
 - vi. the Company fails to submit reports on the prospecting operations for more than 90 days after the reports are due;
 - vii. the Company contravenes or fails to comply with any other condition of this Agreement.
- b. The procedure provided in regulations 168 to 170 of LI 2176 shall be applicable following any of the above events of breach.
- c. Upon termination of this Agreement by the Government, every right of the Company under this Agreement shall cease (save as specifically otherwise provided in this Agreement) but subject nevertheless and without prejudice to any obligation or liability imposed or incurred under this Agreement or applicable law prior to the effective date of termination.
- d. No delay or omission or course of dealing by the Government shall impair any of its rights under this Agreement or be construed to be a waiver of an event specified in paragraph (a) of this clause or an acquiescence therein.

15. ASSETS ON TERMINATION OR EXPIRATION

- a. Upon expiration or termination of this Agreement, the Company shall within 21 days after the expiration or termination remove from the Licensed Area any structures and installations erected and any movable property brought into the Licensed Area and deliver to the Minerals

Commission in hard copy and in electronic form all records, samples, plans, maps, analyses and other data maintained prior to the termination of the Agreement.

- b. Any installation or movable property not removed by the Company within 21 days after the termination of this Agreement shall vest in the Republic.
- c. Nothing in this Agreement removes or diminishes any obligation that the Company may have under this Agreement, Act 703, L.I. 2176 or another enactment to rehabilitate the land.

16. COMPANY'S OBLIGATIONS ON TERMINATION

- a. Upon termination or expiration of this Agreement, the Company shall leave the Licensed Area and everything in the area in good condition, having regard to ecological, drainage, reclamation, environmental protection, and health and safety requirements. In this connection, the Company shall fill up or fence and make safe all holes and excavations to the reasonable satisfaction of the Chief Inspector of Mines. In addition the Company shall take all reasonable measures to leave the surface of the Licensed Area in usable condition. In the event that the Company fails to do so, the Minister shall restore and make safe the Licensed Area at the expense of the Company.
- b. The Company shall have the right to enter upon the Licensed Area for the above-mentioned purposes, subject to the rights of surface owners or others, for a period of not exceeding six (6) months from the effective date of the termination or such longer period as the Minister may determine.

17. FORCE MAJEURE

- a. Failure on the part of the Company to comply with any of the terms and conditions of this Agreement (except the obligations to make payment of monies to the Government) shall not be grounds for cancellation or give the Government any claim for damages in so far as such failure arises from force majeure, the Company having taken all appropriate precautions due care and reasonable alternative measures with the objective of avoiding such failure and of carrying out its obligations hereunder. The Company shall take all reasonable measures to remove such inability to fulfil the obligations under this Agreement with the minimum of delay.
- b. For purposes of this clause, force majeure includes acts of God, war, insurrection, earthquake, storm, flood or other adverse weather condition

but shall not include any event caused by a failure to observe good industry practices or by the negligence of the Company or its employees or contractors.

- c. The Company shall notify the Minister within twenty-four hours of an event of force majeure affecting its ability to fulfil the terms and conditions of this Agreement.
- d. The period of this Agreement shall be extended for a period of time equal to the period or periods during which the Company was affected by conditions set forth in paragraph (b) of this clause, but not to exceed six months in the aggregate.

18. PAYMENT IN FOREIGN EXCHANGE

- a. All foreign exchange transactions shall be in accordance with the laws of Ghana.
- b. Subject to paragraph (a) of this clause the Company shall, during the term of this Agreement and so long as it does not derive any revenue from its operations hereunder, finance such operations in the following manner:
 - i. By converting to Ghana currency through authorized dealers such amounts of foreign currency as will be sufficient to cover the Company's operating expenses required to be paid in Ghana currency including any payments to the Government and third parties provided that the terms of any loans obtained abroad for the company's operations shall be in conformity with current laws and regulations as well as international commercial and monetary conditions.
 - ii. By directly purchasing and/or hiring abroad in accordance with Regulations 1 and 2 of the Minerals and Mining (General) Regulations, 2012 (L.I. 2173) as is necessary for conducting the prospecting programme with its foreign currency funds and importing to and/or using in Ghana freely and without restrictions such machinery, equipment materials and services of any nature whatsoever as will be required by the Company for its operations hereunder.
- c. The Company may be required to pay all its rentals and other licensing fees to the Government in US dollars or other freely convertible currency, or such currencies as shall be specified by the Bank of Ghana.
- d. All conversions of currency shall be made at the prevailing official rates of exchange.

19. MINING LEASE

If upon the expiration of this Agreement the Company has carried out its obligations under the Agreement to the satisfaction of the Government and has successfully established to the Government that the development of a mine from ore reserves established within the Licensed Area is economically and financially feasible, then the Company shall have the first option to (i) acquire a lease for the purposes of mining in the Licensed Area, and (ii) participate in a mining project in the Licensed Area subject to application for a mining lease in accordance with Act 703.

20. NOTICE

Any application, notice, consent, approval, direction, or instruction provided under this Agreement shall be in writing and shall be served by hand or by registered mail. Delivery by hand shall be deemed to be effective when made, and delivery by registered mail shall be deemed to be effective at such time as it would in the ordinary course of registered mail be delivered to the addressee.

21. ARBITRATION

Subject to the provisions of this Agreement, if any time during the continuance of this Agreement or after its termination any question or dispute shall arise regarding the rights, powers, duties and liabilities of the parties, such question or dispute shall be referred to arbitration in accordance with the Alternative Dispute Resolution Act, 2010 (Act 798).

22. GOVERNING LAW

This Agreement shall be governed by, construed and interpreted in accordance with the laws of Ghana.

23. HEADINGS

The headings given to clauses in this Agreement are for convenience only and shall not affect the construction or interpretation of this Agreement.

APPENDIX A

WORK PROGRAMME

1. GENERAL INFORMATION

1.1 Introduction

MG Emmanuel Mining Limited Company is a company registered and incorporated in Ghana under the Companies Act, 1963 (Act 179). The office is located opposite ADB Bank, Asiakwa-Kibi, Eastern Region. The company hopes to undertake exploration and mining activities in Ghana. Even though the company has not got any track record in exploration and mining, we have hired a pool of highly experienced personnel and/or consultants in the mining industry capable of successfully conducting mineral exploration and mining development projects in both Ghana and throughout the sub-region. The concession of interest is located at Afosu in the Birim North District of the Eastern Region of Ghana.

1.2 Location

The proposed concession (the "Afosu Concession") is concession is located at Afosu in the Birim North District of the Eastern Region of Ghana as shown in **Figure 1**. It has an approximate area of **2.73 km² (13 Cadastral Blocks)** and forms part of Ghana's 1:50,000 scale topographical map sheet **0602D2**. It is located between the geographical coordinates of latitude **6° 22' 45"N** to **6° 23' 0"N** to and longitudes **1° 0' 0"W** to **1° 0' 15"W** as shown in **table 1**.

Table 1 Pillar Coordinates of Afosu Concession

P1	1°3'15"W	6°23'0"N
P2	1°0'0"W	6°23'0"N
P3	1°0'0"W	6°22'45"N
P4	1°3'15"W	6°22'45"N

147




Figure 1 Location Map of the Proposed Afosu Concession




Figure 2 Proposed Afosu Concession



1.3 Accessibility

The proposed Afosu Concession is accessed via the main Accra-Kumasi first-class road (~185km) to Nkawkaw. Within the main township of Nkawkaw, there is a branch off the main road to Afosu through the second class Nkawkaw-New Aberim road through towns Akoasi and Nwinso towns. Second class, feeder roads, timber tracks and footpaths provide fair access within the proposed concession area.

1.4 Geography

The area is characterized by undulating topography with an average height of about 200m above sea level.

The area lies in the wet semi equatorial zone characterized by a bi-modal rainy season, which reaches its maximum during the two peak periods of April-July and September-October. The annual rainfall is between 1,250mm and 1,750mm. Temperature ranges between a minimum of 26°C and a maximum of 30°C.

The area is located within the moist semi-deciduous forest. The forest reserve covers the Atiwa Scarp and its surroundings. Commercial tree species covering the surrounding areas include Odum, Wawa, Ofram, Asamfra, Mahogany, Okyenkyen, etc.

1.5 Infrastructure, Field Camp and Socio-economic Activity

The closest town New Aberim is about 4 km south of Afosu. The area has a lot of urban settlements with modern infrastructural facilities including power, water communication, hospitals, police, schools, fuel, and Government administrative offices.

Due to the vast nature and more infrastructures available, one field camp is proposed to be established during the exploration programme. The field camp will be set up at New Aberim town.

Other economic activities in the district include trade and commerce, banking and microfinance services, manufacturing, and agro-processing.

2. TECHNICAL INFORMATION

2.1 Geology of Southern Ghana

Ghana lies within the eastern domain of the Man Shield, which occupies the southernmost third of the West Africa craton. It is largely composed of folded and metamorphosed rocks of the early Proterozoic age that were intruded by granitoids during the Eburnean orogeny. About two-thirds of Ghana is dominated by Paleoproterozoic Birimian rocks consisting of five evenly spaced volcanic belts trending northeast-southwest. The intervening basins between the volcanic belts are filled by sediments. The supra-crustal rocks are highly deformed. However, the sedimentary rocks are particularly characterized by extensive folding (**Figure 3**).

The lavas are mainly of basaltic composition, though andesitic, dacitic and rhyolitic rocks are also present. Some pattern of facies distribution is shown by the Birimian sedimentary basins from the margins towards the basin centres.

The transition zone between the volcanic belts and the sedimentary basins is marked by chemical facies, which has of late been found to be the site of much of gold mineralization in Ghana.

Previously it was thought that the Birimian sedimentary rocks were older than the volcanic rocks. However, recent studies indicate that the volcanic belts and sedimentary basins are lateral facies equivalents.

Both the volcanic belts and sedimentary basins are intruded by three types of granitoids differing in age, mineralogy and chemistry, namely:

Granitoids in the sedimentary basins - the Cape Coast type - are dominated by two-mica granites

Granitoids associated with the volcanic belts - the Dixcove-type - are dominated by hornblende-bearing granites


The late K-rich granitoids (post-Tarkwaian) comprising the Bongo, Tongo and Bansa granitoids

Each of the Birimian volcanic belts contains meta-sedimentary rocks - the Tarkwaian Group - that lie unconformably over the Birimian. The Tarkwaian consists entirely of conglomerates, sandstones, phyllites and slates derived from the Birimian country rocks.

The Birimian and Tarkwaian rocks occur mainly in the Eastern, Central and Western Regions, including Ashanti, Brong Bono and the western part of the Northern and Upper Regions.

The Dahomeyan System occupies the southeastern corner of Ghana and occurs as four alternate belts of acid and basic gneisses, trending south-southwest to north-northeast direction. A greater part of the System forms a monotonous low-lying plain broken by isolated inselbergs and ridges of mainly ultramafic intrusives and hills forming outliers of Togo rocks. The areas occupied by the basic gneisses are flat (Accra Plains), while the areas occupied by the acid gneisses give rise to gently undulating topography. The Togo Series is made up of meta-sediments and Buem Formation dominated by metasediments and metavolcanics, supporting a range of hills lying in the eastern corner of the country.

Undeformed, flat-lying Neoproterozoic clastic sedimentary rocks forming the Voltaian System cover the eastern third of the country.

A strip of Paleo-Cretaceous to Tertiary sediments occurs along the coast. These consist of the Accraian Series (in the Accra area), the Sekondian Group (Elmina, Komenda, and Sekondi areas), Apollonian Formation (Tano and Keta areas), and the Amisian Formation (the Saltpond area).

2.1.1 Birimian Metavolcanics

There are six volcanic belts in the Birimian, namely the Kibi-Winneba, Ashanti, Sefwi, Bui, Bole-Navrongo and Lawra belts. The belts have a slight keel-shaped outline, perhaps produced by the associated diapiric, intrusive plutons (Kesse, 1985).

The belts consist mainly of metamorphosed basaltic and andesitic lavas, now hornblende- actinolite schists, calcareous chlorite-schists and amphibolites (the greenstones). Minor intrusions of mafic rocks cut the volcanics. Volcaniclastic sediments occur interbedded within the basaltic flows of all volcanic belts (Leube et al., 1990). Metamorphism in most volcanic rocks is confined to the chlorite zone of the greenschist facies. Amphibolite-facies assemblages occur sporadically but especially along the margins of granitoid bodies.

2.1.2 Birimian Metasediments

Birimian metasedimentary rocks of Ghana are divided into:

- volcaniclastic rocks;
- turbidite-related wackes;
- argillitic rocks;
- chemical sediments.

Boundaries between these subdivisions are gradational (Leube et al., 1990). The volcaniclastic sediments comprise chiefly of sand-to silt-sized, partly reworked pyroclastics that are shown by the presence of quartz, idiomorphic plagioclase crystals, chloritised glass fragments, and the absence of heavy minerals (Leube et al., 1990).

2.1.3 Birimian Granitoids

Four main types of granitoids are recognised in the Birimian of Ghana. They include Winneba, Cape Coast, Dixcove and Bongo granitoids (Junner 1935; Kesse, 1985). The latter three have been recently termed —BasinII, —BeltII and —K-richII granitoids. (Leube et al., 1990). The Cape Coast (Basin type) and Dixcove (Belt type) granitoids are widespread in Ghana, the Winneba belt is limited to small areas near Winneba, and the Bongo type crops out in the Bole Navrongo Belt and the Bansa area (Kesse, 1985).

The (Basin type) granitoids occur only within the Birimian sedimentary basins. Some of them are two mica granites. This group also includes gneisses, and these are especially well developed in the metasedimentary basin.

They are typically biotite-bearing. It has been suggested that the Basin granitoids, which appear migmatitic in some localities, might represent an older continental basement on which the Birimian supracrustals were deposited. Based on the degree of foliation, early workers assumed that the Basin type granitoids intruded during regional deformation and that Dixcove granites were emplaced after deformation (Kesse, 1985).

However, later work by Hirdes et al. (1992) demonstrated, in contrast to long-held views that Dixcove granitoids formed at about 2,175 Ma and are about 60 and 90 Ma older than the Cape Coast granitoids. Taylor et al. (1988) suggest that the Cape Coast and Dixcove granitoids are coeval.

Belt type granitoids are metaluminous and typically dioritic to granodioritic in composition. They intrude on Birimian volcanic rocks. They are typically hornblende-bearing and are commonly associated with gold mineralisation where they occur as small plutons within the volcanic belts. The granitoids are massive in outcrop, do not have a compositional banding or foliation, and are thus generally considered post-deformation.

2.1.4 The Tarkwaian System

The Tarkwaian is a Proterozoic supracrustal system overlying the Birimian. It consists mainly of shallow-water sediments and is present in all the Birimian volcanic belts (Junner, 1935). It consists of coarse clastic sedimentary rocks that include conglomerates, arkoses, sandstones, and minor amounts of shale. The Tarkwaian is usually regarded as the detritus of Birimian rocks that were uplifted and eroded following the Eburnean tecto-thermal event (Eisenlohr and Hirdes, 1992). Economically, the most important unit of the Tarkwaian is the Banket series which contains economic concentrations of gold in several areas.

2.1.5 Voltaian Basin

The Voltaian Basin area appears to have been the eastern margin of a large West African cratonic block, which had broken away from the former supercontinent Rodinia (Hoffman, 1999). The Voltaian Basin is a structural basin where sedimentary rocks along the eastern margin were folded during orogenic activity associated with a late Precambrian to the early Paleozoic thermal event, the Pan-African Thermo-Tectonic Episode (Kennedy, 1964).

Almost one-third of Ghana is covered by sediments of the inland Voltaian Basin which covers an area of about 103,600 km²; it consists mainly of flat-lying or very gently dipping sediments sitting on a major Precambrian unconformity (Griffis, et al. 2002). This unconformity marks an erosional surface, which covered the entire Man Shield.




Figure 3 Geological Map of Southern Ghana

2.2 Local Geology

The concession area falls within the northeastern portion of the Ashanti Belt. The area is underlain by Tarkwaian sediments and features a series of mainly NE to ENE trending ridges and hills. The Tarkwaian is a Proterozoic supracrustal system overlying the Birimian. It consists mainly of shallow-water sediments and is present in all the Birimian volcanic belts (Junner, 1935). It consists of coarse clastic sedimentary rocks that include conglomerates, arkoses, sandstones, and minor amounts of shale. The Tarkwaian is usually regarded as the detritus of Birimian rocks that were uplifted and eroded following the Eburnean tecto-thermal event (Eisenlohr and Hirdes, 1992). Economically, the most important unit of the Tarkwaian is the Banket series which contains economic concentrations of gold in several areas.

2.2.1 Mineralization Type and Occurrence

Most of the primary mineralization in South-western Ghana is closely tied up with the Birimian Supergroup and especially in the proximal metasediments along the margins of the 'greenstone' belts. In addition, significant Proterozoic alluvial (placer) concentrations occur in the Tarkwaian conglomerates.

Important mineralization types have been recognized even though, these types of 'low grade' mineralization were known in the past, recent new technologies have made it possible to develop them into profitable operations. These mineralization types include the following:

- I. Disseminated sulphides associated with quartz vein system in Birimian metaclastics; frequently, these are medium to high grade and are commonly refractory (very fine-grained gold encapsulated in pyrite and arsenopyrite). These require pretreatment (roasting or biooxidation) but are commonly quite wide so they can be open-pit mined or mined underground by efficient mechanized means.

- II. Quartz veins and associated sulphides disseminations hosted by belt-type intermediate to mafic intrusions.
- III. Low-grade palaeo-alluvial gold associated with wider sections of conglomerate and sandstones within the Banket Series of the Tarkwaian; Efficient mining and low-cost extraction (heap leach or CIL/CIP) of gold has led to an enormous increase in production in the Tarkwa area.
- IV. Quartz veins and associated sulphides disseminations hosted by Tarkwaian metasediments such as those found at Damang.
- V. Weathering of primary sulphides deposits, commonly refractory, has liberated gold and made possible open-pit mining of low-grade deposits.
- VI. The alluvial concentration of gold in present river systems, which were historically mined by artisanal methods, are now targets for open pit mining in some traditional gold districts such as Manso Nkwanta and Kibi.




Figure 4 Local geology of the proposed Afosu Concession

2.3 Historic Work done

Early exploration work in the area begun in the 1910s by the Adansi Syndicate. At Banka, four vertical shafts were sunk between 1910 and 1913 and a small reserve of 7,500 tons, with an average grade of 0.713oz/ton, was reported in 1912 (Junner, 1935).

In the Tokwae-Kokoben area, several shafts were driven into the southeast slopes of the hills, 1.5km northwest of Tokwae where they were prospecting for Tarkwaian banket conglomerates; shafts were also sunk on the hill southwest of Tokwae. In the Kokoben area, several adits were driven, and shafts were sunk on the ridge 2km north of Kokoben.

2.4 Proposed Work Programme

The proposed prospecting license being applied for covers a parcel of land referred to as (the "Afosu Concession"). **Figure 2** shows the corner coordinates of the concession which covers an area of approximately **2.73 km² (13 Cadastral Blocks)** at Afosu in the Birim North District of the Eastern Region of Ghana.

The following work programme is geared towards an application for an assessment of the concession within a three-year period. This is to determine mineralized areas of interest that would enable the company to carry out detailed exploration leading to the delineation of various types of resource and reserve categories.

The proposed work programme would be carried out in **three (3)** major phases

Phase I: Target identification to determine whether and where a deposit may exist. This would include; geophysics, geological mapping, stream sediment and pan concentrate sampling, chip sampling, geochemistry, satellite imagery etc. will be integrated and interpreted for a targeting study to select smaller areas for further work.

Phase II: Target testing – assessing the nature of the mineralisation. The geological team would perform the first sub-surface testing of the targets identified in Phase I. This would involve pitting, trenching, auger and/or Aircore/RAB drilling, ground geophysics (IP).


Phase III: Resource testing – if warranted by Phase II, resource drilling will be undertaken. This would be done by RC and Core drilling followed by an initial resource estimation.

Work will begin with the acquisition, study, compilation, and analysis of available data on the concession. Computer-generated base maps will be produced at different scales (for different purposes) as and when required. It is anticipated that the fieldwork will start with stream sediment and pan concentrate sampling to be followed by soil and rock sampling, and geological mapping.

2.4.1 Stream Sediment and Pan Concentrate Sampling

Stream sediment sampling will be conducted in small, low-order streams at appropriate locations within stream channels at an approximate density of one sample per 1km². About four (4) stream sediment sub-samples will be collected into a single sample composite to represent any given location. Silt and/or clay-sized materials collected will be labeled, bagged, and transported first to the field campsite and eventually to the laboratory to be analysed and subsequently interpreted for information on gold-in-sediment anomalies within the concession area.

Material for the pan concentrates will typically be taken below the confluences of streams at a sampling density of about **one per 0.5 km²**. Sand-gravel sized material will be scooped from stream channels and panned for heavy mineral concentrates. The latter will then be bagged for laboratory analysis and interpretation. Data and interpretations obtained from the stream and pan concentrates will, together, help isolate potential areas within the concession that would merit subsequent soil sampling work. It is anticipated that a total of **4 samples** will be submitted to the Laboratory for Bulk Leach Extractable Gold (BLEG) analysis.

2.4.2 Geochemical Soil Sampling

The gold-in-stream and gold-in-pan concentrate anomalies will together help direct the soil sampling work. Using anomaly maps obtained, a baseline will be established roughly parallel to the general regional or local strike of rocks within the area. Cross grid lines will

subsequently be made at intervals of about **100m** on the baseline and soil sampling points indicated at 100m intervals along the cross-gridlines to form a **100m x 100m** grid.

Global Positioning System (GPS) will be used to navigate to each sampling point or an appropriate point in the vicinity of pre-determined sampling points. At a suitable location, the soil will be collected at about **0.5m** below the topographic surface which will then be bagged and labeled. Relevant information about each sampling site, including geomorphological conditions, presence or absence of outcrop(s), approximate channel width and slope, indications of anthropogenic contamination and/or activities will all be carefully noted. Samples collected per each working day will be sent to the field camp for temporary storage and ultimately analysed at a commercial laboratory for gold and possible pathfinder elements.

Results returned from the laboratory will be interpreted and promising gold-in-soil anomaly areas within the concession will be followed up with in-fill soil sampling at **50m x 50m** to further narrow down on the strike- and width extent of surficial gold-in-soil anomalies. It is anticipated that a total of **220** samples (QAQC inclusive) would be taken and analysed by Fire assay.

2.4.3 Rock Sampling and Geological Mapping

Suitably fresh rock samples from outcrops and exposures encountered during the stream, pan and soil sampling work will be collected and mapped. In addition, recognisable structural features and minerals that may be present in rocks will be carefully noted and/or plotted. It is anticipated that about **10** grab samples (QAQC inclusive) would be collected and analysed by Fire assay.

2.4.4 Trenching

Trenching would follow promising results from streams and soil samples. Depending on the extent of the anomaly, the appropriate dimensions of pits or trenches would be selected. It is anticipated that a total of **0.2** line-km of trenches would be dug with about **200** samples (QAQC inclusive) collected and analysed by fire assay.

2.4.5 Drilling

Drilling (RC/Aircore/RAB/Core) will be undertaken over the anomalies generated contingent on the previous phase of the program. Depending on the extent of the anomaly, appropriate grids and rigs would be chosen to fulfil the objectives of the drilling programme. Promising results would therefore lead to rigorous resource drilling. It is anticipated that **1000m** of drilling along **10 holes**. A total of **1100** samples QAQC inclusive will be collected throughout phases 2 and 3. The samples would be analysed with fire assay.

2.4.6 Petrographic Work

Thin and polished thin sections of representative samples of rocks collected will be made and petrographically analysed for mineral occurrences, assemblages, and distributions. The ore microscope will be employed to help identify ore and gangue minerals that may be present in rocks collected.

2.4.7 Chemical Analysis of Samples

Whole or bulk rock analysis of stream sediments, pan concentrates, soil and rock samples will be done at any of the recognised commercial laboratories in Ghana. Stream sediment samples will be analysed for gold using Bulk Leach Extractable Gold (BLEG). Soil and rock, drilled samples will, however, be analysed using the 50g charge fire assay method. Selected samples will also be analysed- using inductively coupled plasma mass spectrometry (ICP-MS) to provide information on elemental distributions, element associations and possible pathfinder elements for gold within the concession area.

2.4.8 Analysis, Integration & Interpretation of Data

The geochemical samples (stream, pan, soil and rock, trench, auger, drill), geological and geophysical data will separately be analysed using appropriate software such as MapInfo and ArcGIS. Maps and overlays of scale 1:50,000 will be prepared, integrated, and finally interpreted for potential mineralized zones that warrant follow-up. In addition, host rock-ore relationships and other litho-structural features that could likely provide clues on the occurrence of mineralization will be studied, isolated and prioritised.

14

2.4.9 Preparation and Submission of Terminal Report

Before the expiration of the license, the data acquired, and interpretations made will be compiled into a report detailing, among others, promising zones that warrant follow-up prospecting. Maps showing areas to be shed off and retained, respectively, will be prepared in consonance with the terms for grant of the license. The area(s) to be retained will be demarcated and indicated as such in a terminal report which will then be submitted to the Minerals Commission.

2.4.10 Work Schedule

Allowing for activity overlaps, the expected duration for the above work will be three years (refer to activity/time schedule chart) but depending on results and the number of targets generated, and potential impacting factors beyond the Company's control, additional time may be needed for completion.

Table 2 Exploration Schedule for Year One

MONTH	1	2	3	4	5	6	7	8	9	10	11	12
Desk Study & Literature Review												
Mobilization												
Stream Sediment Geochemistry												
Soil Geochemistry												
Geological Interpretation												
Report												

Table 3 Exploration Schedule for Year Two

MONTH	1	2	3	4	5	6	7	8	9	10	11	12
Planning and Mobilization												
Infill Soil Geochemistry												
Geological Interpretation												
Trenching												
Reclamation												
Results Evaluation/Report												



Table 4 Exploration Schedule for Year Three

MONTH	1	2	3	4	5	6	7	8	9	10	11	12
Planning and Mobilization												
Infill Trenching												
Drill Access Road preparations												
Drilling												
Reclamation												
Report Compilation												

2.5 Environmental Considerations

Issues relating to environmental sustenance are, at present, both integral and central towards the successful execution of mineral exploration and mining projects throughout the world. Even though prospecting exploration activities will have very little impact on the environment. The company will endeavour throughout the exploration programme to inculcate sound environmental management and practices in all company staff, whether directly employed or serving as sub-contractors on distinct aspects of exploration. The company will continuously train and sensitise staff on compliance with EPA (Ghana) modalities for exploration especially on mitigation or minimisation of impacts on land, soils, vegetation, and water bodies.

The following measures will be adopted to further reduce any environmental impact to the barest minimum.

- Tree cutting will be avoided.
- Stream pollution will be avoided.
- In the unlikely event that cash and food crops are destroyed, they will be adequately compensated.

The company will do all that is possible in its capacity to win the confidence of communities within the concession area and ensure a collaborative and cordial working relationship.

3. LABOUR REQUIREMENTS

As a company policy, all the unskilled labour will be hired from the concession area however professionals and technicians will be contracted as and when required.

Table 5 Personnel Required

1	Consulting Geologist	MBA & or Equivalent	15 years or more
1	Geologists	BSc. & or Equivalent	5 years or more
1	Surveyor	BSc. & or Equivalent	3 years or more
1	Accountant/Admin	BSc. & or Equivalent	3 years or more
1	Technician	SHS level or Equivalent	3 years or more
2	Casual Labourer	N/A	

One (1) consulting geologist will manage the exploration project. **One (1)** geologist and **one (1)** technician will be required to supervise the fieldwork, log the auger, Aircore, and RC samples, and undertake reconnaissance mapping through traverses along the grid, stream/river channels and road cuts, etc. They will work with **two (2)** assistants. A surveyor will be required to establish the grid, survey the location of the drill holes and undertake other surveying activities. The crew will be raised from the company's exploration team and will be re-assigned to other jobs during the periods when there will be no fieldwork.

Aircore, RC, and diamond drilling will be given out on contract. All the other jobs will be handled by company personnel.

4. PROPOSED BUDGET FOR THE WORK PROGRAMME

The cost estimates for exploration activities planned for the three-year duration of the proposed prospecting license is presented in tables 4, 5, and 6. The total expenditure for the 3 years contingent on the success of each phase will be **USD 428,786.40** and is broken up as follows:

Table 6 Proposed exploration cost for year 1

Item	US Dollars (\$)
Consulting Geologist (1)@ 5000 USD per month for 5months	25,000.00
Geologist (1) @ 1500 USD each per month for 10 months	15,000.00
Technican (1) @ 600 USD each per month for 10 months	6,000.00
Casual Labourers (2) @ 350 USD each per month for 10 months	7,000.00
Surveyor (1) @ 1000 USD for 3 months	3,000.00
Accountant (1) 1000 USD each month for 12 months	12,000.00
Assays @ 20 USD per Sample for 241 Samples (22 QAQC ,15 grab, 200 soils, 4 streams sediments)	4,820.00
Vehicle Purchase 1 (4 x 4) Pick up	50,000.00
Fuel @ 500 USD per month	6,000.00
Farmers compensation	1,000.00
Accommodation	2,000.00
Logistics, sample bags, sample tags, tools, Geological Hammer, GPS, Safety booths, helments, flagging tapes, uniforms, reflectors, goggles, etc.	2,000.00
Annual Mineral Right Fee (13 Blocks *\$32/ year)	416.00
Operating Permit Fee (GH¢ 5,000/\$6)	833.33
EPA Permit (2 years renewable)	4,800.00
Reclamation	2,000.00
Contingency 5%	7,093.47
TOTAL	148,962.80

Table 7 Proposed exploration cost for year 2

Item	US Dollars (\$)
Consulting Geologist (1) @ 5000 USD per month for 5months	25,000.00
Geologist (1) @ 1500 USD each per month for 10 months	15,000.00
Technican (1) @ 600 USD each per month for 10 months	6,000.00
Casual Labourers (2) @ 350 USD each per month for 10 months	7,000.00
Surveyor (1) @ 1000 USD for 3 months	3,000.00
Accountant (1) 1000 USD each month for 12 months	12,000.00
Assays @ 20 USD per Sample for 200 Samples QAQC inclusive	4,000.00
Farmers compensation	3,000.00
Fuel @ 600 USD per month	7,200.00
Accommodation	2,000.00
Logistics, sample bags, sample tags, tools, Geological Hammer, GPS, Safety booths, helmets, flagging tapes, uniforms, reflectors, goggles, etc.	2,000.00
Annual Mineral Right Fee (13 Blocks *\$32/ year)	416.00
Operating Permit Fee (GH¢ 5,000/\$6)	833.33
Reclamation	2,000.00
Contingency 5%	4,472.47
TOTAL	93,921.80

Table 8 Proposed exploration cost for year 3

Item	US Dollars (\$)
Consulting Geologist (1)@ 5000 USD per month for 5months	25,000.00
Geologist (1) @ 1500 USD each per month for 10 months	15,000.00
Technican (1) @ 600 USD each per month for 10 months	6,000.00
Casual Labourers (2) @ 350 USD each per month for 10 months	7,000.00
Surveyor (1) @ 1000 USD for 3 months	3,000.00
Accountant (1) 1000 USD each month for 12 months	12,000.00
RC Drilling 1000 m @ 50 USD per meter	50,000.00
Assays @ 20 USD per Sample for 1100 Samples QAQC inclusive	22,000.00
Fuel @ 1000 USD per month	12,000.00
Farmers compensation	10,000.00
Accommodation	2,000.00
Logistics, sample bags, sample tags, tools, Geological Hammer, GPS, Safety booths, helmets, flagging tapes, uniforms, reflectors,	2,000.00
Annual Mineral Right Fee (13 Blocks *\$32/ year)	416.00
Operating Permit Fee (GH¢ 5,000/\$6)	833.33
EPA Permit (2years renewable)	4,800.00
Reclamation	5,000.00
Contingency 5%	8,852.47
TOTAL	185,901.80

GRAND TOTAL: USD 428,786.40



5. RISK ASSESSMENTS AND MANAGEMENT

The following are some of the risks associated with the upcoming exploration activities. It also includes risks related to the occupational health and safety of the employees and contractors that may be affected.

- ***Ultra-Violet Exposure***

The outdoor nature of exploration often exposes workers to the sun for long hours. The harmful ultra-violet radiation may cause skin cancer when overexposed. Necessary shade would be provided at drilling sites and the necessary PPE's especially uniforms and goggles would be provided. Shift hours would be planned favourably to reduce hours spent in the sun. Water would always be available to prevent dehydration, nausea, and headaches.

- ***Dust Generation***

Drilling and movement of vehicles on dirt roads within the community may cause sinus infections and lung disease. The company would provide the necessary Personal Protective Equipment (PPE's) for all workers especially nose masks to mitigate it. Safety meetings would be held frequently to educate everyone related to the project. Emphasis would be placed strictly on industry-standard speed limits of vehicles to and from the project area.

- ***Illegal Mining***

Illegal miners who abound within the vicinity of large-scale mining companies usually carry weapons such as guns and such may pose a risk when encountered under hostile conditions. However, we would count on the support of our nation's security services especially the Ghana Police to surmount any challenges.



- **Noise Pollution**

Drilling is usually accompanied by a lot of noise that may impair hearing. This would be mitigated by providing earplugs to employees on-site and regular medical check-ups to curb any hearing problems that may arise. Regular maintenance of all machinery would be carried out regularly to improve efficiency and reduce noise drastically.

First Aid as well as Health and Safety training would be carried out with employees to mitigate and overcome any accidents that may arise.



6. CONCLUSION

All the available historical data and the data acquired through various aspects of this (proposed) program will be integrated and interpreted. This will facilitate an evaluation of the concession.

The various activities undertaken on the concession and the results of any evaluation carried out will be detailed in quarterly reports. At the end of the license duration, a terminal report that will, among other things, provide justification for follow-up work or otherwise will be compiled. An application for an extension of the prospecting license over the concession will be submitted if justified by the results of the exploration activities.

Jude Ontoyin (MGhIG #623)

For: **MG Emmanuel Mining Limited Company**

Signature. 

Date: January, 2022.



7. REFERENCES

- Boamah, D. and Koeberl, M. (2003). Geology and geochemistry of shallow drill cores from the Bosumtwi impact structure, Ghana, 2003, 1140p
- Eisenlohr, B.N and Hirdes, W. (1992). The Structural Development of the Early Proterozoic Birimian and Tarkwaian Rocks of Southwest Ghana, West Africa Journal of African Earth Sciences 14, 313-325p.
- Griffis, R. J., Barning, K., Agezo, F.L., and Akosah, F. K (2002). Gold Deposits of Ghana, Minerals Commission of Ghana, 432 pp.
- Hirdes, W. et al., (1993). Explanatory Notes for the Geological Map of Southwestern Ghana
- BGR and GGS (2009). Geological Map of Ghana 1: 1million Kesse, G. O (1984). The occurrence of gold in Ghana, 650-656 pp.
- Kesse, G. O (1985). The Mineral and Rock Resources of Ghana, A. A Balkema Pub 609p.
- Leube, A. and Hirdes, W. (1986). The Birimian Supergroup of Ghana- Depositional Environment, Structural Development and Conceptual Model of an Early Proterozoic Suite. Ghana - German Mineral Prospective Project. Federal Institution for Geosciences and Natural Resources (BGR), Hanover (unpublished).
- Leube, A., Hirdes, W., Mauer, R. and Kesse, G.O. (1990). The Early Proterozoic Birimian Supergroup of Ghana and Some Aspects of its Associated Gold Mineralization. Precambrian Research, 46, pp. 139-165.
- Oberthür, W., Hirdes, W. and Höhndorf, et al. (1995). A review of gold mineralization in the Ashanti belt of Ghana and its relation to the crustal evolution of the terrane 122p

LARGE SCALE CONCESSION FOR M G EMMANUEL MINING LIMITED COMPANY


AREA= 2.73 SQKM OR 13 BLOCKS

-Shewn Edged Pink-

SCALE: 1:50,000

TS: 0602D2

LOCALITY AFOSU	DISTRICT BIRIM NORTH	REGION EASTERN
-------------------	-------------------------	-------------------



I, J. K. OKAE, Licensed Surveyor, certify that this plan is faithfully and correctly executed and accurately shows the land within the limites of the discription given to me by my client.

Date: 10/12/2021

Licensed Surveyor No:214

J.K. OKAE
P. O. BOX CT 39, CANTONMENTS - ACCRA
STAMP

LICENSED SURVEYOR (No. 214)

THE SCHEDULE ABOVE REFERRED TO:

All that piece or parcel of land containing an approximate area of **2.73km²** lying to the North of Latitudes 06° 22' 45"N, and to the South of Latitudes 06° 23' 00"N, to the East of Longitudes 01° 03' 15"W, and to the West of Longitudes 01° 00' 00"W,

In the Birim North District of the Eastern Region of the Republic of Ghana which piece or parcel of land is more particularly delineated on the plan annexed hereto for the purposes of identification and not of limitation.

IN WITNESS of which the Parties have respectively executed the original and counterparts of this Prospecting Licence on the date first above written.

SIGNED, SEALED AND DELIVERED
ON BEHALF OF THE REPUBLIC OF GHANA:

By **SAMUEL A. JINAPOR**, Minister for Lands and Natural Resources, for and on behalf of the Government of Ghana who by his execution warrants to the other party that he is duly authorised and empowered to enter into this Agreement.

IN THE PRESENCE OF:

SIGNED, SEALED AND DELIVERED:

By Jones Agyei Kumi
Managing Director **M G EMMANUEL MINING LIMITED COMPANY** who by his execution warrants to the other party that he is duly authorized and empowered to enter into this Agreement.

IN THE PRESENCE OF:

EMMANUEL IBRAHIM
DIRECTOR/SECRETARY

MINISTER
MINISTRY OF LANDS &
NATURAL RESOURCES

CHIEF DIRECTOR
MIN. OF LANDS & NATURAL
RESOURCES

M G EMMANUEL
MINING LTD. COMPANY
P. O. BOX 12
ASIAKWAH-KIBI, GH

OATH OF PROOF

I Ernest Brakohiapa of Minerals Commission MAKE OATH and SAY that on the 2nd day of January 2025 I was present and saw **SAMUEL A. JINAPOR**, the Minister of Lands and Natural Resources duly execute the Instrument now produced to me and Marked "A" and that the said **SAMUEL A. JINAPOR** can read and write.

Sworn at Accra this 10th day of Jan 2025.

Before Me

.....
REGISTRAR OF LANDS
REGISTRAR
HIGH COURT
LAW COURT COMPLEX-ACCRA

.....
DEPONENT

This is the Instrument Marked A Referred to in the Oath of Ernest Brakohiapa

Sworn before me, this 10th day of Jan 2025.

.....
REGISTRAR OF LANDS
REGISTRAR
HIGH COURT
LAW COURT COMPLEX-ACCRA

.....
On the 10th day of Jan 2025 at 1 o'clock in the noon this Instrument was proved before me by the Oath of the within-named Ernest Brakohiapa to have been duly executed by the within-named **SAMUEL A. JINAPOR**

