

FIELD GEOLOGICAL REPORT
ON BODUKWAN CONCESSIONS
AT AMANSIE IN ASHANTI AND MOSEASO NEAR
ASANKRAGUA IN WESTERN REGION
TO
BODUKWAN HOLDING LIMITED COMPANY
Postal: P. O. Box 17815, Adum-Kumasi, A/R, Ghana
Sabin Akrofrom, Near Ghana International School.

BY:
CONSOLIDATED GOLDHILL CONSULT
P.O. BOX KS 11366, KUMASI

APRIL 2025

CHARLES KUSI-MANU, MAusIMM (CP), FGhIG

Table of Contents

INTRODUCTION	2
A BRIEF SUMMARY OF WORK FIELD WORK COMPLETED	2
PROPOSED TARGET IDENTIFICATION.....	3
STRUCTURAL MAPPING.....	4
SAMPLES.....	4
KEY RESULTS	4
INTERPRETATION	5
SUGGESTIONS/RECOMMENDATIONS	6
APPENDIX 1. EXTENSION OF CONCESSION IN YELLOW OUTLINE NEEDED AT MOSEASO.....	7
APPENDIX 2. SHOWS SAMPLE POINTS, ASSAYS AND GEOLOGICAL DESCRIPTIONS.	8
APPENDIX 3 SHOWS BUDGET RETURNS AS AT 30TH APRIL 2025.	9

Table of Tables

TABLE 1. SHOWS THE SUMMARY OF THE CATEGORY OF SAMPLES TAKEN	4
TABLE 2. SHOWS KEY SIGNIFICANT GOLD (Au) ANOMALIES	4
TABLE 3. SHOW SAMPLE POINTS, ASSAYS AND GEOLOGICAL DESCRIPTIONS.....	8
TABLE 4. SHOWS PHASE 2 BUDGET RETURNS AS AT 30TH APRIL 2025	9

Table of Figures

FIGURE 1. TARGET MAP OF AMANSIE CONCESSIONS	2
FIGURE 2. TARGET MAP OF MOSEASO CONCESSION.....	3
FIGURE 3. MAP SHOWING REGIONAL STRUCTURES AND SELECTED GOLD DEPOSIT	3
FIGURE 4. SHOWS KEY SIGNIFICANT GOLD (Au) VALUES AT ATOBRAKROM AND BONI CONCESSIONS.....	5
FIGURE 5. SHOWS KEY GOLD (Au) SIGNIFICANT VALUES AT AGROYESUM CONCESSION	5
FIGURE 6. SHOW KEY SIGNIFICANT GOLD (Au) VALUES AT MOSEASO CONCESSION	5
FIGURE 7. REQUIRED EXTENSION SHADED YELLOW	7

INTRODUCTION

A team consisting of five geologists, two foreign geologists, and three Ghanaian geologists began a reconnaissance field campaign in their three concessions—Moseaso in Western Region near Asankragua. Boni, Atobrakrom, and Agroyesum in Ashanti Region—located southwest of Kumasi. For convenience, these three concessions are collectively referred to as the Amansie Concessions.

The primary objectives of this campaign are to collect samples from proposed targets generated based on geophysical data, structural information, and existing data from neighboring exploration or mining companies. The team also focused on channel sampling and mapping for lode gold artisanal activity, as well as structural and lithological mapping to evaluate the potential for lode gold (hard rock gold).

The campaign commenced on Wednesday, 26th March 2025 and ended on 16th April 2025 with courtesy visits made to the District authorities to inform them of the presence of the Bodukwan's representatives and the purpose of the fieldwork. The receptions from these authorities were warm, ensuring our safety. In the Agroyesum license area, the authorities requested additional time to engage and educate the community about our operations.

Before starting the fieldwork, the team, led by Charles Kusi-Manu (, conducted a thorough field orientation campaign in collaboration with the other Geologists.

A BRIEF SUMMARY OF WORK FIELD WORK COMPLETED

The work accomplished by the team during the period under review included identifying the proposed targets, structural mapping, visiting various artisanal activities (alluvial and colluvial) and identifying potential areas for channel sampling. This was achieved through various traverses along vehicular roads and footpaths.

The following figures show the target maps.




Figure 1. Target Map of Amansie Concessions




Figure 2. Target Map of Moseaso Concession




Figure 3. Map showing Regional Structures and selected Gold Deposit

PROPOSED TARGET IDENTIFICATION

A total of seventeen (17) targets were identified in the Amansie Concession (both inside and outside). These include three (3) targets from the Boni license, five (5) from the Atobrakrom license, and two (2) from the Agroyesum license and the remaining are outside the licence areas. A total of ten (10) targets were planned at Moseaso. Five (5) targets each were inside and outside the license area respectively. Some targets were shifted a few meters from their original proposed locations due to floodplains. This adjustment occurred in the Boni license, where two proposed target points were located within floodplains.

All five targets identified in the Atobrakrom license were situated on elevated ground, with two located near abandoned colluvial mining sites. In the Agroyesum license, one of the three targets is situated in a town, another is near colluvial mining activities, and the third is located on a top of a hill.

STRUCTURAL MAPPING

The structural mapping exercise, conducted in response to intense tropical weathering, alluvial flats, and thick regolith cover, focused on the road cut along the vehicular road, drainage exposures, and colluvial mining sites. Erosion has exposed various structures along these drainages. The team documented structural observations on phyllite, fabrics of the mottled zone, and quartz (Qtz) veins and stringers.

The metasediment, primarily phyllite, predominantly dips to the northwest. The strike angle ranges from 190 to 234 degrees. While the regional dip direction around the proposed target 11 is generally west or northwest, some rock units exhibit a southeast dip direction.

Quartz veins display varying orientations. Some readings indicate that certain veins dip to the southeast, others to the southwest, while some stringers show a consistent dip direction similar to the host rocks (metasediments).

At Agroyesum area, the dip directions are both northwest and southeast, suggesting the presence of an anticline structure. There is also evidence of faulting in this license area; one valley features a sinistral displaced quartz vein. The dip angle in the metasediment varies from 45 to 83 degrees, with some quartz veins exhibiting shallow dips in certain areas.

SAMPLES

Total of 77 samples were taken from all the 4 concessions, though 27 target points were planned initially.

Table 1. Shows the summary of the category of samples taken

SUMMARY OF SAMPLES											
Concession	Original Target Points	Targets Inside Concession	Target points Outside	Auger Drilling and Sampling					Face Channeling		Comments
				Target points Sampled	Additional Sample points	Duplicate	Grab	Total Samples	Samples	Metres (m)	
Boni	3	3	0	3	1	1	0	5	0		
Atobrakrom	9	5	4	8	10	1	2	21	13		T20 not sampled due to inaccessibility of River Offin
Agroyesum	5	2	2	4	9	0	0	13	0		T22 not sampled
Moseaso	10	5	5	7	9	1	0	17	8		T8,9 & 27 not sampled due to inaccessibility of River Tano
Total	27							56	21		

KEY RESULTS

Key Significant gold (Au) Anomalies:

Here's a list of standout gold values from the dataset:

Table 2. Shows Key Significant gold (Au) Anomalies

Sample ID	Location	Au (mg/kg)
25MOCH002	Moseaso Channel Samples	18.26
25MOCH003	Moseaso Channel Samples	0.50
25MOCH005	Moseaso Channel Samples	0.18
25ATL009	Atobrakrom Crossline	0.13
25AGL006	Agroyesum Crossline	0.21
25OCAG002	Outside Concession	0.26
25MOCH001	Moseaso Channel Samples	0.14
25ATCH009	Atobrahkrom Channel	0.08
25ATCH010	Atobrahkrom Channel.	0.07
25OCAG006	Outside Concession	0.07
25BOAG002	Boni Auger Samples	0.09




Figure 4. Shows key significant gold (Au) values at Atobrakrom and Boni Concessions




Figure 5. Shows key gold (Au) significant values at Agroyesum concession




Figure 6. Show key significant gold (Au) values at Moseaso Concession

INTERPRETATION

- Moseaso Channel Samples are showing the strongest anomalies, especially 25MOCH002 (18.26 mg/kg), which is exceptionally high for soil. This is a clear exploration target.
- Agroyesum, Atobrakrom, and Outside Concession areas have moderate anomalous values (0.13–0.26 mg/kg), which are above typical soil background and suggest potential for follow-up (e.g., trenching, drilling).
- Atobrahkrom Channel Samples also have a cluster of moderate values (0.07–0.08 mg/kg) which might represent a localized zone of enrichment.

Background Thresholds (Based on Dataset)

Using this data, we can roughly estimate:

- Background Au: <0.01–0.02 mg/kg
- Moderate anomaly: 0.03–0.10 mg/kg
- Strong anomaly: >0.10 mg/kg
- Very high: >0.5 mg/kg

SUGGESTIONS/RECOMMENDATIONS

The following suggestions and recommendations are made for considerations.

1. Follow up on Moseaso, especially the channel sample anomaly at 18.26 mg/kg by extending the concession as shown in yellow outline below.
2. Cluster analysis around moderate anomalies (Atobrakrom, Agroyesum) might identify gold-in-soil trends or structures. Therefore, trenching and RC drilling would be required.
3. Consider follow-up sampling, pXRF mapping, or geophysics in those target areas.
4. Relinquish the whole of Boni Concession to Mincom in order to reduce renewal cost.
5. Mining Leases for Moseaso, Atobrakrom and Agroyesum may be initiated while completing the geological works.

Appendix 1. Extension of concession in yellow outline needed at Moseaso.




Figure 7. Required extension shaded yellow

Appendix 2. Shows sample points, assays and geological descriptions.

Table 3. Show sample points, assays and geological descriptions

SAMPLE ID	TARGET POINTS/COMMENT	CONCESSION	ASSAY(mg/kg)	Easting	Northing	DESCRIPTION
25ATAG001	T01	Atobrahkrom Auger Samples	<0.01	643025	714711	Reddish saprolite with quartz
25ATAG002	T02	Atobrahkrom Auger Samples	<0.01	637524	710190	Mottled material with pisolith and quartz. Reddish - yellow in colour. Yellow possibly limonite
25ATAG003	T17 (original target)	Atobrahkrom Auger Samples	<0.01	639143	712610	Reddish-brown laterite with qtz
25ATAG004	T17	Atobrahkrom Auger Samples	0.02	639082	712592	Weathered phyllite with limonitic alteration
25ATAG005	T11	Atobrahkrom Auger Samples	0.03	637443	715030	Reddish saprolite with patches of yellowish colouration. Yellow colouration could possible be limonite alteration.
25ATAG006	T12	Atobrahkrom Auger Samples	<0.01	639795	717526	Reddish saprolite with quartz fragments. Sample has yellowish alteration
25BOAG001	T15	Boni Auger Samples	<0.01	646956	710288	Mottled metasediment(phyllite) and reddish and yellowish colouration
25BOAG002	T16 (Duplicate samples)	Boni Auger Samples	0.09	644699	706286	Reddish - yellow saprolite. Slightly mottled with quartz fragments
25BOAG003		Boni Auger Samples	0.02	644699	706286	Reddish - yellow saprolite. Slightly mottled with quartz fragments
25BOAG004	T16 (original target)	Boni Auger Samples	<0.01	644946	706301	Alluvium material. Fine grained. Yellowish-grey in colour
25BOAG005	T14	Boni Auger Samples	<0.01	652326	715745	Fine-grained reddish-yellow saprolite.
25ATCH001		Atobrahkrom Channel Samples	0.02	646661	718685	Weathered phyllite, graphitic phyllite and quartz veins
25ATCH002		Atobrahkrom Channel Samples	<0.01			Mottled phyllite with yellowish alteration (limonite) and quartz veins
25ATCH003		Atobrahkrom Channel Samples	0.04			Mottled phyllite and quartz veins
25ATCH004		Atobrahkrom Channel Samples	<0.01			Mottled phyllite with quartz vein
25ATCH005		Atobrahkrom Channel Samples	<0.01			Mottled phyllite with yellow and reddish patches
25ATCH006		Atobrahkrom Channel Samples	0.02	637397	715063	Weathered phyllite with limonitic alteration
25ATCH007		Atobrahkrom Channel Samples	0.04	637364	715090	Weathered phyllite with limonitic alteration
25ATCH008		Atobrahkrom Channel Samples	0.01	639816	717328	Mottled material with crosscutting quartz veins
25ATCH009		Atobrahkrom Channel Samples	0.08	643300	711451	Weathered phyllite with reddish stained iron alteration and quartz veins
25ATCH010		Atobrahkrom Channel Samples	0.07	643302	711449	Weathered phyllite with limonitic alteration
25ATCH011		Atobrahkrom Channel Samples	<0.01	640283	712284	Weathered metasediment with multiple quartz veins
25ATCH012		Atobrahkrom Channel Samples	<0.01	640270	712292	Weathered metasediment with quartz veins
25ATCH013		Atobrahkrom Channel Samples	<0.01	640262	712302	A composite sample from 2 units each with multiple quartz veins separated by weathered phyllite
25ATCH014		Standard	0.48			
25ATL001	Duplicates samples	Atobrahkrom Crossline Samples	0.03	639089	712874	Reddish saprolite with quartz fragments. The reddish material is a weathered phyllite
25ATL002		Atobrahkrom Crossline Samples	0.01	639089	712874	Reddish saprolite with quartz fragments. The reddish material is a weathered phyllite
25ATL003		Atobrahkrom Crossline Samples	<0.01	639112	712859	Reddish saprolite with quartz fragments. The reddish material is a weathered phyllite
25ATL004		Atobrahkrom Crossline Samples	<0.01	639131	712831	Saprolite with quartz fragments. Reddish in colour
25ATL005		Atobrahkrom Crossline Samples	<0.01	639155	712816	Saprolite mixed with quartz fragments. Coarse to medium grained. Reddish in colour
25ATL006		Atobrahkrom Crossline Samples	<0.01	639184	712798	Greyish coarse to medium grain saprolite mixed with quartz, traces of iron staining
25ATL007		Atobrahkrom Crossline Samples	<0.01	639205	712775	Brown to reddish-brown laterite mixed with iron stained quartz. Medium grained.
25ATL008		Atobrahkrom Crossline Samples	<0.01	639224	712759	Colluvial material with lots of quartz fragments. Coarse grain and colour ranges from brown to reddish-brown
25ATL009		Atobrahkrom Crossline Samples	0.13	639248	712739	Brown colluvial material with quartz. Traces of iron staining on the quartz fragments
25ATL010		Atobrahkrom Crossline Samples	<0.01	639012	712875	Saprolite mixed with quartz fragments. Reddish in colour
25ATGB001		Atobrahkrom Grab Samples	0.02	637387	715059	Quartz with sulphides
25ATGB002		Atobrahkrom Grab Samples	<0.01	637387	715059	A metavolcanic mixed with metasediment. Contains quartz
25AGL001		Agroyesum Crossline Samples	0.02	622740	708345	Yellowish-brown saprolite. Limonitic alteration
25AGL002		Agroyesum Crossline Samples	0.04	622752	708318	Reddish-grey saprolite. A product of weathered phyllite
25AGL003		Agroyesum Crossline Samples	0.05	622758	708301	Reddish-purple saprolite(weathered phyllite) slight limonitic alteration.
25AGL004		Agroyesum Crossline Samples	0.03	622783	708280	Greyish-brown saprolite(weathered phyllite)
25AGL005		Agroyesum Crossline Samples	0.02	622803	708253	Reddish-grey saprolite. A product of weathered phyllite
25AGL006		Agroyesum Crossline Samples	0.21	622825	708223	Dark-grey saprolite(weathered graphitic phyllite)
25AGL007		Agroyesum Crossline Samples	0.01	622845	708206	Greyish-brown saprolite with quartz fragments
25AGL008		Agroyesum Crossline Samples	<0.01	622863	708183	Moderately weathered phyllite. Greyish-green saprolite with tiny quartz fragments
25AGL009		Agroyesum Crossline Samples	<0.01	622881	708159	Greyish-brown saprolite(weathered phyllite). Moderate to slightly weathered
25AGAG001	T04	Agroyesum Auger Samples	<0.01	622770	708202	Reddish-brown saprolite with small quartz fragments(weathered phyllite). Medium to fine grained
25AGAG002	T05	Agroyesum Auger Samples	<0.01	620830	708607	Reddish to reddish-yellow saprolite
25AGAG003		Standard	0.47			
25OCAG001	T13	Outside Concessions Samples	0.04	634046	705482	Reddish-brown saprolite with quartz fragments.
25OCAG002	T03	Outside Concessions Samples	0.26	633897	706830	Reddish-brown saprolite with limonitic alteration
25OCAG003	T19	Outside Concessions Samples	0.01	632318	704846	Dark-brown colluvial material with quartz
25OCAG004	T18	Outside Concessions Samples	<0.01	628111	706301	Reddish saprolite with yellowish colouration(Limonite)
25OCAG005	T21	Outside Concessions Samples	0.03	619748	705784	Colluvial material. Laterite with quartz. Reddish-brown to dark-brown in colour
25OCAG006	T26	Outside Concessions Samples	0.07	559455	641434	Reddish-brown saprolite containing quartz and some pisoliths. Partly mottled.
25OCAG007	T25	Outside Concessions Samples	<0.01	558902	641867	Alluvium mixed with quartz fragments. Yellowish in colour
25OCAG008	T07	Outside Concessions Samples	0.02	557095	646366	Reddish-yellow saprolite containing quartz. Partly mottled.
25MOAG001	T23	Moseaso Auger Samples	0.02	555308	645520	Yellowish-red mottled saprolite. Clayish in texture
25MOAG002	T06	Moseaso Auger Samples	0.04	555454	646806	Reddish-brown laterite. Ferricrete with quartz
25MOAG003	T10	Moseaso Auger Samples	0.02	557814	640557	Yellowish saprolite with reddish alteration(Ferricretic alteration).Product of weathered phyllite
25MOAG004	T24	Moseaso Auger Samples	<0.01	556546	640156	Colluvial material. Yellowish-brown in colour
25MQL001		Moseaso Crossline Samples	<0.01	558548	641164	
25MQL002		Moseaso Crossline Samples	<0.01	558538	641180	
25MQL003		Moseaso Crossline Samples	<0.01	558512	641216	
25MQL004		Moseaso Crossline Samples	0.02	558499	641238	Reddish-brown saprolite. Weathered phyllite with quartz
25MQL005		Moseaso Crossline Samples	<0.01	558474	641261	Fine grain yellowish saprolite. Product of weathered phyllite
25MQL006		Moseaso Crossline Samples	0.01	558459	641283	Fine grain yellowish-brown saprolite. Product of weathered phyllite
25MQL007		Moseaso Crossline Samples	<0.01	558443	641308	Brownish colluvial material mixed with saprolite. Contain quartz fragments
25MQL008		Moseaso Crossline Samples	0.03	558419	641337	Brownish saprolite with quartz fragments
25MQL009		Moseaso Crossline Samples	0.02	558399	641366	Brownish colluvial material mixed with saprolite. Contain quartz fragments
25MQL010	Duplicates samples	Moseaso Crossline Samples	<0.01	558399	641366	Brownish colluvial material mixed with saprolite. Contain quartz fragments
25MOCH001		Moseaso Channel Samples	0.14	558689	641457	Weathered phyllite with multiple parallel quartz veins
25MOCH002		Moseaso Channel Samples	18.26			Weathered phyllite with multiple parallel quartz veins
25MOCH003		Moseaso Channel Samples	0.5			Weathered phyllite with multiple parallel quartz veins
25MOCH004		Moseaso Channel Samples	0.03			Parallel quartz vein with 1.2 to 1.4m weathered phyllite
25MOCH005		Moseaso Channel Samples	0.18			Cross cutting quartz vein and weathered host rock host phyllite
25MOCH006		Moseaso Channel Samples	<0.01	557667	640652	partially and moderately weathered phyllite with limonitic alteration(footwall
25MOCH007		Moseaso Channel Samples	0.01			Phyllite with limonitic alteration and quartz vein(Possibly the main unit)
25MOCH008		Moseaso Channel Samples	<0.01			Slightly and moderately weathered phyllite(hanging wall)
25MOCH009		Standard	0.11			

Appendix 3 Shows Budget Returns as at 30th April 2025.

Table 4. Shows Phase 2 Budget Returns as at 30th April 2025

BUDGET RETURNS AS @ 30TH APRIL 2025 - EXPLORATION PHASE 2 PROGRAM					
Description	Budget (GhC)	Funds Received (GhC)	Actual Expensed (GhC)	Balance (GhC)	COMMENT
Fuel	23,100.00		15,220.00	7,880.00	Under spent
Municipal & District Operating permit fee	130,000.00		50,000.00	80,000.00	Not yet expensed
Auger Drilling	25,720.00		46,760.00	(21,040.00)	over spent due to additional sample points
Geologists	195,426.00		195,426.00	-	As budgeted
Accommodation and feeding	42,770.00		42,770.00	-	As budgeted
Immigration	40,500.00			40,500.00	Not expensed due to requirements not fully met
Ticket/Accom/transport	5,800.00			5,800.00	Not expensed
Total Field	463,316.00	453,500.00	350,176.00	103,324.00	Funds left over
SGS Laboratory, Tarkwa	23,000.54	22,639.87	23,000.54	(360.67)	Top up to pay SGS
TOTAL	486,316.54	476,139.87	373,176.54	102,963.33	CASH AT HAND
			Total cash yet to expense	126,300.00	(80000+40500+5800)
			Additional cash to meet budget (deficit)	23,336.67	
				102,963.33	