


Feature Login – Flujo completo

Diagrama completo del flujo de login



```
saveUserSession() → extrae roles, profile, etc.  
→ _sessionStorage.saveSession()
```

AuthService (auth_service.dart)

```
POST /auth/login  
headers:  
  Content-Type: app/json  
  tenant-id: <tenant>  
body:  
  {"username","password"}  
  
response 200/201  
→ AuthResponse.fromJson()  
  .fromJson(json, tenant)
```

```
Backend  
backend.colecheck  
.com/auth/login
```

SessionStorage (session_storage.dart)

```
saveSession(tenant,  
  username, token,  
  roles, profile)  
getTenant()  
getUsername()  
getToken()  
getRoles()  
getProfile()  
clear()
```

```
SharedPreferences  
(disco del dispositivo)
```

=====

DEPENDENCY INJECTION (GetIt)

=====

app_module.dart (@Module @injectable)

```
SessionStorage sessionStorage → SessionStorage.instance  
AuthService authService → AuthService()  
AuthRepository authRepository → AuthRepositoryImpl(authService,  
  sessionStorage)  
  
LoginUseCase loginUseCase → LoginUseCase(authRepository)  
SaveuserUseCase saveuserUseCase → SaveuserUseCase(authRepository)  
GetusersessionUseCase getusersessionUseCase → GetusersessionUseCase(...)  
RemoveuserUseCase removeuserUseCase → RemoveuserUseCase(authRepository)  
LogoutUseCase logoutUseCase → LogoutUseCase(authRepository)  
AuthUseCases authUseCases → AuthUseCases(loginUseCase, saveuserUseCase,  
  getusersessionUseCase,  
  removeuserUseCase,  
  logoutUseCase)
```

bloc_provider.dart

```
getIt<AuthUseCases>()  
→ LoginBloc(instance)
```