

Manage Schedule

[EN](#) | [RU](#) | [KZ](#)

[Logout](#)

Date:

06 . 07 . 2026



[View](#)

2026-07-06

Status: **Working day**

[Set as Working Day](#)

[Set as Holiday \(cancels existing bookings\)](#)

[Equipment](#) | [Schedule](#) | [Users](#) | [My Profile](#)

Manage Equipment

[EN](#) | [RU](#) | [KZ](#)

[Logout](#)

Active Equipment

3D Printer (Test) — Seeded automatically for local testing — safe to remove later.

[Deactivate](#)

Add New Equipment

Name:

Description:

[Add Equipment](#)

[Equipment](#) | [Schedule](#) | [Users](#) | [My Profile](#)

My Profile

EN | RU | KZ

Logout

Name:

Admin

Email:

admin@lab.local

New Password (leave blank to keep current):

Current Password (required to save changes):

Save Changes

Equipment

View Technology

JavaServer Pages (JSP) with plain Java scriptlets (`<% %>` and `<%= %>`). No JSTL tag libraries, no JSP custom tags, no templating engines (Thymeleaf, Freemarker, etc.) — a deliberate choice consistent with the Servlets-focused assignment brief. All dynamic content is rendered server-side before sending HTML to the browser.

Page Structure

Eight JSP views, each a complete, self-contained HTML5 document:

Page	Path	Access
Login	/login	Public
Register	/register	Public
My Bookings	/bookings	USER
Slot Booking	/bookings?equipmentId=&date=	USER
My Profile	/profile	USER +

Page	Path	Access
		ADMIN
Manage Equipment	/admin/equipment	ADMIN
Manage Schedule	/admin/schedule	ADMIN
Manage Users	/admin/users	ADMIN

Styling

A single shared stylesheet (/css/style.css, 101 lines) linked from every JSP via `<link rel="stylesheet" href="/css/style.css" />`. Key design decisions:

- **Font stack:** System fonts (-apple-system, Segoe UI, Roboto, Helvetica, Arial) — no external font loading, fast rendering across platforms
- **Color scheme:** Light grey background (#f7f7f8), white card surfaces (ffffff), blue accent (#2563eb) for links and buttons, red/green for error/success feedback
- **Layout:** Body with 2rem padding, no complex grid or flexbox layouts — deliberately minimal per the "basic CSS, no layout restructuring" requirement
- **Forms:** Styled as white bordered cards (border: 1px solid #e0e0e0, border-radius: 6px), maximum width 400px, full-width inputs with box-sizing: border-box
- **Lists:** Unstyled, each `<li>` rendered as a white bordered card with padding — used for booking lists, equipment lists, user lists
- **Buttons:** Blue background (#2563eb), white text, hover state darkens to #1d4ed8
- **Feedback messages:** Error messages styled with red border and light red background via CSS attribute selector `p[style*="color: red"]`; success messages with green border and light green background

Navigation

- **User pages:** Logout button on /bookings, link to My Profile
- **Admin pages:** Consistent four-item nav bar on all three admin pages — Equipment | Schedule | Users | My Profile — using shared `i18n` keys (`admin.nav.*`)
- **Role-aware back-links:** Profile page shows "Back to Bookings" for regular users, "Equipment" (`→ /admin/equipment`) for admins — conditional rendering based on `user.getPosition()`

Forms

All forms use:

- method="POST" with Spring Security CSRF token hidden field (`${_csrf.parameterName}` / `${_csrf.token}`)
- ⑩ Server-side validation with translated error messages forwarded as request attributes
- ⑩ Pre-filled fields on edit forms (profile editing shows current name/email)
- required attribute on mandatory fields for basic client-side validation
- autofocus on the primary input of login/register forms

Internationalization UI

- **Language switcher** on every page: three inline links (EN | RU | KZ)
- Uses `MessageHelper.langQueryPrefix(request)` to preserve existing query parameters (equipmentId, date, page number) when switching language — avoids losing context
- ⑩ Locale persisted in both HTTP session and cookie — survives page navigation and Spring Security's session invalidation on failed login
- All visible strings (labels, headings, buttons, error/success messages, nav links) loaded from `messages_en/ru/kz.properties` via `MessageHelper.msg()`

Pagination

Admin Users page (`/admin/users`) implements server-side pagination:

- ⑩ 10 users per page
- ⑩ Numbered page links (1, 2, 3...) with current page bolded
- ⑩ Previous / Next links (hidden when at first/last page)
- Page links preserve the lang parameter via `langQueryPrefix`
- Implemented via `LIMIT ? OFFSET ? SQL` in `UserCommonDaoImpl`

Dynamic Content Rendering

- **Booking list** — enriched via `BookingServlet.BookingView` (nested static class bundling Booking + Equipment + Slot), showing equipment name and slot time range rather than raw IDs
- **Conditional Cancel button** — only rendered when `bv.booking.getStatus().name().equals("CONFIRMED")`
- **Conditional Deactivate button** — only rendered when `u.isActive()` is true
- **Status display** — raw enum values (CONFIRMED/CANCELLED) shown as-is for booking status; user active/inactive status translated via i18n keys

Security in the UI

- ⑩ CSRF tokens on every POST form
- ⑩ No client-side storage of sensitive data
- Role-based page access enforced server-side (Spring Security filter chain) with defense-in-depth checks in each admin servlet (`securityService.isAdmin()`)
- ⑩ Error messages never expose internal details (stack traces, SQL errors) — only user-friendly translated strings