

USER MANUAL

Table of Contents

1.	INTRODUCTION.....	3
1.1	Description.....	3
1.2	What is APIGEE	3
1.3	What is Developer Portal	3
2.	PRE-REQUISITE	5
3.	API MANAGEMENT MARKETPLACE TERMINOLOGY	6
3.1	API.....	6
3.2	App	6
3.3	API Key.....	6
3.4	API Secret	6
3.5	JWT TOKEN	6
3.6	Open API Specification	6
3.7	API Product	6
4.	DRUPAL DEVELOPER PORTAL	7
4.1	Login.....	7
4.2	App Creation.....	7
4.3	API.....	7
5.	ADDITIONAL FEATURE	16

1. Introduction


1.1 Description

Blue Dart is on its journey to business transformation and API modernization. The key imperatives to this journey are to attain operational efficiencies, drive profitable revenue growth and attain a greater customer satisfaction through an enhanced experience. As a strategy Blue Dart has chosen to prioritize the use cases which directly impact the customer experience to be able to create an immediate impact in the marketplace.

1.2 What is APIGEE

Apigee enables us to introduce Digital Value Chain as it is a platform for developing and managing APIs. API management platform also securely deliver and manage all API's. By fronting services with a proxy layer, Apigee provides an abstraction or facade for our backend service APIs and provides security, rate limiting, quotas, analytics, and more.


The following image shows an architecture with Edge managing the requests from client apps to your backend services:



1.3 What is Developer Portal

Drupal is content management software. It is used to make many of the websites and applications customer can use every day. All the Apigee's API module are documented in your Drupal developer portal by exposing OpenAPI specifications.

The following image shows an architecture with Edge managing the requests from client apps (Drupal) to your backend services:



2. Pre-Requisite

Every Blue Dart customer need to do manual procedure for document verification in regional Blue Dart office for creation of Login and License key. Without those keys customers will not be able to request for any valid transactions using listed APIs.

3. API Management Marketplace Terminology

Before going to detail description how our applications work let us understand few terminologies that are frequently used in our API management journey.

3.1 API

API is a set of definitions and protocols for building and integrating application software. API allows you to provide access to resources.

3.2 App

App also known as Developer App is a mechanism by which we can control who can access our APIs. To do so each developers/customers need to register itself in Drupal Portal.

3.3 API Key

An API key also known in Apigee as a consumer key is random string value gets generated by Apigee when customers/developers register them i.e., when creates an App.

3.4 API Secret

An API key also known in Apigee as a secret is random string value gets generated by Apigee when customers/developers register them i.e., when creates an App.

3.5 JWT TOKEN

JSON Web Token is a proposed Internet standard for creating data with optional signature and/or optional encryption whose payload holds JSON that asserts some number of claims. The tokens are signed either using a private secret or a public/private key.

3.6 Open API Specification

The OpenAPI Specification (OAS) also known as Swagger Specification document is a standard format to define structure and syntax REST APIs. These documents are both machine and human readable. It allows anyone to easily determine how each API works. Engineers building APIs can use APIs to plan and design servers, generate code, and implement contract testing.

3.7 API Product

API products are the central mechanism for access control to your APIs. By defining one or more API products in a developer app, you can restrict access to proxies with an API key.

4. Drupal Developer Portal

Self-service portal for customer to evaluate and tryout the Blue Dart API offerings. Steps to explore as below.

4.1 Login

1. Client/ Customer will login to Blue Dart developer Portal using [Link](#).
2. After you login we can directly navigate to Blue Dart APIs and select Availability **INDIA** or Service Type as **Shipment BlueDart**. You will see all the APIs published.
3. Once the user lands on the portal, customer must register themselves.
4. To do so navigate to **Register** at right topmost corner.
5. Click on the “Register.” Provide your First name, Last name, Email address, username, company name, country and click on Send.
6. Drupal will send an e-mail to verify your application. Open the email and click on the verify link. This will activate your account.
7. Once the account is activated. Now click on **Login** and provide your username and password.

4.2 App Creation

1. Once you are logged in. Click on profile at the right most top.
2. Now we see an +Create APP button. Click on that.
3. Create an APP and add the API you want to use.
4. Click on Create APP. This will lead to generate an App with the credentials.


4.3 API

1. Click on Browse all APIs. As mentioned before select Availability **INDIA**


[Browse APIs | DHL API Developer Portal](#) this link can be used to access all API's

The screenshot shows a web interface for the DHL API Developer Portal. On the left, there is a list of countries with checkboxes: Europe, Germany, Global, Global - Express API Gateway, India (checked), Luxembourg, Netherlands, and United Kingdom. To the right of this list, there is a section titled 'Best for:' which contains a description of the 'Download Pincode Master' API. The description states: 'This API exposes methods those will be used for masters download. It will download incremental pin code master changes'. Below this, it says 'Download Pincode Master : Download-Pincode-Master service will help us to download incremental pin code master changes'. At the bottom, it specifies 'Region: India'.

2. On selecting country as INDIA and Division as DHL Ecommerce Solutions you will be able to select all set of api's available for Blue Dart.



- Once we got all the API details, first we must use **"Blue Dart Authentication API"** to generate a token using which we will be able to access all the other remaining APIs.



- Every detail about the Blue Dart organization along with the detail what functionality this API provides you can get everything from the page, as highlighted below.

ocation Finder Try Now! Get Acces

Get Started ▼

Overview ➤

User Guide ➤

Scope

Get Service for Pin-code ➤

Get Services for Pincode And Product ➤

Get Services for Product ➤

Legal Terms

Test

Reference Docs ▼

Get Services for Pincode

Default

Get Services for Product

Get Services for Pincode And Product

BLUE DART **DHL**

About Blue Dart

Blue Dart Express Ltd., South Asia's premier express air, integrated transportation & distribution company, offers secure and reliable delivery of consignments to over 55,400+ locations in India. Blue Dart is a provider of choice for its stakeholders due to its customer centric approach and aims to further strengthen this partnership. As part of Deutsche Post DHL Group's DHL eCommerce Solutions division, Blue Dart accesses the largest and most comprehensive express and logistics network worldwide, covering over 220 countries and territories, and offers an entire spectrum of distribution services including air express, freight forwarding, supply chain solutions, customs clearance etc.

The Blue Dart team drives market leadership through its motivated people, dedicated air and ground capacity, cutting-edge technology, wide range of innovative, vertical specific products and value-added services to deliver unmatched standards of service quality to its customers. Blue Dart's market leadership is further validated by its position as the nation's most innovative and awarded express logistics company for exhibiting reliability, superior brand experience and sustainability which include recognition as one of India's Best Companies to Work For by The Great Place to Work® Institute, India, ranked amongst 'Best Multinational Workplaces in Asia' by The Great Place to Work® Institute, Asia, voted a 'Superbrand' and 'Reader's Digest Most Trusted Brand', listed as one of Fortune 500's India's Largest Corporations' and Forbes 'India's Super 50 Companies' to name a few. Blue Dart's Diversity and Inclusion initiatives have also led to it being recognized as one of India's 'Best Workplaces for Women' in 2021 and 'Best Organizations for Women' in 2022 by the Economic Times.

- Then click on “GET ACCESS” on the rightmost top. We can also navigate to the user profile section which will take us to the “Create App” section.

Manage **Shortcuts** **Sanghita**

Deutsche Post **DHL** API Developer Portal APIs Documentation Help Center EN Q E

CONNECTION ERROR

Apps + Create App

Profile There is a problem with the connection to the API server. Please contact the Developer Portal support for further assistance.

Notifications

Find Content Q Search

APIs of our divisions

- DHL eCommerce Solutions
- DHL Express
- DHL Global Forwarding
- DHL Supply Chain
- Post & Parcel Germany

Developers

- My Apps
- API Catalog
- Documentation
- API Status

Deutsche Post DHL Group

- Provide the below details APP name, descriptions, select **Blue Dart Authentication API** from drop down, click on the + and then click on “Create App”
- Below is the list of all the Blue Dart APIs currently published.

TO access all below API’s we would need to access

Blue Dart APIs

SELECT APIS

API's name

AKAMAI - PST - Express - 1000rps
AltInstruction
AMP Demo Product 1
APIs for MMM - Environment: Production - Rate Limit: 1000 per hour
April (DHL Global Forwarding) webservice - Environment: Production
Blue Dart APIs

- the status of the API will be in progress until it is validated (enabled).
- the status of your app changes to mixed until all of the APIs are enabled.

Note: You can only use APIs which are in enabled status.

Selected APIs:

Name	Environment	Rate limit	Remove from app
No APIs were selected			

Save Delete

After selecting Blue Dart APIs click on + icon as below

SELECT APIS

API's name

Blue Dart APIs

Environment:

☒ Production (Global), Customer (Integration) Testing

Rate limit:

☒ No Rate Limit Defined

Add API to app:

Name	Environment	Rate limit	Add to app
Blue Dart APIs	Production (Global), Customer (Integration) Testing	No Rate Limit Defined	

Selected APIs:

Name	Environment	Rate limit	Remove from app
------	-------------	------------	-----------------

SELECT APIS

API's name

- Select or type the name of API -

Selected APIs:

Name	Environment	Rate limit	Remove from app
Blue Dart APIs	Production (Global), Customer (Integration) Testing	No Rate Limit Defined	

Save Delete

On selecting API, click save button to use all api's related to blue dart as mentioned below.

<i>Blue Dart APIs</i>
Blue Dart Authentication API
Blue Dart-Product and Sub-Product Pickup Detail
Blue Dart-Tracking of Shipment

Blue Dart-Transit Time
Blue Dart-Cancel Pickup for Registration
Blue Dart-Register for Pickup
Blue Dart-Master Download
Blue Dart-Waybill
Blue Dart-Alt-Instruction
Blue Dart-Location Finder

8. While creating APP we also must select the API products where APIs are embedded. **Token generator Product** is mandatory which we have add before accessing any API operation. Below is the list of all the Product name linked to the APIs

<i>API Product Name</i>	<i>Blue Dart APIs Page</i>
Token generator	Blue Dart Authentication API
AltInstruction	Blue Dart-Alt-Instruction
Pickup Product	Blue Dart -Product and Sub-Product Pickup Detail
Pickup Registration	Blue Dart -Register for Pickup
Transit Time finder	Blue Dart -Transit Time
waybill	Blue Dart -Waybill
Master Download	Blue Dart -Master Download
Cancel Pickup	Blue Dart -Cancel Pickup for Registration
Finder	Blue Dart -Location Finder
Tracking Product	Blue Dart -Tracking of Shipment


9. Then we can see the app where we have id and secret. Click on Show key and we will be able to see the credentials.

The screenshot shows the 'ALT1234 APP' details in an API management console. The app name is 'Alt1234', its status is 'approved', and it was created 5 days ago. Under the 'Credential' section, the 'API Key' and 'API Secret' are shown as masked strings with 'Show key' links. Below this, the 'APIs' section contains a table with one entry: 'Alt-Instruction' in the 'Development' environment, with 'No Rate Limit Defined' and a status of 'enabled'.


Name	Environment	Rate limit	Status	Actions
Alt-Instruction	Development	No Rate Limit Defined	enabled	

10. Once you got the credentials. Use this URL to navigate to **Blue Dart Authenticator API** to generate token.

11. Once you landed on the **Blue Dart Authentication API**, click on **Try Now** present at the right top corner. Once you click that you will navigate to “**Reference Docs**”



12. Click **Authorize**. Always select the Manual Option for Blue Dart. There you must paste “**Secret**” that you have created while creating App (while registering), once done set **Key** and close.



13. Now you will come back to API page go to **Endpoints Token Generation in Reference Docs**. Then click on **try it out button**.

Token Generation

Endpoints

GET /v2/login

This method/operation will help us to generate the JWT token which will later used for calling APIs

Code Examples

Hide code examples

ShellC#JavaJavaScriptPHPPython

more languages...

cURL

CopyDownload

```
1 curl --request GET \  
2 --url https://apigateway-dev.bluedart.com/v2/login \  
3 --header 'ClientId: SOME_STRING_VALUE' \  
4 --header 'clientSecret: REPLACE_KEY_VALUE'
```

14. Below you see the request parameter paste the ClientID received earlier during App creation.
15. After pasting the credential select the **Server** for Sandbox. As shown below.
16. Once the **LoginID and License key** for production environment is provided use the **production Server**.
17. And Click on **Execute**.
18. Below you can see the JWT token created.

[illegible]

19. Now use this token to call any Blue Dart API. Details of all APIs are mentioned in the
20. **Scope** in API catalog. Click on specific API.

- cURL call

```
curl --location 'https://apigateway-dev.bluedart.com/v2/login' \
--header 'ClientID: your id' \
--header 'ClientSecret: your secret' \
```

Scope

Blue dart Other Services

BlueDart APIS	Description
Cancel Pickup Registration	Cancel Pickup
Transit Time	Transit Time
Alt-Instruction	Alt-Instruction

Legal Terms

Legal

21. As Example we want to cancel pickup so landed on **Blue Dart-Pickup Cancellation**. Similarly navigate to **Try Now**. In the **Authorize** as mentioned above paste the JWT token.

Reference Docs

[Download API Spec](#)

The Cancel Pickup registration API exposes methods those will be used to cancel a Pickup.

Servers

<https://apigateway-dev.bluedart.com/cancel-pickup> - Apiqee gateway bluedart server detail

[Authorize](#)

Cancel Pickup

Endpoints

POST /CancelPickup

This method will allow user to cancel the pickup

Code Examples [Hide code examples](#)

22. Then click on Endpoints and the specific method **Cancel Pickup**. Sample request body provided which need to be in JSON (application/json) format only, modify the sample request body.

No parameters

Request body [application/json](#)

```
{
  "request": {
    "PickupRegistrationDate": "/Date(1680765835000)/",
    "Remarks": "123",
    "TokenNumber": 1858387
  },
  "profile": {
    "Api_type": "S",
    "Area": "HUM",
    "Customercode": "",
    "IsAdmin": ""
  }
}
```

Servers

These operation-level options override the global server options.

<https://apigateway-dev.bluedart.com/cancel-pickup> - Apiqee gateway bluedart server detail


[Execute](#) [Clear](#)

23. After pasting the token and request body select the **Server** for Sandbox. As shown below.

24. Once the **LoginID and License key** for production environment is provided use the **production Server**.
25. And Click on **Execute**.
26. You will get the http code **200** for success response.
27. For invalid JWT token we will get http code **401 Unauthorized** with error response **"Access to the method is not allowed"**
28. In-case of invalid request parameter passed it will through **400 Bad Request** with the proper error response from backend.

5. Additional Feature

1. Drupal also provide the flexibility to understand the backend application like what specific field level required to send to get the proper response from backend.
2. This swagger specification document also helps any new Front-end application in future to integrate with the APIs.
3. This feature is available in all the APIs. Once you are in any API page, click Reference Docs from the left topmost corner. Below is the screenshot click on **Download API Spec.**



4. We will get a complete swagger in the JSON format as shown below.

```
openapi: 3.0.1
info:
  title: Finders
  description: The Location Finder provides you with information on locations serviced by Blue Dart. It also outlines the services available for each location. 1
  advised on the serviceability and reach of Blue Dart locations. This query input is based on pin code
  version: "0.1"
servers:
  - url: https://apigateway-uat.bluedart.com/in/transportation/finder/v1
    description: UAT Blue Dart gateway server detail
  - url: https://apigateway.bluedart.com/in/transportation/finder/v1
    description: Prod Blue Dart gateway server detail

security: [
  {
    JWT: []
  }
]

paths:
  /GetServicesforPincode:
    post:
      tags:
        - Get Services for Pincode
      description: This method will return information about all types of services provided by Blue Dart for requested pin code.
      requestBody:
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/GetServicesforPincode_body'
            example:
              pinCode: "400057"
              profile:
                Api_type: S
                LicenceKey: APIKEY
                LoginID: APIID

      responses:
        "200":
          description: OK
          headers:
            Content-Type:
              style: simple
              explode: false
              schema:
                type: string
                example: application/json; charset=utf-8
          Data:
```