yeşilkod

Green Coding and Digital Carbon Footprint Optimisation Tool

Team: Yunus Emre Sevindik · Mehmet Zahid Görgeç

Measures software energy, fixes the waste, proves the gain. (“Yeşil Kod” is Turkish for “Green Code”.)

PROBLEM

Data-centre electricity use more than doubles in six years.



Source: IEA, Energy and AI (2025). The 2030 value is the base-case projection.

Part of that energy feeds software waste nobody notices. The energy of a line of code is measured and shown nowhere.

ONE LINE

How much electricity does this line use?

```
def yoklama_kontrol():              # attendance check
    kayitlilar = list(KAYITLAR)
    return [no for no in GELENLER if no in kayitlilar]
```

41 kg

CO_2e a year, from this line alone.

One million requests a day, for a year, on the Türkiye grid.

SOLUTION

You cannot optimise what you do not measure. Yeşil Kod works in four steps.

1

Find

Walks the syntax tree and flags thirty energy-wasting patterns, line by line.

2

Fix

Rewrites six of them itself, touching only the changed lines.

3

Verify

Runs both versions and rejects the fix unless the outputs are identical.

4

Measure

Reads CPU energy counters and converts the gain to carbon.

THE FIX

The engine rewrote the line itself.

```
  def yoklama_kontrol():
      kayitlilar = list(KAYITLAR)
-     return [no for no in GELENLER if no in kayitlilar]
+     kayitlilar_kume = set(kayitlilar)
+     return [no for no in GELENLER if no in kayitlilar_kume]
```

The 2,000-row output is identical in both versions.

465×

less energy, same result.

Same number of requests, two versions, same computer.

RESULTS

Four real-world wastes. The engine fixed all four.

Route count uncached double recursion → lru_cache	~4,000×
Attendance check list lookup inside a loop → set()	465×
Price list loop-invariant work → moved out of the loop	51×
Order report N+1 queries → one batched IN query	4,001 → 2 queries

Reduction in CPU energy per request · estimated mode · 26 October 2026 · none of the fixes were written by hand

METHOD

We measure the gain without overstating it.

Carbon accounting

$$SCI = (E \times I + M) / R$$

E measured CPU energy (powermetrics on Mac, RAPL on Linux)

I Türkiye grid, 341 gCO_2e/kWh

M embodied hardware emissions (next phase)

R per request

Honest limits

- Only CPU energy is measured; memory, network and cooling are excluded. The gain shown is a lower bound.
- Every result is the mean of 5 repeats; caches are cleared before every request.
- In estimated mode, ratios are more reliable than absolute values.

Software Carbon Intensity: Green Software Foundation, ISO/IEC 21031:2024 · Grid: Low-Carbon Power, Aug 2025–Jul 2026

NEXT STEPS

From prototype to everyday use.

- **More languages:** JavaScript/TypeScript and Java.
- **Full SCI:** embodied emissions and memory energy.
- **Carbon-aware scheduling:** shift heavy jobs to cleaner hours with EPİAŞ hourly data.
- **Developer tools:** editor extension, ready-made CI step.
- **Pilot:** scan student software projects at the university.

7
Affordable and clean energy

9
Industry, innovation and infrastructure

12
Responsible consumption and production

13
Climate action

SCAN ME

Try your own code on your phone.

Paste Python or pick an example, then measure both versions on your own phone. Your code never leaves your device.

→ yes3760.github.io/yesil-kod



yeşilkod

Sakarya University · Yunus Emre Sevindik · Mehmet Zahid Görgeç · Open source: github.com/yes3760/yesil-kod