Practical Report

Burp Suite: Repeater

Intern: Sabir Ali

Academy: IqraSec Academy

Scope: One report covering the TryHackMe Burp Suite: Repeater room.

Room 1: Burp Suite: Repeater

1. Objective

To understand how Burp Suite Repeater can be used to inspect, modify, and resend HTTP requests. The room focused on repeated manual requests to examine application responses, test input handling, and investigate weaknesses in a controlled web application.

2. Concepts and Understanding

I learned how Repeater supports manual web application testing by allowing captured requests to be edited and sent again without repeating the same action in a browser. I explored the Repeater interface, request history, Inspector, and the Pretty, Raw, Hex, and Render response views.

I also learned how request components affect server behavior, including HTTP headers, query parameters, body parameters, cookies, and request attributes. The practical exercises demonstrated how unexpected input can produce server errors and how detailed error responses may disclose information useful during SQL injection testing.

3. Practical Work

- Captured HTTP requests through Burp Suite Proxy and sent them to Repeater using the context-menu option or Ctrl + R.
- Sent requests, modified their contents, and compared the resulting server responses.
- Explored the Repeater interface, including the request list, request controls, request/response views, layout options, Inspector, and target information.
- Compared Pretty, Raw, Hex, and Render views to understand different ways of examining HTTP responses.
- Used Inspector to review and modify request attributes, query parameters, body parameters, cookies, and headers.
- Added the FlagAuthorised: True header in the room's practical exercise and examined the response.
- Modified a numeric product endpoint to observe how the application handled unexpected values and to trigger the room's 500 Internal Server Error challenge.
- Used Repeater in the extra-mile exercise to investigate a UNION-based SQL injection in the /about/ID endpoint and retrieve the requested database information from the lab.

4. Tools and Resources Used

Tool / Feature	Purpose
Burp Suite Proxy	Captured and intercepted browser requests before forwarding them for testing.

Burp Suite Repeater	Modified and resent HTTP requests to observe application behavior.
Inspector	Displayed request and response components in an organized format and supported editing of request components.
TryHackMe AttackBox / Lab Machine	Provided the controlled environment for completing the room exercises.
Web browser	Accessed the lab application and generated requests for inspection.

5. Evidence and Screenshots

There are so me relevant screenshot and evidence.




Figure 1: Join Room and start Attack box and lab machine for doing tasks




Figure 2: Anaylsis Request headers and Response




Figure 3: Open Burpsuite in the attack box for do tasks




Figure 4: Try to Capture request in burpsuite




Figure 5: Open proxy tab and send request to the repeater




Figure 6: Add header in request to get flag




Figure 7: Add and change new endpoint to trigger the response and get flag




Figure 8: Modify request by change and addition in endpoint to get flag




Figure 9: New end point testing name is /about




Figure 10: Change SQL query by changing in the request and apply a sql query to solve the task




Figure 11: Complete all the task and solve the room

6. Result

I developed practical familiarity with Burp Suite Repeater and used it to modify and resend HTTP requests in the TryHackMe lab. The exercises showed how changes to headers and endpoint inputs can affect server responses. The extra-mile challenge also demonstrated how detailed error behavior can assist in identifying and investigating a SQL injection issue in a controlled environment.

7. Key Learnings

- Proxy captures and intercepts traffic, while Repeater is used to manually edit and resend requests.
- Repeater makes it easier to test one request with different values and compare server responses.
- Inspector provides an organized view of request attributes, parameters, cookies, and headers.
- Pretty, Raw, Hex, and Render provide different ways to inspect a response.
- Unexpected input may expose weak validation or error handling; a 500 response alone does not prove a vulnerability.
- Detailed database errors can disclose internal query information and help guide SQL injection testing.
- Testing must remain within the scope of an authorized lab or an explicitly approved assessment.