


Nama: Yesi Wulan Novitri Ardiyanti

NIM/Kelas: 242410101036/A

AKTIVITAS MANDIRI 3 — Membuat Layout Master & Halaman-Halaman

1. Buat layout master: resources/views/layouts/app.blade.php dengan navbar, main content area (@yield('content')), dan footer
 - a. resources/views/layouts/app.blade.php



- b. navbar dengan main content area (@yield('content'))


```
<body>
<nav>
  <div class="nav-left">
    <div class="logo-icon">
      
    </div>
    <span class="logo-text">LensRent</span>
  </div>
  <div class="menu" id="menu">
    <a href="{{ route('home') }}" class="@yield('active_home')">Home</a>
    <a href="{{ route('kamera.index') }}" class="@yield('active_kamera')">Data Kamera</a>
    <a href="{{ route('sewa.form') }}" class="@yield('active_sewa')">Penyewaan</a>
  </div>
  <button class="hamburger" id="hamburger" aria-label="Menu">☰</button>
</nav>
<main>
  @if(session('success'))
    <div class="alert alert-success">{{ session('success') }}</div>
  @endif
  @if(session('error'))
    <div class="alert alert-error">{{ session('error') }}</div>
  @endif
  @yield('content')
</main>
```

- c. footer

```
<footer>
  <div class="footer-section">
    <h3>📷 LensRent</h3>
    <p>Sewa kamera mudah dan cepat.</p>
    <p class="copyright">© {{ date('Y') }} LensRent. All rights reserved.</p>
  </div>
  <div class="footer-section">
    <h3>📍 Navigasi</h3>
    <a href="{{ route('home') }}">Home</a>
    <a href="{{ route('kamera.index') }}">Data Kamera</a>
    <a href="{{ route('sewa.index') }}">Penyewaan</a>
  </div>
  <div class="footer-section">
    <h3>📞 Kontak Kami</h3>
    <p>Jl. Fotografi No. 123, Jakarta</p>
    <p>☎️ (021) 1234-5678</p>
    <p>✉️ info@lensrent.com</p>
  </div>
</footer>


<script src="{{ asset('js/script.js') }}"></script>
@stack('scripts')
</body>
```

2. Buat partial: resources/views/partials/navbar.blade.php dan sisipkan dengan @include di layout



```
<body>
  @include('partials.navbar')
  <main>
    @if(session('success'))
      <div class="alert alert-success">
        {{ session('success') }}
      </div>
    @endif
    @if(session('error'))
      <div class="alert alert-error">
        {{ session('error') }}
      </div>
    @endif
    @yield('content')
  </main>
```

3. Buat halaman dashboard: resources/views/dashboard.blade.php yang @extends('layouts.app')




(untuk dashboard.blade disini menggunakan home.blade)

4. Tampilkan flash session message di layout: @if(session('success')) ... @endif

```
<main>
  @if(session('success'))
    <div class="alert alert-success">
      {{ session('success') }}
    </div>
  @endif
  @if(session('error'))
    <div class="alert alert-error">
      {{ session('error') }}
    </div>
  @endif
  @yield('content')
</main>
```

5. Buat komponen: resources/views/components/stat-card.blade.php (kartu statistik dengan props: judul, nilai, ikon, warna)



```

resources > views > components > stat-card.blade.php > div.stat-card
1 <div class="stat-card">
2   <div class="stat-icon">{{ $icon }}</div>
3   <div>
4     <h4>{{ $title }}</h4>
5     <p class="stat-value">{{ $value }}</p>
6   </div>
7 </div>
8

```

- Gunakan @forelse di dashboard untuk loop array data dummy (jumlah mahasiswa, mata kuliah, dll)

```

</div>
<div class="grid" id="kameraGrid">
  @forelse ($kamaras ?? [] as $k)
    <div class="card" data-nama="{{ $k->nama }}">
      nama }}">
      <h4>{{ $k->nama }}</h4>
      <p>Rp {{ number_format($k->harga, 0, ',', '.') }}</p>
      <small>{{ $k->kategori }} | Stok: {{ $k->jumlah }}</small>
    </div>
  @empty
    <p>Tidak ada kamera</p>
  @endforelse
  <div class="skeleton-card">Loading...</div>
</div>

```

- Buat halaman 'Tentang' dan 'Kontak' yang @extends layout yang sama

```

resources > views > tentang.blade.php > ...
1 @extends('layouts.app')
2
3 @section('title', 'Tentang LensRent')
4
5 @section('content')
6 <div class="container" style="margin-top: 100px;">
7   <div class="deskripsi-card">
8     <h2>Tentang LensRent</h2>
9     <p>LensRent adalah platform penyewaan alat fotografi yang didirikan pada tahun 2020. Kami berkomitmen memberikan pengalaman menyewa peralatan fotografi yang mudah, cepat,
10    <p>Dengan dukungan tim profesional dan peralatan berkualitas, LensRent siap membantu Anda menghasilkan karya terbaik.</p>
11  </div>
12 </div>
13 @endsection
14

```

```

resources > views > partials > footer.blade.php > footer > div.footer-section > a
1 <footer>
2   <div class="footer-section">
3     <h3>📷 LensRent</h3>
4     <p>Sewa kamera mudah dan cepat.</p>
5     <p class="copyright">© {{ date('Y') }} LensRent. All rights reserved.</p>
6   </div>
7   <div class="footer-section">
8     <h3>🗺️ Navigasi</h3>
9     <a href="{{ route('home') }}">Home</a>
10    <a href="{{ route('kamera.index') }}">Data Kamera</a>
11    <a href="{{ route('sewa.form') }}">Penyewaan</a>
12  </div>
13   <div class="footer-section">
14     <h3>📞 Kontak Kami</h3>
15     <p>Jl. Fotografi No. 123, Jakarta</p>
16     <p>☎️ (021) 1234-5678</p>
17     <p>✉️ info@lensrent.com</p>
18  </div>
19 </footer>
20

```

(untuk kontak sudah termasuk dalam footer)

8. Gunakan `@push('scripts')` dan `@stack('scripts')` untuk menambahkan JavaScript spesifik per halaman
- kode dalam `app.blade.php`

```
<script src="{{ asset('js/script.js') }}"></script>
@stack('scripts')
```

- kode dalam `home.blade.php`

```
@push('scripts')
<script>
const searchInput = document.getElementById('searchKamera');
const cards = document.querySelectorAll('.card');
if (searchInput) {
    searchInput.addEventListener('input', function() {
        const keyword = this.value.toLowerCase();
        cards.forEach(card => {
            const nama = card.getAttribute('data-nama').toLowerCase();
            card.style.display = nama.includes(keyword) ? 'block' : 'none';
        });
    });
}
function updateDashboard() {
    const kamera = JSON.parse(localStorage.getItem('lensrent_kamera')) || [];
    const sewa = JSON.parse(localStorage.getItem('lensrent_sewa')) || [];
    const totalKamera = kamera.reduce((s, k) => s + k.jumlah, 0);
    const totalDisewa = sewa.reduce((s, sw) => s + sw.jumlah, 0);
    const totalTersedia = Math.max(totalKamera - totalDisewa, 0);
    const totalPendapatan = sewa.reduce((s, sw) => s + sw.total, 0);
    document.getElementById('statTotalKamera').innerText = totalKamera;
    document.getElementById('statTersedia').innerText = totalTersedia;
    document.getElementById('statDisewa').innerText = totalDisewa;
    document.getElementById('statPendapatan').innerText = 'Rp ' + new Intl.NumberFormat('id-ID').format(totalPendapatan);
}
updateDashboard();
window.addEventListener('storage', updateDashboard);
</script>
@endpush
```

AKTIVITAS MANDIRI 4 — Migration, Model & Seeder

1. Buat Model dan Migration sekaligus: `php artisan make:model Mahasiswa -m`
 - `php artisan make:model Kamera -m`

```
PS D:\laragon\www\lensrent> php artisan make:model Kamera -m

INFO Model [D:\laragon\www\lensrent\app\Models\Kamera.php] created successfully.

INFO Migration [D:\laragon\www\lensrent\database\Migrations\2026_05_05_082938_create_kameras_table.php] created successfully.

PS D:\laragon\www\lensrent>
```

2. Edit file migration: tambahkan kolom nim, nama, email, jurusan (enum), ipk (decimal), semester, aktif (boolean), foto (nullable)

a. Migration kamera

```
database\Migrations\2026_05_05_082938_create_kameras_table.php
1  <?php
2
3  use Illuminate\Database\Migrations\Migration;
4  use Illuminate\Database\Schema\Blueprint;
5  use Illuminate\Support\Facades\Schema;
6
7  return new class extends Migration
8  {
9      public function up(): void
10     {
11         Schema::create('kameras', function (Blueprint $table) {
12             $table->id();
13             $table->string('kode', 10)->unique();
14             $table->string('nama', 100);
15             $table->enum('kategori', ['DSLR', 'Mirrorless']);
16             $table->integer('jumlah')->default(0);
17             $table->integer('harga')->unsigned();
18             $table->string('foto')->nullable();
19             $table->timestamps();
20         });
21     }
22
23     public function down(): void
24     {
25         Schema::dropIfExists('kameras');
26     }
27 };
28
```

3. Jalankan migration: `php artisan migrate` — cek di phpMyAdmin bahwa tabel sudah terbuat

```
PS D:\laragon\www\lensrent> php artisan migrate

INFO Running migrations.

2026_05_05_082938_create_kameras_table ..... 267.70ms DONE

PS D:\laragon\www\lensrent>
```

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0008 seconds.)

SELECT * FROM `kameras`

☐ Profiling [\[Edit inline \]](#) [\[Edit \]](#) [\[Explain SQL \]](#) [\[Create PHP code \]](#) [\[Refresh \]](#)

id	kode	nama	kategori	jumlah	harga	foto	created_at	updated_at
----	------	------	----------	--------	-------	------	------------	------------

Query results operations

[Create view](#)

4. Edit Model Mahasiswa: isi \$fillable, tambahkan \$casts, dan buat local scope scopeAktif()

```
1 <?php
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Database\Eloquent\Model;
7
8 class Kamera extends Model
9 {
10     use HasFactory;
11
12     protected $fillable = [
13         'kode', 'nama', 'kategori', 'jumlah', 'harga', 'foto'
14     ];
15
16     protected $casts = [
17         'harga' => 'integer',
18         'jumlah' => 'integer',
19     ];
20
21     public function sewas()
22     {
23         return $this->hasMany(Sewa::class);
24     }
25
26     public function scopeStokMenipis($query)
27     {
28         return $query->where('jumlah', '<', 3);
29     }
30 }
31
```

5. Buat seeder: php artisan make:seeder MahasiswaSeeder — isi dengan 5-10 data dummy

```
PS D:\laragon\www\lensrent> php artisan make:seeder KameraSeeder

INFO Seeder [D:\laragon\www\lensrent\database\seeders\KameraSeeder.php] created successfully.

PS D:\laragon\www\lensrent>
```

```
DatabaseSeeder.php M 2026_05_05_112150_create_sewas_table.php U Sewa.php U SewaSeeder.php U KameraSeeder.php U script.js Canon_R5_camera.jpg app.blade.php
database > seeders > KameraSeeder.php > KameraSeeder > run
1 <?php
2
3 namespace Database\Seeders;
4
5 use Illuminate\Database\Seeder;
6 use App\Models\Kamera;
7
8 class KameraSeeder extends Seeder
9 {
10     public function run(): void
11     {
12         $kamaras = [
13             ['kode' => 'K001', 'nama' => 'Fujifilm X100F', 'kategori' => 'Mirrorless', 'jumlah' => 5, 'harga' => 150000, 'foto' => '/image/FujifilmX100F.jpg'],
14             ['kode' => 'K002', 'nama' => 'Sony A7 III', 'kategori' => 'Mirrorless', 'jumlah' => 3, 'harga' => 250000, 'foto' => '/image/Sony_a7_III.jpg'],
15             ['kode' => 'K003', 'nama' => 'Canon R5', 'kategori' => 'Mirrorless', 'jumlah' => 4, 'harga' => 230000, 'foto' => '/image/Canon_R5_camera.jpg'],
16             ['kode' => 'K004', 'nama' => 'Nikon D750', 'kategori' => 'DSLR', 'jumlah' => 3, 'harga' => 200000, 'foto' => '/image/Nikon_d750.jpg'],
17             ['kode' => 'K005', 'nama' => 'Canon EOS 90D', 'kategori' => 'DSLR', 'jumlah' => 6, 'harga' => 180000, 'foto' => null],
18             ['kode' => 'K006', 'nama' => 'Sony ZV-E10', 'kategori' => 'Mirrorless', 'jumlah' => 2, 'harga' => 175000, 'foto' => null],
19         ];
20
21         foreach ($kamaras as $k) {
22             Kamera::firstOrCreate([
23                 ['kode' => $k['kode']],
24                 $k
25             ]);
26         }
27     }
28 }
```

6. Daftarkan seeder di DatabaseSeeder.php dan jalankan: php artisan db:seed

```
DatabaseSeeder.php M KameraSeeder.php U script.js Car
database > seeders > DatabaseSeeder.php > DatabaseSeeder > run
1 <?php
2
3 namespace Database\Seeders;
4
5 use App\Models\User;
6 use Illuminate\Database\Console\Seeds\WithoutModelEvents;
7 use Illuminate\Database\Seeder;
8
9 class DatabaseSeeder extends Seeder
10 {
11     public function run(): void
12     {
13         $this->call(KameraSeeder::class);
14     }
15 }
16
```

dijalankan:

```
PS D:\lanagon\www\lensrent> php artisan db:seed

INFO Seeding database.

Database\Seeders\KameraSeeder ..... RUNNING
Database\Seeders\KameraSeeder ..... 552 ms DONE

PS D:\lanagon\www\lensrent>
```

hasil di phpMyAdmin:

Server: localhost:3306 » Database: lensrent_db » Table: kameras

Showing rows 0 - 5 (6 total, Query took 0.0102 seconds.)

SELECT * FROM `kameras`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	id	kode	nama	kategori	jumlah	harga	foto	created_at	updated_at
☐ Edit ☐ Copy ☐ Delete	1	K001	Fujifilm X100F	Mirrorless	5	150000	/image/FujifilmX100F.jpg	2026-05-05 11:08:12	2026-05-05 11:08:12
☐ Edit ☐ Copy ☐ Delete	2	K002	Sony A7 III	Mirrorless	3	250000	/image/Sony_a7_III.jpg	2026-05-05 11:08:12	2026-05-05 11:08:12
☐ Edit ☐ Copy ☐ Delete	3	K003	Canon R5	Mirrorless	4	230000	/image/Canon_R5_camera.jpg	2026-05-05 11:08:12	2026-05-05 11:08:12
☐ Edit ☐ Copy ☐ Delete	4	K004	Nikon D750	DSLR	3	200000	/image/Nikon_d750.jpg	2026-05-05 11:08:12	2026-05-05 11:08:12
☐ Edit ☐ Copy ☐ Delete	5	K005	Canon EOS 90D	DSLR	6	180000	NULL	2026-05-05 11:08:12	2026-05-05 11:08:12
☐ Edit ☐ Copy ☐ Delete	6	K006	Sony ZV-E10	Mirrorless	2	175000	NULL	2026-05-05 11:08:12	2026-05-05 11:08:12

Check all | With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Console

7. Buka php artisan tinker dan coba query: Mahasiswa::all(),
Mahasiswa::where('jurusan','SI')->get(), Mahasiswa::avg('ipk')

```
PS D:\laragon\www\lensrent> php artisan db:seed

INFO Seeding database.

Database\Seeders\KameraSeeder ..... RUNNING
Database\Seeders\KameraSeeder ..... 552 ms DONE
```

```
PS D:\laragon\www\lensrent> php artisan tinker
Psy Shell v0.12.22 (PHP 8.3.30 - cli) by Justin Hileman
New PHP manual is available (latest: 3.0.5). Update with "doc --update-manual"

> app\Models\Kamera::all();

Error Class "app\Models\Kamera" not found.

> App\Models\Kamera::all();

= Illuminate\Database\Eloquent\Collection {#8081
  all: [
    App\Models\Kamera {#8075
      id: 1,
      kode: "K001",
      nama: "Fujifilm X100F",
      kategori: "Mirrorless",
      jumlah: 5,
      harga: 150000,
      foto: "/image/FujifilmX100F.jpg",
      created_at: "2026-05-05 11:08:12",
      updated_at: "2026-05-05 11:08:12",
    },
    App\Models\Kamera {#8074
      id: 2,
      kode: "K002",
      nama: "Sony A7 III",
      kategori: "Mirrorless",
      jumlah: 3,
      harga: 250000,
      foto: "/image/Sony_a7_III.jpg",
      created_at: "2026-05-05 11:08:12",
      updated_at: "2026-05-05 11:08:12",
    },
    App\Models\Kamera {#8077
      id: 3,
      kode: "K003",
      nama: "Canon R5",
      kategori: "Mirrorless",
      jumlah: 4,
      harga: 230000,
      foto: "/image/Canon_R5_camera.jpg",
      created_at: "2026-05-05 11:08:12",
      updated_at: "2026-05-05 11:08:12",
    },
    App\Models\Kamera {#8078
      id: 4,
      kode: "K004",
      nama: "Nikon D750",

```



```

    kategori: "DSLR",
    jumlah: 3,
    harga: 200000,
    foto: "/image/Nikon_d750.jpg",
    created_at: "2026-05-05 11:08:12",
    updated_at: "2026-05-05 11:08:12",
  },
  App\Models\Kamera {#8079
    id: 5,
    kode: "K005",
    nama: "Canon EOS 90D",
    kategori: "DSLR",
    jumlah: 6,
    harga: 180000,
    foto: null,
    created_at: "2026-05-05 11:08:12",
    updated_at: "2026-05-05 11:08:12",
  },
  App\Models\Kamera {#8080
    id: 6,
    kode: "K006",
    nama: "Sony ZV-E10",
    kategori: "Mirrorless",
    jumlah: 2,
    harga: 175000,
    foto: null,
    created_at: "2026-05-05 11:08:12",
    updated_at: "2026-05-05 11:08:12",
  },
  ],
}
}
>

```

8. Coba buat relasi: buat tabel mata_kuliahs dan tabel pivot krs, lalu definisikan relasi belongsToMany di Model

- membuat model dan migration sewa

```

PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS  DEVDB
PS D:\laragon\www\lensrent> php artisan make:model Sewa -m

INFO Model [D:\laragon\www\lensrent\app\Models\Sewa.php] created successfully.

INFO Migration [D:\laragon\www\lensrent\database\Migrations\2026_05_05_075410_create_sewas_table.php] created successfully.

PS D:\laragon\www\lensrent>

```

```
DatabaseSeeder.php M 2026_05_05_112150_create_sewas_table.php U X Sewa.php U Kame

database > migrations > 2026_05_05_112150_create_sewas_table.php
1  <?php
2
3  use Illuminate\Database\Migrations\Migration;
4  use Illuminate\Database\Schema\Blueprint;
5  use Illuminate\Support\Facades\Schema;
6
7  return new class extends Migration
8  {
9      public function up(): void
10     {
11         Schema::create('sewas', function (Blueprint $table) {
12             $table->id();
13             $table->string('id_penyewaan', 20)->unique();
14             $table->string('nama_penyewa', 100);
15             $table->string('telepon', 15);
16             $table->string('email')->nullable();
17             $table->text('alamat')->nullable();
18             $table->foreignId('kamera_id')->constrained()->onDelete('cascade');
19             $table->integer('jumlah_unit');
20             $table->date('tanggal_sewa');
21             $table->date('tanggal_kembali');
22             $table->string('metode_pembayaran');
23             $table->text('catatan')->nullable();
24             $table->bigInteger('total_harga');
25             $table->timestamps();
26         });
27     }
28
29     public function down(): void
30     {
31         Schema::dropIfExists('sewas');
32     }
33 };
34
```

- menjalankan migrate

```
PS D:\laragon\www\lensrent> php artisan migrate

INFO Running migrations.

2026_05_05_112150_create_sewas_table ..... 600.87ms DONE

PS D:\laragon\www\lensrent>
```



- belongsToMany sewas (Kamera.php)

```
21     public function sewas()  
22     {  
23         return $this->belongsToMany(Sewa::class, 'kamera_sewa')  
24             ->withPivot('jumlah_unit', 'harga_satuan')  
25             ->withTimestamps();  
26     }
```

- belongsToMany kameras (Sewa.php)

```
20     // belongs many to many ke kamera  
21     public function kameras()  
22     {  
23         return $this->belongsToMany(Kamera::class, 'kamera_sewa')  
24             ->withPivot('jumlah_unit', 'harga_satuan')  
25             ->withTimestamps();  
26     }  
27 }
```

- membuat seeder sewa

```
PS D:\laragon\www\lensrent> php artisan make:seeder SewaSeeder
```

```
INFO Seeder [D:\laragon\www\lensrent\database\seeders\SewaSeeder.php] created successfully.
```

```
PS D:\laragon\www\lensrent> 
```

```
DatabaseSeeder.php M 2026_05_05_112150_create_sewas_table.php U Sewa.php U SewaSeeder.php U X Ka
database > seeders > SewaSeeder.php > SewaSeeder
1  <?php
2
3  namespace Database\Seeders;
4
5  use Illuminate\Database\Seeder;
6  use App\Models\Sewa;
7  use App\Models\Kamera;
8
9  class SewaSeeder extends Seeder
10 {
11     public function run(): void
12     {
13         // Ambil beberapa kamera yang sudah ada (pastikan KameraSeeder sudah dijalankan)
14         $kmeras = Kamera::all();
15
16         if ($kmeras->isEmpty()) {
17             $this->command->info('Tidak ada data kamera, jalankan KameraSeeder terlebih dahulu.');
```

```
             return;
18         }
19
20
21         $sewas = [
22             [
23                 'id_penyewaan' => 'SW001',
24                 'nama_penyewa' => 'Andi Wijaya',
25                 'telepon' => '081234567890',
26                 'email' => 'andi@example.com',
27                 'alamat' => 'Jl. Merdeka No. 10, Jakarta',
28                 'kamera_id' => $kmeras->where('kode', 'K001')->first()->id ?? $kmeras->first()->id,
29                 'jumlah_unit' => 1,
30                 'tanggal_sewa' => '2025-05-01',
31                 'tanggal_kembali' => '2025-05-03',
32                 'metode_pembayaran' => 'Transfer Bank',
33                 'catatan' => 'Ambil sendiri',
34                 'total_harga' => 150000 * 1 * 2,
35             ],
```

```
DatabaseSeeder.php M 2026_05_05_112150_create_sewas_table.php U Sewa.php U SewaSeeder.php U X KameraSeeder.php

database > seeders > SewaSeeder.php > SewaSeeder
9 class SewaSeeder extends Seeder
11 public function run(): void
36 [
37     'id_penyewaan' => 'SW002',
38     'nama_penyewa' => 'Budi Santoso',
39     'telepon' => '082345678901',
40     'email' => 'budi@example.com',
41     'alamat' => 'Jl. Sudirman No. 5, Bandung',
42     'kamera_id' => $kamaras->where('kode', 'K002')->first()->id ?? $kamaras->first()->id,
43     'jumlah_unit' => 2,
44     'tanggal_sewa' => '2025-05-02',
45     'tanggal_kembali' => '2025-05-05',
46     'metode_pembayaran' => 'E-Wallet',
47     'catatan' => 'Kirim ke alamat',
48     'total_harga' => 250000 * 2 * 3,
49 ],
50 [
51     'id_penyewaan' => 'SW003',
52     'nama_penyewa' => 'Citra Lestari',
53     'telepon' => '083456789012',
54     'email' => 'citra@example.com',
55     'alamat' => 'Jl. Diponegoro No. 8, Surabaya',
56     'kamera_id' => $kamaras->where('kode', 'K004')->first()->id ?? $kamaras->first()->id,
57     'jumlah_unit' => 1,
58     'tanggal_sewa' => '2025-05-03',
59     'tanggal_kembali' => '2025-05-04',
60     'metode_pembayaran' => 'Cash',
61     'catatan' => null,
62     'total_harga' => 200000 * 1 * 1,
63 ],
64 [
65     'id_penyewaan' => 'SW004',
66     'nama_penyewa' => 'Dewi Sartika',
67     'telepon' => '085678901234',
68     'email' => 'dewi@example.com',
69     'alamat' => 'Jl. Ahmad Yani No. 12, Surabaya',
70     'kamera_id' => $kamaras->where('kode', 'K003')->first()->id ?? $kamaras->first()->id,
71     'jumlah_unit' => 1,
72     'tanggal_sewa' => '2025-05-10',
73     'tanggal_kembali' => '2025-05-15',
74     'metode_pembayaran' => 'Transfer Bank',
75     'catatan' => 'Butuh charger ekstra',
76     'total_harga' => 230000 * 1 * 5,
77 ],
78 ];
```

```
DatabaseSeeder.php M 2026_05_05_112150_create_sewas_table.php U Sewa.php U SewaSeeder.php U X KameraSeeder.php

database > seeders > SewaSeeder.php > SewaSeeder
9 class SewaSeeder extends Seeder
11 public function run(): void
78 [
79     'id_penyewaan' => 'SW005',
80     'nama_penyewa' => 'Eko Prasetyo',
81     'telepon' => '087890123456',
82     'email' => 'eko@example.com',
83     'alamat' => 'Jl. Pahlawan No. 3, Semarang',
84     'kamera_id' => $kamaras->where('kode', 'K005')->first()->id ?? $kamaras->first()->id,
85     'jumlah_unit' => 2,
86     'tanggal_sewa' => '2025-05-12',
87     'tanggal_kembali' => '2025-05-14',
88     'metode_pembayaran' => 'E-Wallet',
89     'catatan' => 'Pengambilan setelah jam 10 pagi',
90     'total_harga' => 180000 * 2 * 2,
91 ],
92 ];
93
94 foreach ($sewas as $s) {
95     Sewa::create($s);
96 }
97 }
98 }
99 }
```

- menyimpan seeder sewa dalam database

```
DatabaseSeeder.php M X 2026_05_05_112150_create_sewas_table.php U Sewa.p
database > seeders > DatabaseSeeder.php > DatabaseSeeder > run
1  <?php
2
3  namespace Database\Seeders;
4
5  use App\Models\User;
6  use Illuminate\Database\Console\Seeds\WithoutModelEvents;
7  use Illuminate\Database\Seeder;
8
9  class DatabaseSeeder extends Seeder
10 {
11     public function run(): void
12     {
13         $this->call(KameraSeeder::class);
14         $this->call(SewaSeeder::class);
15     }
16 }
17
```

```
PS D:\laragon\www\lensrent> php artisan db:seed
INFO Seeding database.
Database\Seeders\KameraSeeder ..... RUNNING
Database\Seeders\KameraSeeder ..... 339 ms DONE
Database\Seeders\SewaSeeder ..... RUNNING
Database\Seeders\SewaSeeder ..... 92 ms DONE
PS D:\laragon\www\lensrent>
```

- pengecekan php artisan tinker

```
PS D:\laragon\www\lensrent> php artisan tinker
Psy Shell v0.12.22 (PHP 8.3.30 - cli) by Justin Hileman
New PHP manual is available (latest: 3.0.5). Update with `doc --update-manual`

> App\Models\Sewa::all();

= Illuminate\Database\Eloquent\Collection {#8067
  all: [
    App\Models\Sewa {#8065
      id: 1,
      id_penyewaan: "SW001",
      nama_penyewa: "Andi Wijaya",
      telepon: "081234567890",
      email: "andi@example.com",
      alamat: "Jl. Merdeka No. 10, Jakarta",
      kamera_id: 1,
      jumlah_unit: 1,
      tanggal_sewa: "2025-05-01",
      tanggal_kembali: "2025-05-03",
      metode_pembayaran: "Transfer Bank",
      catatan: "Ambil sendiri",
      total_harga: 300000,
      created_at: "2026-05-05 11:47:54",
      updated_at: "2026-05-05 11:47:54",
    },
    App\Models\Sewa {#8064
      id: 2,
      id_penyewaan: "SW002",
      nama_penyewa: "Budi Santoso",
      telepon: "082345678901",
      email: "budi@example.com",
      alamat: "Jl. Sudirman No. 5, Bandung",
      kamera_id: 2,
      jumlah_unit: 2,
      tanggal_sewa: "2025-05-02",
      tanggal_kembali: "2025-05-05",
      metode_pembayaran: "E-Wallet",
      catatan: "Kirim ke alamat",
      total_harga: 150000,
      created_at: "2026-05-05 11:47:54",
      updated_at: "2026-05-05 11:47:54",
    },
  ],
}
```

- membuat migration kamera sewa

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS  DEVD8

PS D:\laragon\www\lensrent> php artisan make:migration create_kamera_sewa_table

INFO Migration [D:\laragon\www\lensrent\database\Migrations\2026_05_05_132426_create_kamera_sewa_table.php] created successfully.

PS D:\laragon\www\lensrent>
```

```
# style.css M 2026_05_05_132426_create_kamera_sewa_table.php U X stat-card.blade.php U DatabaseSee
database > migrations > 2026_05_05_132426_create_kamera_sewa_table.php
1  <?php
2
3  use Illuminate\Database\Migrations\Migration;
4  use Illuminate\Database\Schema\Blueprint;
5  use Illuminate\Support\Facades\Schema;
6
7  return new class extends Migration
8  {
9      public function up(): void
10     {
11         Schema::create('kamera_sewa', function (Blueprint $table) {
12             $table->id();
13             $table->foreignId('kamera_id')->constrained()->onDelete('cascade');
14             $table->foreignId('sewa_id')->constrained()->onDelete('cascade');
15             $table->integer('jumlah_unit')->default(1);
16             $table->bigInteger('harga_satuan');
17             $table->timestamps();
18
19             $table->unique(['kamera_id', 'sewa_id']);
20         });
21     }
22
23     public function down(): void
24     {
25         Schema::dropIfExists('kamera_sewa');
26     }
27 };
```

- melihat semua data kamera


```

> use App\Models\Kamera;

> Kamera::all();

= Illuminate\Database\Eloquent\Collection {#8079
  all: [
    App\Models\Kamera {#8073
      id: 1,
      kode: "K001",
      nama: "Fujifilm X100F",
      kategori: "Mirrorless",
      jumlah: 5,
      harga: 150000,
      foto: "/image/FujifilmX100F.jpg",
      created_at: "2026-05-05 11:08:12",
      updated_at: "2026-05-05 11:08:12",
    },
    App\Models\Kamera {#8072
      id: 2,
      kode: "K002",
      nama: "Sony A7 III",
      kategori: "Mirrorless",
      jumlah: 3,
      harga: 250000,
      foto: "/image/Sony_a7_III.jpg",
      created_at: "2026-05-05 11:08:12",
      updated_at: "2026-05-05 11:08:12",
    },
    App\Models\Kamera {#8075
      id: 3,
      kode: "K003",
      nama: "Canon R5",
      kategori: "Mirrorless",
      jumlah: 4,
      harga: 230000,
      foto: "/image/Canon_R5_camera.jpg",
      created_at: "2026-05-05 11:08:12",
      updated_at: "2026-05-05 11:08:12",
    },
    App\Models\Kamera {#8076
      id: 4,
      kode: "K004",
      nama: "Nikon D750",
      kategori: "DSLR",
      jumlah: 3,
      harga: 200000,
      foto: "/image/Nikon_d750.jpg",
      created_at: "2026-05-05 11:08:12",
      updated_at: "2026-05-05 11:08:12",
    },
  ],
}

```

```

App\Models\Kamera {#8077
  id: 5,
  kode: "K005",
  nama: "Canon EOS 90D",
  kategori: "DSLR",
  jumlah: 6,
  harga: 180000,
  foto: null,
  created_at: "2026-05-05 11:08:12",
  updated_at: "2026-05-05 11:08:12",
},
App\Models\Kamera {#8078
  id: 6,
  kode: "K006",
  nama: "Sony ZV-E10",
  kategori: "Mirrorless",
  jumlah: 2,
  harga: 175000,
  foto: null,
  created_at: "2026-05-05 11:08:12",
  updated_at: "2026-05-05 11:08:12",
},
],
}

```

- mengambil data kamera yang akan disewa

```

> use App\Models\Kamera;

> use App\Models\Sewa;

> $kamera1 = Kamera::where('kode', 'K001')->first();

= App\Models\Kamera {#8102
  id: 1,
  kode: "K001",
  nama: "Fujifilm X100F",
  kategori: "Mirrorless",
  jumlah: 5,
  harga: 150000,
  foto: "/image/FujifilmX100F.jpg",
  created_at: "2026-05-05 11:08:12",
  updated_at: "2026-05-05 11:08:12",
}

```

- mengambil data sewa

```

> $sewa = Sewa::first();

= App\Models\Sewa {#8584
  id: 1,
  id_penyewaan: "SW001",
  nama_penyewa: "Andi Wijaya",
  telepon: "081234567890",
  email: "andi@example.com",
  alamat: "Jl. Merdeka No. 10, Jakarta",
  kamera_id: 1,
  jumlah_unit: 1,
  tanggal_sewa: "2025-05-01",
  tanggal_kembali: "2025-05-03",
  metode_pembayaran: "Transfer Bank",
  catatan: "Ambil sendiri",
  total_harga: 300000,
  created_at: "2026-05-05 11:47:54",
  updated_at: "2026-05-05 11:47:54",
}

```

- attach kamera ke sewa menggunakan pivot

```

> $sewa->kameras()->attach($kamera1->id, ['jumlah_unit' => 2, 'harga_satuan' => $kamera1->harga]);

= null

```

- lihat semua kamera yang disewa beserta data pivot

```

> $sewa->kameras;

= Illuminate\Database\Eloquent\Collection {#8632
  all: [
    App\Models>Kamera {#8561
      id: 1,
      kode: "K001",
      nama: "Fujifilm X100F",
      kategori: "Mirrorless",
      jumlah: 5,
      harga: 150000,
      foto: "/image/FujifilmX100F.jpg",
      created_at: "2026-05-05 11:08:12",
      updated_at: "2026-05-05 11:08:12",
      pivot: Illuminate\Database\Eloquent\Relations\Pivot {#8567
        sewa_id: 1,
        kamera_id: 1,
        jumlah_unit: 2,
        harga_satuan: 150000,
        created_at: "2026-05-05 15:17:07",
        updated_at: "2026-05-05 15:17:07",
      },
    },
  ],
}

```

- lihat semua sewa pada kamera tersebut beserta data pivot

```
> $kamera1->sewa;

= Illuminate\Database\Eloquent\Collection {#7395
  all: [
    App\Models\Sewa {#855
      id: 1,
      id_penyewaan: "SW001",
      nama_penyewa: "Andi Wijaya",
      telepon: "081234567890",
      email: "andi@example.com",
      alamat: "Jl. Merdeka No. 10, Jakarta",
      kamera_id: 1,
      jumlah_unit: 1,
      tanggal_sewa: "2025-05-01",
      tanggal_kembali: "2025-05-03",
      metode_pembayaran: "Transfer Bank",
      catatan: "Ambil sendiri",
      total_harga: 300000,
      created_at: "2026-05-05 11:47:54",
      updated_at: "2026-05-05 11:47:54",
      pivot: Illuminate\Database\Eloquent\Relations\Pivot {#7396
        kamera_id: 1,
        sewa_id: 1,
        jumlah_unit: 2,
        harga_satuan: 150000,
        created_at: "2026-05-05 15:17:07",
        updated_at: "2026-05-05 15:17:07",
      },
    },
  ],
}
```

💡 *Tips: Di Tinker, bisa langsung uji query Eloquent tanpa membuat halaman. Sangat berguna untuk eksplorasi dan debugging.*