





## CERTIFICATE OF RE-INSPECTION

This is to certify that the liferaft detailed below has been surveyed, controlled and tested in compliance with requirements from :  
and the manufacturer and in accordance with IMO Resolution: **A. 761 ( 18 )**

### Inflatable Liferaft

Mark :	<b>YOULONG RUBBER</b>		Name Of Ship :	<b>TB. BRAHMA I</b>	Certificate No. :	<b>095/SIS/ILR/VIII/16.2</b>
Identification :	Type :	Capacity :	Serial No. :	Date of manufacture :		
	<b>KHA-10</b>	<b>10 PERSON</b>	<b>5644</b>	<b>Des - 2011</b>		
	Fabric type :	Length of painter :		Max stowage height :		
	<b>NR</b>	<b>25 m/inside m/outside</b>		<b>18 m</b>		
Cylinders :	Serial No. :	Contents CO <sub>2</sub> :	Contents N <sub>2</sub> :	Latest hyd. test :		
	<b>694023</b>	<b>3.600 Kg</b>	<b>0.250 Kg</b>	<b>--</b>		
	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>		
Equipment :	Unit :	Type :	Serial No. :	Expiry date :		
	Emergency pack :	<b>SOLAS "A " PACK</b>	<b>--</b>	<b>--</b>		
	First aid kit :	<b>SEGARA</b>	<b>--</b>	<b>04-2018</b>		
Tests :	NAP-test :	Gas inflation test :	Floor seam test :	Load test davit-launched :		
	Yes/no : <b>NO</b>	Yes/no : <b>NO</b>	Yes/no : <b>NO</b>	Yes/no : <b>NO</b>		
	Latest test* :	Latest test* :	Latest test* :	Latest test* :		
* Latest test date (month/year)						
Verification :	Date of inspection :	Servicing station name and number :		Date of next inspection :		
	<b>29 August 2016</b>	<b>PT. SEGARA INTERSERVIS</b>		<b>29 August 2017</b>		
	Owner :	Remarks / modification :				
	<b>PT. BRAHMA INTERNATIONAL</b>	<b>RAFT IN GOOD CONDITION</b>				

This inflatable liferaft requires servicing 12 months from the latest inspection date in accordance with the SOLAS regulation.

PT. SEGARA INTERSERVIS




**HERU SATYA. M**  
SURVEYOR

Mengatahui,  
A.n. KEPALA KANTOR KESYAHBANDARAN  
DAN OTORITAS PELABUHAN KELAS I BANTEN

KABID STATUS HUKUM DAN  
SERTIFIKASI KAPAL



**RUDI HARTONO**  
PEMBINA (IV/a)  
NIP. 19670620 199709 1 001





SEGARA INTERSERVIS

# PT. SEGARA INTERSERVIS

Service, Repairing, Supply and Maintenance of Lifeboat, Lifteraft, Lsa, Fta and Safety Equipment

\*Authorized Service Station ILR &amp; LIFEBOAT

VIKING, TOYO, RFD, DSB, BEAUFORD, AUTOFLUG, VEB SEETEX, ZODIAC, CSM, HAINING, CRV, SAMGONG  
JIANGYIN XINJIANG, FIRE EXTINGUISHER, FIX Co2 SYSTEM, SNUFFING SYSTEM, ALARM SYSTEM,

## SURVEY AND TEST REPORT Service No. : 095/SIS/ILR/VIII/16.2

LIFERAFT MARK :	YOU LONG RUBBER	TYPE :	KHA-10	MFG. DATE :	DECEMBER 2011
SERIAL NUMBER :	5644	SIZE :	10 PERSON	NEXT INSPECTION :	29 AUGUST 2017
NAME OF SHIP :	TB. BRAHMA I	CUST :	PT. BRAHMA INTERNATIONAL		

### RAFT INSPECTION

OBJECT	REMARKS	OBJECT	REMARKS	OBJECT	REMARKS
CONTAINER SHELL	REPAINTED	"T/Y" Piece Connector	OK	Repair Kit / Glue	OK
Labels / Markings	RN	Protection Pads	OK	Leak Stoppers	OK
Handling Beackets	OK	CO2 Cylinder (s)	1 Cyl	Sponges	OK
Gasket / Strap / Packing List	OK	Operating Cable & Conduit	OK	Bailers	OK
Painter Line	OK	Operating Head	OK	Spare Sea Anchor	OK
ID Container	RN			Torch, Signalling	OK
Valise Fabric / Plastic	RN	<b>SURVEY OF INTERIOR</b>		Spare Batteries	(4) RN
Eyelets	OK	Buoys/ies, Fabric	OK	Whistle	OK
Pockets	OK	Safety Relief Valves	--	Fishing Kit	OK
Bursting Band / Strapping	RN	Grabline & Patches / Loops	OK	Can Opener (s)	OK
Weak Link	OK	Thwart, Fabric	--	Paddles	OK
		Deflation Plugs / Valves	OK	Spare Bulb for Torch	OK
<b>SURVEY OF EXTERIOR</b>		Arches, Fabric	OK	Drinking Vessel	OK
Buoys/ies, Fabric	OK	Center Column Fabric	--	Seasickness Bags	OK
Inlet Valves	OK	Light Battery	--	Signal Mirror	OK
Deflation Plugs / Valves	--	Interior Lighting System	OK	Manual Survival Book	OK
Safety Relief Valve	OK	Topping Up Valves	OK	Rescue Signal Table	OK
Boarding Ramp	OK	Inner Canopy, Fabric	OK	Thermal Protective Aids	OK
Boarding Ladders	OK	Rainwater Catchment	OK	Radar Reflector	OK
Towing Bridle / Patch	OK	Viewing Port (s)	OK	Dye Marker	--
Lifeline and Patches	OK	Aerial Sleeve	OK		
Outer Canopy Fabric	OK	Inner Floor, Fabric	OK	<b>EMERGENCY PACK</b>	
Retro Reflective Tape	OK	Topping Up Valves	OK	10 Food Ration	OK
Seam and Taping	OK	Deflation Up Valves	OK	Exp. Date	06-2017
Rain Water Catchment	OK	Emergency Pack Loops / Patch	OK	30 Drinking Water	OK
Exterior Lighting System	OK	Aerial Sockets / Tie - Tapes	OK	Exp. Date	08-2017
Arch Deflation Valve	--	Floor Reeds	OK	4 Parachute Signal	OK
Entrance Sleeves	OK	Rescue Line and Quoit	OK	Exp. Date	02-2017
Outer Floor, Fabric	OK	Knife Sheath	OK	6 Red Hand Flares	OK
Righting Strap	OK	Sea Anchor	OK	Exp. Date	12-2017
Stabilising Pockets	OK			2 Smoke Signal	OK
Cylinder Pockets (s)	OK	<b>ACCESSORY BAG</b>		Exp. Date	02-2017
Sea - Cell	OK	Bellows or Pump	OK	1 First Aid Kit	OK
Painter Lashing / Stowage	--	EP/RE	--	Exp. Date	04-2018
Inflation Valve, Hose	--	Light Stick	--	Anti-Seasickness Tablets	60 OK

### RAFT AND CYLINDER TEST

PRESSURE TEST	Start			Finish			Safety Valves		
	Time	Temp. °C	Pressure mm Hg	Time	Temp. °C	Pressure mm Hg	Pressure Drops mm Hg	Blow off mm Hg	Reset mm Hg
Upper Buoyancy	07.30	28	133	09.30	28	132	1	153	133
Lower Buoyancy	07.30	28	134	09.30	28	132	2	154	134
Floor	07.40	28	20	10.00	28	19	1	--	--
Canopy	--	--	--	--	--	--	--	--	--
GAS CYLINDER TEST	Cylinder No.	Mfg. Date	Change Date	Weight Of Cyl (Kg)	Weight Of CO2 (Kg)	Weight Of N2 (Kg)	Total W. (Kg)	Hydrostatic Release Unit	
								Serial No.	Exp / Test
Cylinder No. 1	094023	--	--	--	3.600	0.250	--		
Cylinder No. 2	--	--	--	--	--	--	--		

RES : A. 761 (16)	REMARKS	DATE	SIGN	
WP - TEST	Date:	YES	29/08/2016	
FS - TEST	Date:			
NAP - TEST	Date:			
GI - TEST	Date:			
REMARKS :			STAMP	
RAFT IN GOOD CONDITION				

Head Office : Taman Cilegon Indah Cluster Helikonika Blok C6 No. 5 Cilegon - Banten

Phone : +62 254 384529 Fax : +62 254 384530

Website : www.sis-marine.co.id Email : segarainterservis@yahoo.co.id



## CERTIFICATE OF RE-INSPECTION

This is to certify that the liferaft detailed below has been surveyed, controlled and tested in compliance with requirements from :  
and the manufacturer and in accordance with IMO Resolution: A. 761 ( 18 )

### Inflatable Liferaft

Mark :	<b>YOULONG RUBBER</b>		Name Of Ship:	<b>TB. BRAHMA I</b>	Certificate No. :	<b>095/SIS/ILR/VIII/16.1</b>
Identification :	Type :	Capacity :	Serial No :	Date of manufacture :		
	<b>KHA-10</b>	<b>10 PERSON</b>	<b>5488</b>	<b>Nov - 2011</b>		
	Fabric type :	Length of painter :		Max stowage height :		
	<b>NR</b>	<b>25 m/inside</b> <b>m/outside</b>		<b>18 m</b>		
Cylinders :	Serial No :	Contents CO <sub>2</sub> :	Contents N <sub>2</sub> :	Latest hyd. test :		
	<b>703042</b>	<b>3.600 Kg</b>	<b>0.250 Kg</b>	<b>--</b>		
	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>		
Equipment :	Unit :	Type :	Serial No :	Expiry date :		
	Emergency pack :	<b>SOLAS "A " PACK</b>	<b>--</b>	<b>--</b>		
	First aid kit :	<b>SEGARA</b>	<b>--</b>	<b>04-2018</b>		
Tests :	NAP-test :	Gas inflation test :	Floor seam test :	Load test davit-launched :		
	Yes/no : <b>NO</b>	Yes/no : <b>NO</b>	Yes/no : <b>NO</b>	Yes/no : <b>NO</b>		
	Latest test* :	Latest test* :	Latest test* :	Latest test* :		
* Latest test date (month/year)						
Verification :	Date of inspection :	Servicing station name and number :		Date of next inspection :		
	<b>29 August 2016</b>	<b>PT. SEGARA INTERSERVIS</b>		<b>29 August 2017</b>		
	Owner:	Remarks / modification :				
	<b>PT. BRAHMA INTERNATIONAL</b>	<b>RAFT IN GOOD CONDITION</b>				

This inflatable liferaft requires servicing 12 months from the latest inspection date in accordance with the SOLAS regulation.

PT. SEGARA INTERSERVIS



**HERU SATYA. M**  
SURVEYOR

Mengatahui,  
A.n. KEPALA KANTOR KESYAHBANDARAN  
DAN OTORITAS PELABUHAN KELAS I BANTEN

KABID STATUS HUKUM DAN  
SERTIFIKASI KAPAL



**RUDI TARYONO**  
PEMBINA (IV/a)  
NIP. 19670620 199709 1 001



## INSPECTION CERTIFICATE FIRE EXTINGUISHER PORTABLE

Year <b>2016</b>	Month <b>08</b>	Day <b>29</b>	Type and name of ship / unit : <b>TB. BRAHMA I</b>	FLAG : <b>INDONESIA</b>	Certificate No. : <b>095/SIS/FE/VIII/16</b>
PLACE OF SERVICE <b>BANTEN PORT</b>			Classification Society : <b>BIRO KLASIFIKASI INDONESIA</b>	Name of ship / owner <b>PT. BRAHMA INTERNATIONAL</b>	

*We Hereby Certify That The Systems And Equipment Specified Below Have Been Inspected, Serviced, Refilled  
In Our Service Station/On Board The Vessel  
And Tested According To Requirement From IMO Regulation, SOLAS And Manufacturer.*

Description of type :		Description of working codes :	
DP : Dry Powder	FAB : Foam AB	1 = Inspection	6 = New Extingh
W : Water Gass	FAF : Foam AFFF	2 = Refilling	7 = Repainted
CO2 : Carbon Dioxide	FAP : Foam Application	3 = Service	8 = Hydrostatic test
BCF : Halon 1211	FP : Foam Protein	4 = Check Weight	9 = Repaired
		5 = Check Content	10 = Repainted

No.	Type Of Fire Extinghuiser	Working Code	Volume	Quantity	Remark
1	Dry Powder	1, 2 & 4	9.0 Kgs	8 Cylinder	Good Condition
2	Foam AFFF	6	44.0 Ltrs	1 Cylinder	Good Condition
Total				9 Cylinder	Good Condition

Date Inspection : 29 August 2016

Next Inspection : 29 August 2017

PT. SEGARA INTERSERVIS

  
**HERU SATYA. M**  
SURVEYOR

A.n.KEPALA KANTOR KESYAHBANDARAN  
DAN OTORITAS PELABUHAN KELAS I BANTEN  
KABID STATUS HUKUM DAN

SERTIFIKASI KAPAL

  
**KURNIARYONO**  
PEMBINA (IV/a)  
NIP. 19670620 199709 1 001