

COPADO | SYNC USER STORIES

KB0100181 - [Latest Version](#)

☆☆☆☆☆ 10 views

REFERENCE: [KB0100181 \(https://humanaprod.service-now.com/kb_view.do?sysparm_article=KB0100181\)](https://humanaprod.service-now.com/kb_view.do?sysparm_article=KB0100181)


The document provides details on how to SYNC USER STORIES from Azure to Copado

Story Sync Overview

The out of the box functionality moves stories from Azure to Copado. This process is kicked off in Copado on the Project tab under the Copado Developer app. When selecting a Project, there is either a button or a link from a drop down entitled 'Sync External User Stories'. This will make a call out to Azure based on a query set up in Azure and some additional settings in Copado. Copado will fetch some JSON from Azure based on the settings in Copado to be brought over, this sync will only occur for the selected project and the stories will be created and assigned to that project.

Conversely, for a story to be updated in Azure, a User Story is selected and the 'Status' field changes and the User Story is saved. At this point, a Salesforce Process Builder is invoked and makes a call out to Azure updating the fields which are setup in Copado to be sunk up.

(https://humanaprod.service-now.com/sys_attachment.do?sys_id=bd316a261b8a5190ee328732604bcbe7)



The Future state of the Story Sync has some modifications to ensure a more integrated design. The sync from Azure to Copado will be a scheduled job which is set to run once a day (currently 11pm eastern) and handles all Projects in the status of 'In Progress'. For anyone needing to access stories sooner, those individuals may contact their DevOps team to manually push the button as described above.

For a story to sync back to Azure, the call out will occur when the 'Org Credential' is changed on the User Story in Copado - this will happen for all configurations. If a Project team desires, there is an ability to update Azure with the environment that a story has moved to. This requires some additional settings to be described later.

Setup a Sync from Azure to Copado

In order to setup a sync from Azure to Copado, there are a couple of things that need to occur.

1. First a 'Named Credential' must exist in Salesforce for the main connection to the Azure Cloud Server. This traditionally is a service account and has been setup by E3 already.
2. Next, a 'Copado Integration Setting' which uses the 'Name Credential from above.
3. A query in Azure must be created which will yield the results of the stories to bring over.
4. Once the query is created, there will be a guid that appears in the URL for the query. This guid is used as the 'Workspace ID' on the Copado Project record.
5. In addition to the 'Workspace ID', the 'Project External ID' is needed for the Copado Project Record. This can also be found in the Azure query URL. The sync will not work if these fields are blank on a project record in Copado.
6. A 'Project' is created using the 'Copado Integration Setting', the project name, and the guid from the query in azure.
7. After saving the 'Copado Project' record, the last step to getting your project ready to sync is to setup up some 'Field Mappings'.



Setting Up a Named Credential

Last modified 1 week ago

In order to setup a named credential, you must have rights to create one in Salesforce. To create one, go to 'Setup' by clicking on the gear icon. If you do not have the gear icon you will need elevated permissions in Salesforce.

Once in 'Setup', enter the word 'named' in the 'Quick Find' search bar. This will filter the settings down and present you with the option of 'Named Credentials'. Select 'Named Credentials' to continue.

You will be taken to a list view that shows other credentials if setup:

In the example above, there is one other credential setup. If this is correct, make note of the name and proceed to the next section entitled 'Setting up a Copado Integration Settings'. If you do not see what you need, click on the button 'New Named Credential'.

Named Credential Edit: Azure Ado User

Specify the callout endpoint's URL and the authentication settings that are required for Salesforce to make callouts to the remote system.

Save Cancel

Label: Azure Ado User

Name: Azure_Ado_User

URL: https://dev.azure.com/humana/

Authentication

Certificate: [empty]

Identity Type: Named Principal

Authentication Protocol: Password Authentication

Username: ado-copado-svc-acct

Password: [masked]

Callout Options

Generate Authorization Header: ☒

Allow Merge Fields in HTTP Header: ☐


Allow Merge Fields in HTTP Body: ☐

Outbound Network Connection: [empty]

Enter the values needed and click 'Save'. Make sure to take note of the name or copy it so you can use it for the next step.

Setting Up a Copado Integration Settings

Do a search for Copado Integration Settings in the App Launcher (the nine little dots icon):



(https://humanaprod.service-now.com/sys_attachment.do?sys_id=c2316a261b8a5190ee328732604bcbf9).

Click on Copado Integration Settings and you will see a list view again. If there is an existing one, than most likely that has already been setup. If not, click on 'New'. You will be presented with the following screen. Enter the 'Copado Integration Setting Name', select 'Visual Studio Team Services' and enter or paste the name of the 'Named Credential' you setup/found in the last section. Click on 'Save'.

Edit Azure Integration

* = Required Information

* Copado Integration Setting Name: Azure Integration

Owner: Mike DeMille

* External System: Visual Studio Team Services

* Named Credential: Azure_Ado_User

Created By: Mike DeMille, 4/8/2020 9:28 AM

Last Modified By: Mike DeMille, 4/8/2020 9:28 AM


Cancel Save & New Save

A Query in Azure

In order to sync up stories to Copado, a query needs be created in Azure. The setting up of Azure is outside of the scope of this document. Here is an example of a query URL created in Azure: https://humana.visualstudio.com/B2B%20Salesforce/_queries/query-edit/83fb68c9-cf69-4e6d-b2b2-7d7777f07062/ The portion in the highlighted yellow is what Copado considers the 'Project External ID' and the green highlighted text is the guid which is considered the Copado 'Workspace ID'.

Setting Up a Project in Copado

In the app launcher type 'Copado Developer' and select it. Click on the 'Projects' tab to continue.



To create a new 'Project' click on the 'New' button


 A screenshot of the 'New Project' form in the Copado Developer application. The form is titled 'New Project' and includes a legend indicating that fields marked with an asterisk (*) are required. The form is divided into several sections:

- Information:** Contains fields for 'Project Name' (required, with a red border and 'Complete this field.' message), 'Owner' (set to 'Copado Integration'), 'API Name', 'Start Date', 'End Date', 'Index Metadata' (checked), 'Copado Integration Setting' (searchable), 'Humana Org' (dropdown, currently '--None--'), 'Status' (dropdown, currently 'Draft'), 'Pipeline' (searchable), 'Workspace Id', 'Project External Id', 'Enable Logs' (checkbox), and 'SecAPI Orphan App Id'.
- Buttons:** At the bottom, there are 'Cancel', 'Save & New', and 'Save' buttons.

- Enter the name of the 'Project'; Scrum Names have been used in the past to differentiate stories and settings. This allows different fields to be setup for mappings from Azure to Copado.
- A 'Start Date' and 'End Date' are not mandatory, but for B2B, ten years was used to set these values (i.e. 5/1/2020 to 5/1/2030).
- Set the 'Status' field to 'In Progress'.
- For 'Pipeline', select the name of the pipeline which has been setup already.
- 'Index Metadata' is checked by default, it is recommended to keep as checked.
- Enter the 'Workspace ID' from the query that you setup for this project or scrum team in Azure.
- Search and select the Copado Integration Setting Name (which was setup in a prior section).
- Enter the 'Project External ID' from the query that you setup in Azure.
- 'Humana Org' should be set and is the name of the business unit that this project is from.
- 'Enable Logs' is used for some debugging and is not typically necessary.
- 'Description' is a free form field and is optional.
- add the secapi orphan id and secapi release id
- add the appsvcid and snow template id, [for snow template id, add VCOPADO to appsvcid, i.e VCOPADO-<appsvcid>
- Click 'Save' when completed.

Setting up Field Mappings

After saving your newly created project, you can select the project by clicking on it in the list view.



One way to create field mappings is by selecting the 'Clone Field Mappings' button which will copy the 'Field Mappings' from a project which was already setup. If a previous project was not setup, for new project click on new field mapping and add them,

New Field Mapping

* = Required Information

Information

Field Mapping Name

Owner

Copado Integration

* Salesforce Field Name

Complete this field.

* Third Party Field Name

* Project

Search Projects...

Exclude from Third Party update

Exclude from Salesforce update

Target Field Type

--None--

Cancel

Save & New

Save

The following image can be used: make sure checkboxes are enabled as shown in screenshot

Field Mappings					
18 Items • Sorted by Salesforce Field Name • Updated a few seconds ago					
	Field Mapping	Salesforce Field Name	Third Party Field Name	Exclude from Salesforce	Exclude from Third Party u...
1	☐ FM-0000001704	Azure_Board_Column__c	WEF_8854150361274473AF7740AA86029030_Kanban.Column	☐	☒
2	☐ FM-0000002064	Azure_Tags__c	system.tags	☐	☐
3	☐ FM-0000001690	copado_BoardColumn__c	WEF_8854150361274473AF7740AA86029030_Kanban.Column	☒	☐
4	☐ FM-0000001700	copado_Acceptance_Criteria__c	Microsoft.VSTS.Common.AcceptanceCriteria	☒	☐
5	☐ FM-0000001697	copado_Developer__c	System.AssignedTo	☐	☒
6	☐ FM-0000001691	copado_Functional_Specifications__c	System.Reason	☐	☒
7	☐ FM-0000001699	copado_Priority__c	Microsoft.VSTS.Common.Priority	☐	☐
8	☐ FM-0000001693	copado_Project__c	projectId	☐	☒
9	☐ FM-0000001692	copado_Status__c	System.State	☐	☒
10	☐ FM-0000001698	copado_Story_Points_SFDC__c	Microsoft.VSTS.Scheduling.StoryPoints	☐	☐
11	☐ FM-0000001694	copado_User_Story_Title__c	System.Title	☐	☐
12	☐ FM-0000001701	ETP_Number__c	Custom.ReleaseID	☐	☒
13	☐ FM-0000001696	External_Id__c	id	☐	☐
14	☐ FM-0000001703	is_Testing_Done__c	WEF_8854150361274473AF7740AA86029030_Kanban.Column.Done	☐	☒
15	☐ FM-0000001702	Iteration_Path__c	System.IterationPath	☐	☒
16	☐ FM-0000002062	name	Custom.SupportTicketID	☒	☐
17	☐ FM-0000001695	recordTypeId	recordTypeId	☐	☒
18	☐ FM-0000002063	Story_Type__c	Custom.StoryType	☒	☐

Copy the salesforce field names and third party field names from the below grid,

Field Mapping Name	Salesforce Field Name	Third Party Field Name
☐ Select Item 1 FM-0000001202 (https://humanashared.lightning.force.com/lightning/r/a3w3c0000011htYAAQ/view)	Azure_Board_Column__c	WEF_2D150607FC704CF68BC596I
☐ Select Item 2 FM-0000002061 (https://humanashared.lightning.force.com/lightning/r/a3w3c000000yWdJAAU/view)	Azure_Tags__c	system.tags
☐ Select Item 3 FM-0000000199 (https://humanashared.lightning.force.com/lightning/r/a3w3c000000bLNAAA2/view)	copado_BoardColumn__c	WEF_2D150607FC704CF68BC596I

https://humanaprod.service-now.com/kb_view.do?sysparm_article=KB0100181


4/6

	Field Mapping Name	Salesforce Field Name	Third Party Field Name
☐ Select Item 4	FM-0000000184 (https://humanashared.lightning.force.com/lightning/r/a3w3c000000bLjAAM/view)	copado__Acceptance_Criteria__c	Microsoft.VSTS.Common.Acceptar
☐ Select Item 5	FM-0000000181 (https://humanashared.lightning.force.com/lightning/r/a3w3c000000bLjgAAM/view)	copado__Developer__c	System.AssignedTo
☐ Select Item 6	FM-0000000175 (https://humanashared.lightning.force.com/lightning/r/a3w3c000000bLJaAM/view)	copado__Functional_Specifications__c	System.Reason
☐ Select Item 7	FM-0000000183 (https://humanashared.lightning.force.com/lightning/r/a3w3c000000bLjAAM/view)	copado__Priority__c	Microsoft.VSTS.Common.Priority
☐ Select Item 8	FM-0000000177 (https://humanashared.lightning.force.com/lightning/r/a3w3c000000bLjCAAM/view)	copado__Project__c	projectId
☐ Select Item 9	FM-0000000176 (https://humanashared.lightning.force.com/lightning/r/a3w3c000000bLjBAAM/view)	copado__Status__c	System.State
☐ Select Item 10	FM-0000000182 (https://humanashared.lightning.force.com/lightning/r/a3w3c000000bLjhAAM/view)	copado__Story_Points_SFDC__c	Microsoft.VSTS.Scheduling.StoryPc
☐ Select Item 11	FM-0000000178 (https://humanashared.lightning.force.com/lightning/r/a3w3c000000bLjdAAM/view)	copado__User_Story_Title__c	System.Title
☐ Select Item 12	FM-0000000534 (https://humanashared.lightning.force.com/lightning/r/a3w3c0000011heNAAQ/view)	ETP_Number__c	Custom.ReleaseId
☐ Select Item 13	FM-0000000180 (https://humanashared.lightning.force.com/lightning/r/a3w3c000000bLjfAAM/view)	External_Id__c	id
☐ Select Item 14	FM-00000001201 (https://humanashared.lightning.force.com/lightning/r/a3w3c0000011hthAAA/view)	is_Testing_Done__c	WEF_2D150607FC704CF68BC596f
☐ Select Item 15	FM-0000000848 (https://humanashared.lightning.force.com/lightning/r/a3w3c0000011hmMAAQ/view)	Iteration_Path__c	System.IterationPath
☐ Select Item 16	FM-00000002059 (https://humanashared.lightning.force.com/lightning/r/a3w3c000000yWd9AAE/view)	name	Custom.SupportTicketId
☐ Select Item 17	FM-0000000179 (https://humanashared.lightning.force.com/lightning/r/a3w3c000000bLJeAAM/view)	recordTypeId	recordTypeId
☐ Select Item 18	FM-00000002060 (https://humanashared.lightning.force.com/lightning/r/a3w3c000000yWdFAAU/view)	Story_Type__c	Custom.StoryType

If the field you are looking for is not listed above, you can reference this URL

[<https://docs.microsoft.com/en-us/azure/devops/boards/work-items/guidance/work-item-field?view=azure-devops>] (<https://docs.microsoft.com/en-us/azure/devops/boards/work-items/guidance/work-item-field?view=azure-devops>) for Azure fields. If you are in need of Copado fields, please look in Salesforce at the User Story object.

Row 1 above is only needed if the project team wants Copado to sync where the User Story is in the pipeline and the scrum team uses the Kanban board in Azure Boards. Currently only B2B is using this additional sync functionality.



Setting Up Copado to Update Azure Kanban Columns

For example, if a User Story is currently in 'Development' on a board column like story 1122956 (see example above). When the User Story in Copado is moved to the SIT environment successfully, Copado will reach out to Azure and place the story in the 'SIT' column. If Row 1 (the mapping between the Kanban Column and Azure) did not exist, this functionality would not work.

You will also notice that Row 1's value for the 'Third Party Field Name' is very long and unique. This field name can be determined by navigating to this URL:

https://dev.azure.com/humana/B2B%20Salesforce/_apis/wit/workitems/1122956?api-version=5.0
(https://dev.azure.com/humana/B2B%20Salesforce/_apis/wit/workitems/1122956?api-version=5.0)

The URL above relates to a different Azure project and may need to be customized by you in order to see the correct fields. The green highlight is the name of the Azure project and should match that in an Azure URL. The yellow highlight is a work item number (the user story).

Below is an example of the returned JSON which lists the column name necessary for the board. There are two columns, one is named 'System.BoardColumn' and the other has the long name that begins with three letters, then a quid, then Kanban.Column. 'System.BoardColumn' is read only and will not work. The long Kanban column should be used. Each query setup in Azure will have a distinct Kanban column to be setup per project in Copado.

