

COPADO | HOW TO BUNDLE USER STORY IN COPADO

KB0100255 - [Latest Version](#)

☆ ☆ ☆ ☆ ☆ 6 views

REFERENCE: [KB0100255](#) (https://humanaprod.service-now.com/kb_view.do?sysparm_article=KB0100255).

The document provides steps on HOW TO BUNDLE USER STORY IN COPADO

Implementation Guide for Copado User Story Bundle

- User Story Bundle (USB) is to centralize changes from several user stories into a single user story.
- For Copado IO, please refer to <https://docs.copado.com/article/9xpxe82dhab-user-story-bundle> (<https://docs.copado.com/article/9xpxe82dhab-user-story-bundle>).
- Copado User Story Automation is based on the Umbrella Story Strategy. This is an extremely powerful tool that allows you to create and manage umbrella stories. Before using this feature, you should always follow the correct precaution as you did with umbrella story. As of this moment, we are **treating USB as umbrella story, so an approval from your manager is required**.
- Once you create a user story bundle and lock it (See instructions below), Copado will create a new commit on all the metadata from all selected stories in the current environment. Then, those selected stories will be automatically excluded from CBM and index calculation.

Use Case

- The only ideal use case is if your story is in a **stable source environment** (potentially QA), and confirm that if you take a **direct commit, it contains the correct code for your current release (no work in progress code in current environment)**. The new story is still subject to **all quality validation (SecAPI, Pull Requests, Code Analysis...)**. Please always communicate with the team to make sure that the release manager migrates the **correct bundled story instead of the original story** once the USB is locked.

Always review the Copado website for additional considerations.

How To Use User Story Bundle

This is an example for two stories that are ready to be bundled from the trntest environment.

- Mark All stories needed as **ready to promote**

User Story
US-0035461

Details Commits Quality Promotions Related

Information

CL_CopadoDev - 1 ahead, 2 behind CL_CopadoTrn CL_SITP CL_UATP CL_Production

Record Type User Story	Owner Krishna Prasad Polukonda (Copado)
Title Release Lock/Unlock Feature	Progress
Azure Id	Change Request Number
User Story Reference US-0035461	Progress Status
Project Corporate Copado Prod	Ready to Promote
Release	Promote and Deploy
Credential CL_CopadoDev	Is Bundle
Environment CL_CopadoDev	Promotion Test Level

- Go to the User Story Page, select stories that you marked

User Stories
Recently Viewed

2 items selected

	User Story ...	Title	As a ...	Want to...	So that...	Project
1	☒ US-0016133	Sep USB Test1				Clinical TRN Latest
2	☒ US-0016134	Sep USB Test 2				Clinical TRN Latest
3	☐ US-0016042	Aug Order Test V2				Clinical TRN Latest


- Click on **Create Bundle** on the top right

User Stories
Recently Viewed

2 items selected


	User Story Reference	Title	As...	W...	S...	Project	S...	A...	Pl...	Sta...
1	☒ US-0035623	Implement GA Region Business Rules Engine				SAFe Team Optimus	5			Active
2	☒ US-0035461	Release Lock/Unlock Feature				Corporate Copado Prod	3			
3	☐ US-0035590	T1PRJ0020205 - (8/28 to 9/8) - PROD Support Activities				Corporate aSIST	5			Active

- Name the bundle following your project's naming method, click on create (no spaces)




A modal dialog titled "User Story Bundle" with a close button (X) in the top right corner. It contains a text input field labeled "Title" with a red asterisk, containing the text "Copado_Step_USB_Test2". At the bottom, there are two buttons: "Cancel" and "Create Bundle".

- Once the package is created, please click on "stories selected" and "Metadata". Then, **confirm the correct metadata and stories are included**



The screenshot shows the Copado Pipeline Manager interface. The top navigation bar includes a search bar and links to Home, Pipeline Manager, Pipelines, Snapshot Differences, Credentials, and Git Repositories. The main content area displays the package version "Copado_Step_USB_Test2". Below this, there are tabs: Details, Stories Selected, Metadata, Full Profiles & Permission Sets, and Destructive Changes. The "Stories Selected" tab is active, showing a table with two rows of user stories.

	copado User Story ...	copado User Story c...	copado User Story c...	copado User Story c...	copado User Story c...
1	US-0016133	Sep USB Test1	Clinical TRN Latest	trntest	▼
2	US-0016134	Sep USB Test 2	Clinical TRN Latest	trntest	▼



The screenshot shows the Copado Pipeline Manager interface with the "Metadata" tab selected. The package version "Copado_Step_USB_Test2" is displayed at the top. The tabs are: Details, Stories Selected, Metadata, Full Profiles & Permission Sets, and Destructive Changes. The "Metadata" tab shows a table with columns: Name, Type, Retrieve Only, Created by, and Created date.

Name	Type	Retrieve Only	Created by	Created date
Order_Tests_test	ApexClass		Liu Yuqi	2021-08-02
Order_Tests	ApexClass		Liu Yuqi	2021-08-02

- Click on **Lock Bundle**, this will trigger the process for **direct new commit in the current environment (just like umbrella story)**

Package Version
Copado_Step_USB_Test2

Details Stories Selected **Metadata** Full Profiles & Permission Sets Destructive Changes

Name	Type	Retrieve Only	Created by	Created date
Order_Tests_test	ApexClass		Liu Yuqi	2021-08-02
Order_Tests	ApexClass		Liu Yuqi	2021-08-02

Activity

Filters: All time • All activities • All types

Refresh • Expand All • View All

Upcoming & Overdue

No next steps

- **Do not change** base branch, confirm the correct credential and release and projects. (do not click on ready to promote as Validation are still needed, and it will give you an error message). You will be re-directed to the new story once it is locked.

Lock Bundle

* Title ⓘ
Copado_Step_USB_Test2

* Credential ⓘ
trntest

* Environment ⓘ
trntest

* Project ⓘ
Clinical TRN Latest

Release ⓘ
Search Releases...

Status ⓘ
New

Base Branch ⓘ

Ready to Promote ⓘ
☐

Cancel Lock Bundle

- New Story and Commits will be made **automatically upon locking**. **The old stories will be excluded from CBM or Index**. And, its environment will be updated automatically **following the environment of the bundle story itself**.

User Story US-0035461	
User Story Reference US-0035461	Progress Status
Project Corporate Copado Prod	Ready to Promote ☐
Release	Promote and Deploy ☐
Credential CI_CopadoDev	Is Bundle ☒
Environment CI_CopadoDev	Promotion Test Level NoTestRun
Actual Points 3	Status
Priority	Cancellation Reason
View in Git feature/US-0035461	Exclude from Pipelines ☐
Humana Org Corporate	Exclude from Overlap Awareness ☐
copado BoardColumn Development	Base Branch
SecAPI Scan Status Completed	Git Merge Status Conflicts Detected

(new bundled story, see the "is bundle" is checked)

User Story US-0016133	
Information trmcdev1 trmcdevsync trntest - 0 ahead... trnqa trnstaging trnprod	
Record Type User Story	Owner Yuqi Liu (Copado)
Title Sep USB Test1	Progress
Azure Id	Progress Status
User Story Reference US 0016133	Ready to Promote ☒
Project Clinical HRN Latest	Promote and Deploy ☐
Release	Is Bundle ☐
Credential trntest	Stop Indexing Metadata ☒
Environment trntest	Promotion Test Level NoTestRun
Actual Points	Status
Priority	Cancellation Reason
View in Git feature/US-0016133	Exclude From CBM ☒
Humana Org Clinical	Base Branch
copado BoardColumn	Git Merge Status
SecAPI Scan Status In-Progress	Close Date

(Old Stories, see the stop index and exclude from cbm is checked. Please let your release manager know **these stories are no longer needed**)

- Submit PR, Apex, Code Analysis and SecApi Scans... for the bundle story.

▼ Definition of Done

Documentation Complete

☐

Pull Requests Approved

☒

Static Code Analysis Passed

☒

Manual Tests Passed

☐

Apex Tests Passed

☐

SecAPI Scan Passed

☐

- When reviewing PR, you can see Git is also updated after successful commit

trntest

/ src / classes / Order_Tests.cls

Order_Tests.cls

Contents History Compare Blame

Graph

Commit

Change

Pull Request

Status


US-0016137: Copado_Step_USB_T...

16635fa5 Yuqi Liu (Copado)

Today at 11:15 AM

add

- Keep in mind that USB might pick up unnecessary or in progress changes with the direct commit in higher environment (just like umbrella story, always use extreme caution when committing)



```
1 public class Order_Tests {
2
3     public static string orderNumber1() {
4         //now we only need one method
5         return ('This is #1 and #2');
6
7         //Sept Commit #1 for V1
8
9         //Sept Commit #2 for V2
10
11
12         //Oops
13         //Here comes the V3 commit for the next release
14     }
15
16
17 }
```

- **Promote / back promote the bundled story as needed**, and the other stories will be updated automatically.

Cancel a User Story Bundle.

- In the unlikely case that your commit picked up unnecessary changes, the user story needs to be cancelled. Please go to the bundled story and check the "status" as cancelled.

☐	Stop Indexing Metadata ⓘ
☐	Promotion Test Level ⓘ
☐	Status ⓘ
☐	Cancellation Reason ⓘ
☐	Exclude From CBM ⓘ

This will automatically uncheck the **"Exclude from CBM"** and **"Stop Indexing"** for all stories associated with it. However, you will need to clean up the existing branch in case the code gets committed directly.



Revised by Regin Kanagappa
Last modified 1 week ago

Helpful?

Leave a comment

