

EDITING

| Basic code completion | ^Space |
|--|------------------------|
| Smart code completion | ሰ ^Space |
| Complete statement | ☆ 器 ↩ |
| Parameter info | 쇼 ЖР |
| Quick Documentation | ዕ ^ 器/ |
| External Documentation | ^#T/ |
| Brief Info | ₩Mousehover |
| Show description of error/warning at caret | ₩F1 |
| Generate Code | ₩N |
| Override / Implement methods | ^#O/^#I |
| Surround with | T7# |
| Move statements up / down | ^#[/^#] |
| Comment with line comment | ₩/ |
| Comment with block comment | % \(\tag{\pi}\) |
| Expand / shrink selection | # <i>T</i> #\1#T↓ |
| Context info | û ^Q |
| Show intention actions and quick-fixes | T+> |
| Reformat code | #7L |
| Optimize imports | 07^ |
| Indent / unindent selected lines | %]/% [|
| Cut current line to clipboard | жx |
| Copy current line to clipboard | ЖC |
| Paste from clipboard | жV |
| Paste from recent buffers | 企業V |
| Duplicate current line or selected block | ЖD |
| Delete line at caret | ⊠ 7₩ |
| Smart line join | ☆ ^ J |
| Smart line split / Start new line | ^O / 쇼₽ |
| Toggle case | <u></u> |
| Select till code block end / start | 쇼^]/쇼^[|
| Delete to word start / end | T⊠/T⊠ |
| Expand / collapse code block | %+/% - |
| Expand / collapse code block recursively | -7#\+7 % |
| Expand / collapse all | ዕ ∺+ / ዕ ∺- |
| Close active editor tab | жw |
| Place the caret in multiple locations | ኚ 쇼 Click |

SEARCH AND REPLACE

| Find / Replace | %F/% TF |
|------------------------|---------------------------|
| Find next / previous | Ж G / ☆ Ж G |
| Find / Replace in path | ዕ ¥F / ዕ Ж∖F |

USAGE SEARCH

| Find usages / Find usages in file | ``F7 / #F7 |
|-----------------------------------|------------|
| Highlight usages in file | ЖE |
| Show usages | ₩\F7 |

NAVIGATION

| Go to class / file / symbol | #TO/#O/4#C |
|---|--------------------|
| Go to next / previous editor tab | ዕ #] / ዕ #[|
| Go back to previous tool window | F12 |
| Go to editor (from tool window) | চ |
| Hide active or last active window | <u>ተ</u> |
| Close active tool windows tab | ბ ^F4 |
| Go to line | #L |
| Recent files popup | ^2 |
| Navigate back / forward | ^#←/^#→ |
| Navigate to last edit location | ☆ 器墜 |
| Select current file or symbol in any view | ☆ 器J |
| Go to related header or source file | ^Ж↑ |
| Go to definition | ₩Click |
| Go to implementation(s) | ₩∖Click |
| Open quick definition lookup | ^F1 |
| Go to type declaration | ΦľΒ |
| Go to super-method / super-class | ^U |
| Go to previous / next method | \ |
| Move to code block end / start | ^[/^] |
| File structure popup | ^6 |
| Type / call / method hierarchy | ^H / ^ \ H / ሱ ജ H |
| Next / previous highlighted error | ж ′ / |
| Jump to source | ж ↑ |
| Toggle bookmark / with mnemonic | ^F3 / \TF3 |
| Go to numbered bookmark | ^0^9 |
| Show bookmarks | #F3 |

VERSION CONTROL

| Commit / push project to VCS | *7C/ |
|------------------------------|------|
| Update project from VCS | ХУЖ |
| View recent changes | ጋፖ 습 |
| VCS actions | ^S |

REFACTORING

| Refactor This | T7#^ |
|-----------------------------|---------------|
| Copy / Move | F5 / \TF6 |
| Safe Delete | #≪ |
| Rename / Change Signature | ^#E/#F6 |
| Inline | илж |
| Extract Method | MT#^ |
| Extract Variable / Constant | 27#^\V7#^ |
| Extract Parameter | 47#^ |
| Extract Property | #/E |
| Extract Instance Variable | 77 % ^ |
| | |

COMPILE AND RUN

| Build Project | %F9 |
|--------------------------------------|-------------------|
| Run / Debug | 쇼 Ж∖R / ЖR |
| Select configuration and run / debug | ብፖඝ / Яፖඝ ^ 쇼 |
| Run / Debug context configuration | #TU/#U |
| Run Anything | Double^ |

DEBUGGING

| View breakpoints | ₩8 |
|------------------------|--------------|
| Toggle breakpoint | * \ |
| Resume program | ^ % Y |
| Evaluate expression | ¥F8 |
| Run to cursor | ^#C |
| Step into / over / out | F7 / F6 / F8 |

LIVE TEMPLATES

| Surround with Live Template | L7% |
|-----------------------------|-----|
| Insert Live Template | ЖJ |

GENERAL

| Search Everywhere | Double む |
|---|----------------|
| Open corresponding tool window | жож9 |
| Hide all tool windows | ዕ ₩F12 |
| Add to Favorites | δ XF |
| Inspect current file with current profile | الآ ئ |
| Quick switch current scheme | ^, |
| Switch between tabs and tool windows | ^ →I |



EDITING

| Basic code completion | ^Space |
|--|--------------------|
| Smart code completion | ∱ ^Space |
| Complete statement | 쇼 ж ↔ |
| Parameter info | ЖР |
| Quick Documentation | F1 |
| External Documentation | 쇼 F1 |
| Brief Info | ₩Mousehover |
| Show description of error/warning at caret | ₩F1 |
| Generate Code | ₩N |
| Override / Implement methods | ^0 / ^I |
| Surround with | TZ# |
| Move statements up / down | ዕ ∺↑ / ዕ∺↓ |
| Comment with line comment | ₩/ |
| Comment with block comment | % \(\) |
| Expand / shrink selection | \T \ \T |
| Context info | 企 ^Q |
| Show intention actions and quick-fixes | 7. |
| Reformat code | #7L |
| Optimize imports | 07^ |
| Indent / unindent selected lines | / ☆ →। |
| Cut current line to clipboard | жx |
| Copy current line to clipboard | жC |
| Paste from clipboard | ₩V |
| Paste from recent buffers | 企 ЖV |
| Duplicate current line or selected block | ЖD |
| Delete line at caret | % ⊠ |
| Smart line join | ☆ ^ J |
| Smart line split / Start new line | % ← / ↔ % |
| Toggle case | ሰ ЖU |
| Select till code block end / start |]ፖжኄ∖[ፖжኄ |
| Delete to word start / end | ∀ |
| Expand / collapse code block | %+/ %- |
| Expand / collapse code block recursively | -7#\- |
| Expand / collapse all | ዕ ∺+ / ዕ ∺- |
| Close active editor tab | жw |
| Place the caret in multiple locations | ኚ 습 Click |

SEARCH AND REPLACE

| Find / Replace | #F/#R |
|------------------------|----------------------|
| Find next / previous | #G / ☆ #G |
| Find / Replace in path | ዕ Ж F / ዕ Ж R |

USAGE SEARCH

| Find usages / Find usages in file | \TF7 / #F7 |
|-----------------------------------|---------------|
| Highlight usages in file | 企 Ж F7 |
| Show usages | ₩\F7 |

NAVIGATION

| Go to class / file / symbol | 07第\0%企\0% |
|---|---------------------------|
| Go to next / previous editor tab | ዕ #] / ዕ #[|
| Go back to previous tool window | F12 |
| Go to editor (from tool window) | গ |
| Hide active or last active window | 企 も |
| Close active tool windows tab | ሰ ^F4 |
| Go to line | ЖL |
| Recent files popup | ЖE |
| Navigate back / forward | % [/ %] |
| Navigate to last edit location | ዕ Ж ເ⊵ |
| Select current file or symbol in any view | XF1 |
| Go to related header or source file | ^無↑ |
| Go to definition | Ж В |
| Go to implementation(s) | #7B |
| Open quick definition lookup | ₹Space |
| Go to type declaration | ዕ |
| Go to super-method / super-class | жU |
| Go to previous / next method | ^↑ / ^↓ |
| Move to code block end / start | #x[/#x] |
| File structure popup | ₩F12 |
| Type / call / method hierarchy | ^H / ^ T H / ሴ ₩ H |
| Next / previous highlighted error | F2 / 企F2 |
| Jump to source | ж ↑ |
| Toggle bookmark / with mnemonic | F3 / \TF3 |
| Go to numbered bookmark | ^0^9 |
| Show bookmarks | #F3 |

VERSION CONTROL

| Commit / push project to VCS | ЖК / ፚ ЖК |
|------------------------------|------------------|
| Update project from VCS | жт |
| View recent changes | ጋፖ 습 |
| VCS actions | ^V |

REFACTORING

| Refactor This | ^T |
|-----------------------------|-------------------------|
| Copy / Move | F5 / F6 |
| Safe Delete | #≪ |
| Rename / Change Signature | 쇼F6 / ЖF6 |
| Inline | N7% |
| Extract Method | M7% |
| Extract Variable / Constant | 37#\V7# |
| Extract Parameter | 97 % |
| Extract Property | #ZE |
| Extract Instance Variable | #7F |
| | |

COMPILE AND RUN

| Build Project | % F9 |
|--------------------------------------|-------------|
| Run / Debug | ^R / ^D |
| Select configuration and run / debug | ^\R / ^\D |
| Run / Debug context configuration | ∱ ^R / ∱ ^D |
| Run Anything | Double^ |

DEBUGGING

| Step into / over / out | F7 / F8 / & F8 |
|------------------------|----------------|
| Run to cursor | ₹F9 |
| Evaluate expression | \F8 |
| Resume program | жъг |
| Toggle breakpoint | %F8 |
| View breakpoints | 企 Ж F8 |

LIVE TEMPLATES

| Surround with Live Template | L7# |
|-----------------------------|-----|
| Insert Live Template | жJ |

GENERAL

| Search Everywhere | Double む |
|---|---------------|
| Open corresponding tool window | #0#9 |
| Hide all tool windows | ଫ ЖF12 |
| Add to Favorites | o ∖ገF |
| Inspect current file with current profile | الا ت |
| Quick switch current scheme | ^, |
| Switch between tabs and tool windows | ^ →I |