

### EDITING

Basic code completion	<code>⌘␣</code>
Smart code completion	<code>⇧␣Space</code>
Complete statement	<code>⇧⌘␣</code>
Parameter info	<code>⇧⌘P</code>
Quick Documentation	<code>⇧⌘␣/</code>
External Documentation	<code>⌘␣␣/</code>
Brief Info	<code>⌘Mousehover</code>
Show description of error/warning at caret	<code>⌘F1</code>
Generate Code	<code>⌘N</code>
Override / Implement methods	<code>⌘O / ⌘I</code>
Surround with...	<code>⌘␣T</code>
Move statements up / down	<code>⌘␣[ / ⌘␣]</code>
Comment with line comment	<code>⌘/</code>
Comment with block comment	<code>⌘␣␣/</code>
Expand / shrink selection	<code>⌘␣↑ / ⌘␣↓</code>
Context info	<code>⇧␣Q</code>
Show intention actions and quick-fixes	<code>␣␣</code>
Reformat code	<code>⌘␣L</code>
Optimize imports	<code>⌘␣O</code>
Indent / unindent selected lines	<code>⌘␣] / ⌘␣[</code>
Cut current line to clipboard	<code>⌘X</code>
Copy current line to clipboard	<code>⌘C</code>
Paste from clipboard	<code>⌘V</code>
Paste from recent buffers	<code>⇧⌘V</code>
Duplicate current line or selected block	<code>⌘D</code>
Delete line at caret	<code>⌘␣␣␣</code>
Smart line join	<code>⇧␣J</code>
Smart line split / Start new line	<code>⌘O / ⇧␣␣</code>
Toggle case	<code>⇧⌘U</code>
Select till code block end / start	<code>⇧␣␣] / ⇧␣␣[</code>
Delete to word start / end	<code>␣␣␣ / ␣␣␣␣</code>
Expand / collapse code block	<code>⌘+ / ⌘-</code>
Expand / collapse code block recursively	<code>⌘␣+ / ⌘␣-</code>
Expand / collapse all	<code>⇧⌘+ / ⇧⌘-</code>
Close active editor tab	<code>⌘W</code>
Place the caret in multiple locations	<code>␣⇧␣Click</code>
Toggle column selection mode	<code>⇧⌘8</code>
Select next / unselect previous occurrence	<code>⌘G / ⇧␣⌘G</code>
Select all occurrences	<code>⌘⌘G</code>

### SEARCH AND REPLACE

Find / Replace	<code>⌘F / ⌘␣F</code>
Find next / previous	<code>⌘G / ⇧⌘G</code>
Find / Replace in path	<code>⇧⌘F / ⇧⌘␣F</code>

### USAGE SEARCH

Find usages / Find usages in file	<code>␣F7 / ⌘F7</code>
Highlight usages in file	<code>⌘E</code>
Show usages	<code>⌘␣F7</code>

### NAVIGATION

Go to class / file / symbol	<code>⌘␣O / ⌘O / ⇧⌘O</code>
Go to next / previous editor tab	<code>⇧⌘] / ⇧⌘[</code>
Go back to previous tool window	<code>F12</code>
Go to editor (from tool window)	<code>␣</code>
Hide active or last active window	<code>⇧␣␣</code>
Close active tool windows tab	<code>⇧␣F4</code>
Go to line	<code>⌘L</code>
Recent files popup	<code>⌘2</code>
Navigate back / forward	<code>⌘␣← / ⌘␣→</code>
Navigate to last edit location	<code>⇧⌘␣␣</code>
Select current file or symbol in any view	<code>⇧⌘J</code>
Go to related header or source file	<code>⌘␣↑</code>
Go to definition	<code>⌘Click</code>
Go to implementation(s)	<code>⌘␣Click</code>
Open quick definition lookup	<code>⌘F1</code>
Go to type declaration	<code>⇧␣␣B</code>
Go to super-method / super-class	<code>⌘U</code>
Go to previous / next method	<code>␣↑ / ␣↓</code>
Move to code block end / start	<code>⌘[ / ⌘␣]</code>
File structure popup	<code>⌘6</code>
Type / call / method hierarchy	<code>⌘H / ⌘␣H / ⇧⌘H</code>
Next / previous highlighted error	<code>⌘' / ⇧⌘'</code>
Jump to source	<code>⌘↓</code>
Toggle bookmark / with mnemonic	<code>⌘F3 / ␣F3</code>
Go to numbered bookmark	<code>⌘O...⌘9</code>
Show bookmarks	<code>⌘F3</code>

### VERSION CONTROL

Commit project	<code>⌘␣C</code>
Update project from VCS	<code>⌘␣X</code>
View recent changes	<code>⇧␣␣C</code>
VCS actions	<code>⌘S</code>

### REFACTORING

Refactor This	<code>⌘␣␣T</code>
Copy / Move	<code>F5 / ␣F6</code>
Safe Delete	<code>⌘␣␣</code>
Rename / Change Signature	<code>⌘␣E / ⌘F6</code>
Inline	<code>⌘␣N</code>
Extract Method	<code>⌘␣␣M</code>
Extract Variable / Constant	<code>⌘␣␣V / ⌘␣␣C</code>
Extract Parameter	<code>⌘␣␣P</code>
Extract Property	<code>⌘␣␣E</code>
Extract Instance Variable	<code>⌘␣␣F</code>

### COMPILE AND RUN

Build Project	<code>⌘B</code>
Run / Debug	<code>⇧⌘␣R / ⌘R</code>
Select configuration and run / debug	<code>⇧⌘␣␣R / ⌘␣␣R</code>
Run / Debug context configuration	<code>⌘␣U / ⌘U</code>
Run Anything	<code>Double⌘␣</code>

### DEBUGGING

Step into / over / out	<code>F7 / F6 / F8</code>
Run to cursor	<code>⌘␣C</code>
Evaluate expression	<code>␣F8</code>
Resume program	<code>⌘␣Y</code>
Toggle breakpoint	<code>⌘␣\</code>
View breakpoints	<code>⌘8</code>

### LIVE TEMPLATES

Surround with Live Template	<code>⌘␣␣J</code>
Insert Live Template	<code>⌘J</code>

### GENERAL

Search Everywhere	<code>Double⇧␣</code>
Find any IDE action	<code>⇧⌘A</code>
Open corresponding tool window	<code>⌘O...⌘9</code>
Hide all tool windows	<code>⇧⌘F12</code>
Add to Favorites	<code>⇧␣␣F</code>
Inspect current file with current profile	<code>⇧␣␣I</code>
Quick switch current scheme	<code>⌘`</code>
Switch between tabs and tool windows	<code>⌘⇧␣</code>

### EDITING

Basic code completion	<b>␣Space</b>
Smart code completion	<b>⇧␣Space</b>
Complete statement	<b>⇧⌘↵</b>
Parameter info	<b>⌘P</b>
Quick Documentation	<b>F1</b>
External Documentation	<b>⇧F1</b>
Brief Info	<b>⌘Mousehover</b>
Show description of error/warning at caret	<b>⌘F1</b>
Generate Code	<b>⌘N</b>
Override / Implement methods	<b>⌘O / ⌘I</b>
Surround with...	<b>⌘⌘T</b>
Move statements up / down	<b>⇧⌘↑ / ⇧⌘↓</b>
Comment with line comment	<b>⌘/</b>
Comment with block comment	<b>⌘⌘/</b>
Expand / shrink selection	<b>⌘↑ / ⌘↓</b>
Context info	<b>⇧⌘Q</b>
Show intention actions and quick-fixes	<b>⌘↵</b>
Reformat code	<b>⌘⌘L</b>
Optimize imports	<b>⌘⌘O</b>
Indent / unindent selected lines	<b>⇧⌘↵ / ⇧⌘⇧↵</b>
Cut current line to clipboard	<b>⌘X</b>
Copy current line to clipboard	<b>⌘C</b>
Paste from clipboard	<b>⌘V</b>
Paste from recent buffers	<b>⇧⌘⌘V</b>
Duplicate current line or selected block	<b>⌘D</b>
Delete line at caret	<b>⌘⌘⌘</b>
Smart line join	<b>⇧⌘J</b>
Smart line split / Start new line	<b>⌘↵ / ⇧⌘↵</b>
Toggle case	<b>⇧⌘U</b>
Select till code block end / start	<b>⇧⌘⌘⌘] / ⇧⌘⌘⌘[</b>
Delete to word start / end	<b>⌘⌘⌘ / ⌘⌘⌘⌘</b>
Expand / collapse code block	<b>⌘+ / ⌘-</b>
Expand / collapse code block recursively	<b>⌘⌘+ / ⌘⌘-</b>
Expand / collapse all	<b>⇧⌘⌘+ / ⇧⌘⌘-</b>
Close active editor tab	<b>⌘W</b>
Place the caret in multiple locations	<b>⌘⇧Click</b>
Toggle column selection mode	<b>⇧⌘8</b>
Select next / unselect previous occurrence	<b>⌘G / ⇧⌘⌘G</b>
Select all occurrences	<b>⌘⌘G</b>

### SEARCH AND REPLACE

Find / Replace	<b>⌘F / ⌘R</b>
Find next / previous	<b>⌘G / ⇧⌘G</b>
Find / Replace in path	<b>⇧⌘⌘F / ⇧⌘⌘R</b>

### USAGE SEARCH

Find usages / Find usages in file	<b>⌘F7 / ⌘⌘F7</b>
Highlight usages in file	<b>⇧⌘F7</b>
Show usages	<b>⌘⌘F7</b>

### NAVIGATION

Go to class / file / symbol	<b>⌘O / ⇧⌘O / ⌘⌘O</b>
Go to next / previous editor tab	<b>⇧⌘] / ⇧⌘[</b>
Go back to previous tool window	<b>F12</b>
Go to editor (from tool window)	<b>⌘</b>
Hide active or last active window	<b>⇧⌘</b>
Close active tool windows tab	<b>⇧⌘F4</b>
Go to line	<b>⌘L</b>
Recent files popup	<b>⌘E</b>
Navigate back / forward	<b>⌘[ / ⌘]</b>
Navigate to last edit location	<b>⇧⌘⌘⌘</b>
Select current file or symbol in any view	<b>⌘F1</b>
Go to related header or source file	<b>⌘⌘↑</b>
Go to definition	<b>⌘B</b>
Go to implementation(s)	<b>⌘⌘B</b>
Open quick definition lookup	<b>⌘Space</b>
Go to type declaration	<b>⇧⌘B</b>
Go to super-method / super-class	<b>⌘U</b>
Go to previous / next method	<b>⌘↑ / ⌘↓</b>
Move to code block end / start	<b>⌘⌘[ / ⌘⌘⌘]</b>
File structure popup	<b>⌘F12</b>
Type / call / method hierarchy	<b>⌘H / ⌘⌘H / ⇧⌘⌘H</b>
Next / previous highlighted error	<b>F2 / ⇧F2</b>
Jump to source	<b>⌘↓</b>
Toggle bookmark / with mnemonic	<b>F3 / ⌘F3</b>
Go to numbered bookmark	<b>⌘O...⌘9</b>
Show bookmarks	<b>⌘F3</b>

### VERSION CONTROL

Commit / push project to VCS	<b>⌘K / ⇧⌘K</b>
Update project from VCS	<b>⌘T</b>
View recent changes	<b>⇧⌘C</b>
VCS actions	<b>⌘V</b>

### REFACTORING

Refactor This	<b>⌘T</b>
Copy / Move	<b>F5 / F6</b>
Safe Delete	<b>⌘⌘⌘</b>
Rename / Change Signature	<b>⇧F6 / ⌘F6</b>
Inline	<b>⌘⌘N</b>
Extract Method	<b>⌘⌘M</b>
Extract Variable / Constant	<b>⌘⌘V / ⌘⌘C</b>
Extract Parameter	<b>⌘⌘P</b>
Extract Property	<b>⌘⌘E</b>
Extract Instance Variable	<b>⌘⌘F</b>

### COMPILE AND RUN

Build Project	<b>⌘F9</b>
Run / Debug	<b>⌘R / ⌘D</b>
Select configuration and run / debug	<b>⌘⌘R / ⌘⌘D</b>
Run / Debug context configuration	<b>⇧⌘R / ⇧⌘D</b>
Run Anything	<b>Double⌘</b>

### DEBUGGING

Step into / over / out	<b>F7 / F8 / ⇧F8</b>
Run to cursor	<b>⌘F9</b>
Evaluate expression	<b>⌘F8</b>
Resume program	<b>⌘⌘R</b>
Toggle breakpoint	<b>⌘F8</b>
View breakpoints	<b>⇧⌘F8</b>

### LIVE TEMPLATES

Surround with Live Template	<b>⌘⌘J</b>
Insert Live Template	<b>⌘J</b>

### GENERAL

Search Everywhere	<b>Double⇧</b>
Find any IDE action	<b>⇧⌘A</b>
Open corresponding tool window	<b>⌘O...⌘9</b>
Hide all tool windows	<b>⇧⌘F12</b>
Add to Favorites	<b>⇧⌘F</b>
Inspect current file with current profile	<b>⇧⌘I</b>
Quick switch current scheme	<b>⌘`</b>
Switch between tabs and tool windows	<b>⌘⇧⌘</b>