

Section B: Answer ALL questions. Parts marked with * involve knowledge of the extension component. Write your answers in the spaces provided.

1. Cappuccino is an Italian style coffee topped with a layer of frothy milk (Figure 1.1).



Figure 1.1

Frothy milk is made by bubbling steam through milk, which is held in a metallic jug (Figure 1.2). Steam is ejected from the steam wand of a cappuccino machine (Figure 1.3).



Figure 1.2



Figure 1.3

Given: specific latent heat of vaporization of water = $2.26 \times 10^6 \text{ J kg}^{-1}$
 specific heat capacity of water = $4200 \text{ J kg}^{-1} \text{ }^\circ\text{C}^{-1}$
 specific heat capacity of steam = $2000 \text{ J kg}^{-1} \text{ }^\circ\text{C}^{-1}$
 specific heat capacity of milk = $3900 \text{ J kg}^{-1} \text{ }^\circ\text{C}^{-1}$

- (a) Calculate the total amount of heat released when 20 g of steam at 110°C cools to 100°C and condenses to water at 100°C . (3 marks)

Answers written in the margins will not be marked.

2012-DSE-PHY 1B-2

21

Please stick the barcode label here.

- (b) 20 g of steam at 110°C is bubbled through 200 g of milk at 15°C to make frothy milk. Using the result in (a), estimate the temperature of the frothy milk. (2 marks)

- (c) Would the actual temperature of frothy milk be higher than, equal to or lower than the value found in (b)? Explain. (2 marks)

Answers written in the margins will not be marked.

2012-DSE-PHY 1B-3

22

Answers written in the margins will not be marked.


- [illegible]

2012-DSE-PHY 1B-4

Please stick the barcode label here.

*3.

Figure 3.1



Top View

Figure 3.1 shows the top view of a horizontal road with two circular lanes. A car of mass 1200 kg moves with constant speed in lane 1 of radius 45 m.

- (a) (i) Name the force that provides the centripetal force for the car. If the maximum value of this force is 8000 N, calculate the highest speed of the car such that it can keep in lane 1. (3 marks)

Answers written in the margins will not be marked.

- (ii) Suppose the car takes lane 2 instead of lane 1 and the maximum value of the force providing the centripetal force is still 8000 N. Would the car's highest speed in lane 2 be smaller than, larger than or the same as that found in (a)(i)? Explain. (2 marks)

Answers written in the margins will not be marked.

- (b) Explain why the chance of skidding would increase if there are oil patches on the road surface in Figure 3.1. (2 marks)

Answers written in the margins will not be marked.

4. Train A initially travels at a speed of 60 m s^{-1} along a straight horizontal railway. Another identical train B travels ahead of A in the same direction on the same railway. Due to mechanical failure, B is only travelling at 20 m s^{-1} (Figure 4.1).





Figure 4.1

At time $t = 0$, A and B are $x \text{ m}$ apart, the captain of A receives a stopping signal and immediately A decelerates at 4 m s^{-2} while B continues to travel at 20 m s^{-1} . A eventually collides with B after 5 s . Neglect air resistance.

- (a) (i) Find the speed of A just before collision. (2 marks)

- (ii) The graph below shows how the speed of B varies with time within this 5 s . Sketch on the same graph the variation of the speed of A within the same period. (1 mark)



- (iii) Based on the above information, determine the separation x of the two trains at $t = 0$. (3 marks)

Answers written in the margins will not be marked.

Please stick the barcode label here


- (b) A and B locked together after collision.

- (i) Find the speed of them just after collision. (2 marks)

- (ii) If the collision time between the trains is 0.2 s and the mass of each train is 5000 kg , find the magnitude and direction of the average impact force acted on A during collision. (3 marks)

Answers written in the margins will not be marked.

5. (a) A bow and arrow is a kind of projectile weapon. The string of a bow is drawn taut by a hunter with a force of 60 N and an arrow of mass 0.2 kg is held stationary as shown in Figure 5.1.



- (i) Find the tension of the string. Neglect the weight of the arrow. (2 marks)

.....

.....

.....

.....

- (ii) Estimate the energy stored in the taut string if the initial speed of the arrow is 45 m s^{-1} when released. Assume that the bow is rigid and neglect the mass of the string. (2 marks)

.....

.....

.....

.....

.....


Answers written in the margins will not be marked.

2012-DSE-PHY 1B-8

27

Please stick the barcode label here

- *(b) The hunter stands at about 60 m away from a tree as shown in Figure 5.2. He uses the bow to release the arrow in order to shoot a coconut held by a monkey (not shown in the figure) in the tree. The coconut is at a height of 25 m from the ground. The hunter aims directly at the coconut and the arrow leaves the bow at a speed of 45 m s^{-1} making an angle of 20° to the horizontal. At the moment the hunter releases the arrow, the monkey drops the coconut such that it falls vertically from rest. Neglect air resistance and the arrow's size. ($g = 9.81 \text{ m s}^{-2}$)



- (i) Find the time taken for the arrow to hit the coconut. (2 marks)

.....

.....

.....

.....

- (ii) Find the height of the coconut from the ground at the moment the arrow hits it. (2 marks)

.....

.....

.....

.....

.....

.....


Answers written in the margins will not be marked.

2012-DSE-PHY 1B-9

28

6. In a ripple tank, circular water waves are produced by two vibrators S_1 and S_2 of the same frequency vibrating in phase. Their separation is 3.5λ , where λ is the wavelength of the waves. Figure 6.1 shows the two circular waves propagating on the water surface at a certain moment. Line L is a line connecting all points P which have path difference $S_1P - S_2P = 0$.

Figure 6.1



- (a) Draw and label a line in Figure 6.1 connecting all points P which have path difference

(i) $S_1P - S_2P = \lambda$ (label it as L_1)

(ii) $S_1P - S_2P = -\frac{3}{2}\lambda$ (label it as L_2)

What would happen to L_1 and L_2 if the separation between S_1 and S_2 is reduced slightly? (3 marks)

Answers written in the margins will not be marked.

Figure 6.2




Answers written in the margins will not be marked

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Figure 7.1



* (i) Use the lens formula to find the image distance. Find also the linear magnification of the image. (3 marks)

Answers written in the margins will not be marked.

31

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.


(2 marks)

Answers written in the margins will not be marked.

newers written in the magazine will not be marked

8. In the circuit shown in Figure 8.1, resistors R_1 and R_2 represent the heating elements in a heater using mains supply. Both resistors are immersed in water.

Figure 8.1



The heater can be operated in two modes, namely, heating and keeping warm, and it is controlled by the switch S . The power consumed by the heater in the heating mode is 550 W and in the mode of keeping warm is 88 W. The mains voltage is 220 V a.c.

- (a) In which mode is the heater operating when switch S is open? (1 mark)

- (b) Find the resistance of R_1 . (2 marks)

- (c) When switch S is closed, calculate the current passing through resistor R_2 . (3 marks)

Answers written in the margins will not be marked.


- *(d) What is the *peak value* of the sinusoidal current flowing through the heater when switch S is closed? (2 marks)

Answers written in the margins will not be marked.

9. Read the following description about the 'shaver supply unit' in bathrooms and answer the questions that follow.

The danger of electric shock is particularly high in bathrooms. Normal electric socket outlets should not be installed in bathrooms. As electric shavers and toothbrushes are becoming popular these days, a special unit, called 'shaver supply unit' is now common in bathrooms to provide electricity just for these low power consumption electric appliances (Figure 9.1).

The shaver supply unit consists of a transformer in which the secondary is not earthed and is completely isolated from the 220 V a.c. mains supply connecting to the primary. It can be used with 220 V or 110 V shavers.



- (a) Explain why the chance of electric shock is high in bathrooms.

(2 marks)

Answers written in the margins will not be marked.

- (b) Explain what would happen if the human body touches

- (i) the live wire of the mains supply in the primary circuit;

(2 marks)

- (ii) one of the conducting wires in the shaver circuit outlet.


(2 marks)

- *(c) What is the turns ratio of the primary coil to the secondary coil of the transformer so as to provide 110 V?

(1 mark)

Answers written in the margins will not be marked.

10. You are given a long conducting wire, a pair of slab-shaped magnets on steel yoke and a light-beam galvanometer for detecting small currents. With the aid of a diagram, describe an experiment to investigate **TWO** factors affecting the e.m.f. induced in a conductor when it moves in a magnetic field. (7 marks)



Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

11. Radium-226 ($^{226}_{88}\text{Ra}$) undergoes α -decay into radon (Rn).

(a) Write a nuclear equation for the decay. (2 marks)

*(b) Given : mass of a radium nucleus = 226.0254 u

mass of a radon nucleus = 222.0176 u

mass of an α -particle = 4.0026 u

Calculate the energy released in the decay in MeV. (2 marks)

(c) 1 curie (Ci) is defined as the activity of 1 g of radium. The activity of a radium source used in laboratories is about 5 μCi . Estimate the number of radium atoms in this source and hence find its activity expressed in disintegrations per second. The half-life of radium-226 is 1600 years and take the mass of one mole of radium as 226 g. ($1 \mu\text{Ci} = 1 \times 10^{-6} \text{ Ci}$) (3 marks)

END OF PAPER

Sources of materials used in this paper will be acknowledged in the *Examination Report and Question Papers* published by the Hong Kong Examinations and Assessment Authority at a later stage.

Answers written in the margins will not be marked.