

- (a) (ii) State the energy change during the period from the beginning of the jump to the moment when the bungee jumper is at the lowest point of his first downward fall. (2 marks)

- (b) In terms of the net force acting on the bungee jumper, explain why the cord has to be elastic. (2 marks)

- (c) In terms of contact area, explain why a 'full body harness' is less likely to cause injuries to or detach from the bungee jumper than a simple 'ankle attachment' during a fall. (2 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

7.




Figure 7.1 shows a set-up for the study of interference of microwaves. Microwaves of wavelength 2 cm emitted from a transmitter T pass through two slits A and B formed by metal plates. The slits are separated by 6 cm as shown. A probe R connecting to a meter is moved from X to Y to detect the intensity of microwaves received. Transmitter T and point X are equidistant from A and B .

- (a) Calculate the frequency of the microwaves. (2 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

- (b) (i) The meter shows alternate maxima and minima when R moves along XY . Explain. (2 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

- (b) (ii) The second minimum is found at position P where $AP = 1.24$ m. Find BP . (2 marks)


- (iii) When R is moved along XY from X towards Y and beyond, explain whether or not it is possible to detect more than three maxima. (2 marks)

- (c) Microwaves can be used in radar. Why are radio waves of lower frequencies not suitable for use in radar? (2 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

10. (a) A student uses the set-up in Figure 10.1 to investigate stationary waves on a stretched string. When the frequency of the vibrator is set at 100 Hz, a stationary wave is formed between the vibrator and the stand, which are 90 cm apart.



Particles X and Y on the string are at maximum displacement from their respective equilibrium positions at the moment shown in Figure 10.1.

- Label the positions of all antinodes (using 'A') and nodes (using 'N') on Figure 10.1. (2 marks)
- Compare the oscillations of X and Y in terms of their amplitude and phase. (2 marks)

Answers written in the margins will not be marked.

- Sketch on Figure 10.1 the shape of the string just after 0.0075 s. (1 mark)
- If the frequency of the vibrator is increased gradually, at what frequency will the next stationary wave pattern be observed? Show your working. (2 marks)

Answers written in the margins will not be marked.


Answers written in the margins will not be marked.

- (b) Read the following passage about **stationary waves in musical instruments** and answer the questions that follow.

How do we make musical sounds ? In non-electronic instruments such as guitar and piano, stable and controlled vibration is usually produced by a stationary wave. If you pluck a guitar string fixed at both ends, various modes of stationary waves will be produced and they all travel with the same speed on the string. The mode with the lowest frequency f_1 is called the fundamental while the n^{th} mode, called the n^{th} harmonic, has a frequency n times that of the fundamental, i.e. nf_1 .

The pitch of a note is determined by the frequency of the fundamental. The relative strengths and proportions of the harmonics determine the unique sound characteristics of different instruments. Therefore, a guitar and a violin playing a note of the same pitch will have different qualities because of different amplitudes and distributions of their harmonics.

- (i) Figure 10.2 shows the stationary wave pattern of the fundamental formed on a string. Sketch the stationary wave pattern corresponding to the 2nd harmonic on Figure 10.2. (1 mark)



- (ii) Explain why different musical instruments give different **sound qualities**. (2 marks)

.....

.....

.....

.....

.....

.....

- (iii) State **TWO** main differences between the **waves on a vibrating guitar string** and the **sound waves produced by it** besides the two waves being different in wavelength and speed. (2 marks)

.....

.....

.....

.....

.....

Answers written in the margins will not be marked.


Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

(b) (i)

Figure 5.2



P is a point at the water surface as shown in Figure 5.2. Express the path difference at P from S_1 and S_2 in terms of λ .

(2 marks)

(ii) Explain briefly what type of interference occurs at P .

(2 marks)

(c) If the depth of the water in the ripple tank is increased while other conditions remain unchanged, deduce how the wavelength of the waves will be affected. (2 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.