

1.





Figure 1.1

A balloon containing 0.01 m^3 of gas at a pressure of 100 kPa is placed inside a chamber. Air is slowly pumped out from the chamber while the temperature remains unchanged.

- *(a) Explain, in terms of molecular motion, how the gas inside the balloon exerts a pressure on its inner surface. (2 marks)

- *(b) Find the final pressure inside the balloon when its volume is doubled. (2 marks)

- *(c) Sketch a graph to show the relationship between the pressure p inside the balloon and the volume V of the balloon. (2 marks)



Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

2.

**Figure 2.1**

In a road test, John drives his car along a straight horizontal road (see Figure 2.1). The car takes 9.3 s to accelerate from rest to 100 km h^{-1} . The total mass of John and his car is 1400 kg.
(Note: $100 \text{ km h}^{-1} = 27.8 \text{ m s}^{-1}$)

- (a) Find the total kinetic energy of John and his car when travelling at 100 km h^{-1} . Hence estimate the average output power of the car during this acceleration. (3 marks)

- (b) A similar road test is conducted on an inclined road. The car now takes more than 9.3 s to accelerate from rest to 100 km h^{-1} along the road (see Figure 2.2). Assume the output power of the car remains unchanged. Explain why it takes a longer time for the car to accelerate up an inclined road than along a horizontal road. (2 marks)


**Figure 2.2**

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

3. A ball is kicked and moves with an initial velocity of 10 m s^{-1} at an angle of 40° to the horizontal. The ball then just passes a block of height 1.6 m , reaching the highest point D , and finally hits the ground at E as shown in Figure 3.1. (Neglect air resistance and the size of the ball.)

Figure 3.1



- (a) Draw an arrow to indicate the direction of acceleration of the ball at C . (1 mark)

- *(b) For a projectile of initial velocity u that makes an angle θ with the horizontal, show that its horizontal range is given by $\frac{u^2 \sin 2\theta}{g}$. Hence, or otherwise, find another angle of projection such that the ball can still reach E with the same initial speed of 10 m s^{-1} .
(Given: $2 \sin \theta \cos \theta = \sin 2\theta$) (4 marks)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (c) Calculate the speed of the ball at C . (2 marks)

.....

.....

.....

.....


.....

.....


Answers written in the margins will not be marked.

Please stick the barcode label here

4. One end of a piece of string is fixed to a wall. A wave pulse travels along the string at a speed of 0.5 m s^{-1} towards the fixed end. Figure 4.1 shows the string at time $t = 0 \text{ s}$ and $t = 2 \text{ s}$.



- (a) On Figure 4.1, draw the shape of the wave pulse at $t = 1 \text{ s}$. (1 mark)
- (b) Sketch a graph of the displacement of point P on the string at a distance of 0.1 m from the wall during the period $t = 0 \text{ s}$ to $t = 1 \text{ s}$. (2 marks)



5.

Figure 5.1




Figure 5.1 shows the display panel of a radio and the broadcasting frequencies of two radio channels R_1 and R_2 . Given : speed of electromagnetic waves = $3.00 \times 10^8 \text{ m s}^{-1}$

- (a) Find the wavelength of the radio waves used by channel R_1 . (1 mark)

- (b) Anita's house is surrounded by hills and at her house, the reception of one of the two radio channels is better. For which radio channel is the reception better? Explain your answer. (2 marks)

Answers written in the margins will not be marked.

6.




Figure 6.1

Figure 6.1 shows two identical loudspeakers P and Q are connected to a signal generator. Position A is the mid-point of PQ . A microphone connected to a CRO is moved along BC . The amplitude of the CRO trace increases as the loudness of the sound detected increases. Figure 6.2 shows how the amplitude of the CRO trace varies with the position of the microphone.




Figure 6.2

- (a) (i) Explain why the loudness of the sound varies along BC . (2 marks)

- (ii) State **ONE** reason why the amplitude of the CRO trace is **NOT** zero at position X . (1 mark)

- (b) If $PY = 5.10$ m and $QY = 5.78$ m, find the wavelength of the sound. (2 marks)

7. Amy uses the motor of a toy fan as a simple generator. She connects a bulb to the two terminals of the motor. This is shown in Figure 7.1.




Figure 7.1

The bulb lights up when the blades are turned rapidly. Explain why and state the energy conversion taking place in this process. (4 marks)

Answers written in the margins will not be marked.

.....

.....

.....

.....

.....

.....

.....

.....

8. Figure 8.1 shows an earth leakage circuit breaker (漏電斷路器) installed in a domestic circuit. The live and the neutral wires pass through the centre of a soft iron ring of mean radius 1 cm. A 100-turn coil C with cross-section area 0.8 cm^2 is wound on the ring.




Figure 8.1

In case of an earth leakage in the domestic circuit such that the current in the neutral wire and the live wire differ by 0.5 A or more, the relay switch S opens and disconnects the mains supply. To reconnect the supply, S has to be reset manually.

(a) Explain why S opens when there is a leakage current of 0.5 A from the load to the Earth. (3 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

(b) Calculate the magnetic field B through coil C when there is a leakage current of 0.5 A from the load to the Earth. The magnetic field B due to a current-carrying conductor is 1500 times larger in soft iron. (2 marks)

(c) Electrical appliances are usually equipped with fuses. When a short circuit occurs between the live and neutral wires, the fuse blows but the earth leakage circuit breaker does not operate. Explain these observations. (2 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

9.



Figure 9.1

Figure 9.1 shows a microwave oven. Mary wants to estimate the useful output power of the oven. She is provided with the apparatus and material shown in Figure 9.2.




Figure 9.2

- (a) Describe how Mary should conduct the experiment. Specify all measurements Mary has to take. State **EITHER** one precaution taken **OR** one assumption made when conducting this experiment. Write down an equation for calculating the useful output power. (5 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

- (b) The value obtained by Mary is found to be smaller than the rated power of the oven. Suggest one possible reason to account for this difference. (1 mark)

- (c) Explain whether increasing the mass of water used in the experiment would improve the accuracy of the experiment. (1 mark)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

10.




Figure 10.1

Figure 10.1 shows a ship equipped with sonar. The sonar emits ultrasonic waves of frequency 25 kHz into the sea. The waves propagate at an angle of 50° to the surface of the sea and are reflected from a submarine back to the ship after 0.15 s.

Given : speed of sound in air = 340 m s^{-1}
 speed of sound in sea water = 1500 m s^{-1}

- (a) Calculate the vertical distance of the submarine beneath the sea surface. (2 marks)

- (b) Some of the reflected waves propagate along the dotted line and emerge into the air at X. Calculate the angle of refraction in air. (2 marks)

- (c) Is it possible for ultrasonic waves, at certain angles of incidence, to undergo total internal reflection when they go from sea water to the air? Explain. (2 marks)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked

Answers written in the margins will not be marked.

11. (a) A spacecraft with an astronaut on board is launched on a rocket. The rocket with the spacecraft has an initial mass of $4.80 \times 10^5 \text{ kg}$ at take-off. The rocket engine expels hot exhaust gas at a constant speed of 2600 m s^{-1} downwards relative to the rocket. Assume that $1.15 \times 10^3 \text{ kg}$ of gas is expelled in the first 0.5 s . (Neglect air resistance.)
- (i) Calculate the average thrust (the upward force) acting on the rocket due to the exhaust gas during the first 0.5 s . (2 marks)



Figure 11.1

- (ii) On Figure 11.1, draw and label an arrow for each force acting on the rocket. Assuming that the change in mass of the rocket during the first 0.5 s is negligible, estimate the acceleration of the rocket. (2 marks)

Answers written in the margins will not be marked

- (b) The spacecraft of mass $7.80 \times 10^3 \text{ kg}$ now enters a circular orbit of radius r around the Earth.




Figure 11.2



- *(i) Show that the speed of the spacecraft in the orbit is given by $\sqrt{\frac{g}{r}} R_E$ where R_E is the radius of the Earth. (2 marks)

- *(ii) How long does it take for the spacecraft to orbit the Earth 14 times? (3 marks)
Given : radius of the orbit $r = 6.71 \times 10^6 \text{ m}$
radius of the Earth $R_E = 6.37 \times 10^6 \text{ m}$

- (c) Give ONE reason why an aircraft is unable to fly in space like a rocket. (1 mark)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked



Water-soluble pigment	Water-soluble pigment
zinc-carbon	\$ 1.5
alkaline	\$ 3.8
alkaline	\$ 5.0

