



36. Isotopes of an element have different mass number A and neutron number N . Which of the following $N - A$ plots correctly shows the relationship of N and A for any given element?


A.



B.



C.



D.




2013 Q34

34. $^{238}_{92}\text{U}$ undergoes α - β - β - α decay and becomes a nuclide X . What are the atomic number and mass number of X ?

	atomic number	mass number
A.	90	230
B.	90	234
C.	88	230
D.	88	234

2014 Q31

31. Nucleus W decays to nucleus Z as shown below:



Which of the following statements is/are correct?

- (1) Nucleus X has 1 more proton than nucleus Y .
 - (2) Nucleus W has 2 more neutrons than nucleus X .
 - (3) W and Z are isotopes of the same element.
- A. (1) only
 B. (2) only
 C. (1) and (3) only
 D. (2) and (3) only

32. A GM counter is placed close to and in front of a radioactive source which emits both α and γ radiations. The count rate recorded is 450 counts per minute while the background count rate is 50 counts per minute. Three different materials are placed in turn between the source and the counter. The following results are obtained.

Material	Recorded count rate / counts per minute
(Nil)	450
cardboard	x
1 mm of aluminium	y
2 mm of lead	z

Which of the following is the most suitable set of values for x , y and z ?

	x	y	z
A.	300	300	100
B.	300	100	50
C.	100	100	0
D.	100	50	50

31. Which of the following nuclear reactions is/are spontaneous reaction(s) ?

- (1) ${}_{11}^{24}\text{Na} \rightarrow {}_{12}^{24}\text{Mg} + {}_{-1}^0\text{e}$
 (2) ${}_{5}^{10}\text{B} + {}_0^1\text{n} \rightarrow {}_3^7\text{Li} + {}_2^4\text{He}$
 (3) ${}_1^2\text{H} + {}_1^3\text{H} \rightarrow {}_2^4\text{He} + {}_0^1\text{n}$

- A. (1) only
 B. (3) only
 C. (1) and (2) only
 D. (2) and (3) only


32. Which of the following statements about ionizing radiations is/are correct ?

- (1) The ionizing power of α -particles is much stronger than that of β -particles.
 (2) γ -radiation can be completely shielded by a 10 cm thick concrete wall.
 (3) Ionizing radiations α , β and γ all undergo deflection in an electric field.


- A. (1) only
 B. (1) and (2) only
 C. (1) and (3) only
 D. (2) and (3) only

31. Which of the following diagrams best shows the deflection of α and β particles in a uniform field in vacuum?


A.




B.



C.



D.




2017 Q32

32. Which of the following statements about β particles and γ rays is correct?

- A. Only β particles can ionize air particles.
- B. Only γ rays can travel through vacuum.
- C. Both of them can be detected by a photographic film.
- D. Both of them carry charge.

2019 Q31

31. A radioactive source emits α , β and γ radiations.




Which statement about the radiation(s) detected at positions X, Y, Z indicated in the figure is correct?

- A. No radiation from the radioactive source is detected at Z.
- B. Both β and γ radiations can be detected at Y.
- C. α radiation can only be detected at X but not at Y and Z.
- D. β radiation can only be detected at X but not at Y and Z.

30. The background count rate in an experiment is determined using a GM counter. Four readings of the count rate in each minute are taken. Which set of readings below is the most probable ?

	1 st minute	2 nd minute	3 rd minute	4 th minute
A.	5	62	8	69
B.	40	40	40	40
C.	60	50	30	20
D.	29	26	31	35

31.



Nuclide P can decay into nuclide T through either process $P - Q - R - T$ or process $P - Q - S - T$ as shown. Which deductions below are correct ?

- (1) P and T are isotopes of the same element.
- (2) Q and S have the same number of protons.
- (3) S has one more neutron than R .

- A. (1) and (2) only
- B. (1) and (3) only
- C. (2) and (3) only
- D. (1), (2) and (3)

31. A radioactive nuclide plutonium-239 ($^{239}_{94}\text{Pu}$) becomes a stable lead-207 isotope ($^{207}_{82}\text{Pb}$) after a series of α and β decays. Find the number of β decays in the process.

- A. 3
- B. 4
- C. 5
- D. 6


33. Which of the following may contain sources of ionizing radiations ?

- (1) sea water
 - (2) a rock sample
 - (3) human body
- A. (1) only
 - B. (2) only
 - C. (2) and (3) only
 - D. (1), (2) and (3)

31. Which of the following statements about X-rays is **INCORRECT** ?

- A. X-rays can be produced by high-speed electrons hitting a metal target.
- B. X-rays are a kind of electromagnetic waves.
- C. X-rays can be deflected by an electric field.
- D. Although X-rays do not carry charges, they can cause ionization.

32. Radium-226 undergoes a series of α and β decays before finally becomes a stable nuclide. Referring to the plot of mass number against atomic number below, which nuclides, *W*, *X*, *Y* and *Z*, **cannot** be possible members in the decay series of radium-226 ?




- A. *W* and *X*
- B. *W* and *Y*
- C. *Z* and *X*
- D. *Z* and *Y*

34. Which of the following statements about α and β particles is/are correct ?

- (1) The mass of an α particle is greater than that of a β particle.
 - (2) α particles have a stronger penetrating power than β particles.
 - (3) An α source can discharge a positively charged metal sphere nearby.
- A. (1) only
 - B. (2) only
 - C. (1) and (3) only
 - D. (2) and (3) only

35.



A radioactive source is placed in front of a uniform magnetic field pointing into the paper as shown above. The count rates recorded by the GM tubes at X and Y are 101 counts per minute and 400 counts per minute respectively. Which of the following deductions must be correct ?

- A. The source does not emit α radiation.
- B. The source emits β radiations.
- C. The source emits γ radiations.
- D. The background count rate is about 100 counts per minute.

sap Q36

36. Different absorbers are placed in turn between a radioactive source and a Geiger-Muller tube. Three readings are taken for each absorber. The following data are obtained:

Absorber	Count rate / s ⁻¹		
—	200	205	198
paper	197	202	206
5 mm aluminium	112	108	111
25 mm lead	60	62	58
50 mm lead	34	36	34

What type(s) of radiation does the source emit ?

- A. β only
- B. γ only
- C. β and γ only
- D. α , β and γ