

SAFETY DATA SHEET

NASSER SUMMER – Fragrance concentrate (perfume compound)

According to UK REACH (retained Regulation (EC) No 1907/2006) Annex II, as amended, and GB CLP (retained Regulation (EC) No 1272/2008).
Also prepared to UN GHS Rev. 10 / GCC (GSO) requirements for export to the State of Kuwait.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1 Product identifier	NASSER SUMMER Product code: YEV-NS-001 Mixture – fragrance concentrate (perfume compound), undiluted
1.2 Relevant identified uses	Fragrance ingredient for the manufacture of fine fragrance and cosmetic products. Industrial/professional use.
Uses advised against	Direct application to skin undiluted. Not for ingestion.
1.3 Supplier of the safety data sheet	Yevfumes [Street address, Town/City, Postcode, United Kingdom] Tel: [+44 company phone] E-mail: yevfumes@gmail.com
1.4 Emergency telephone number	[24-hour emergency number, e.g. NCEC Carechem24 / Chemtrec UK contract number] UK: 999 (emergency) / NHS 111 (medical advice). Clinicians: National Poisons Information Service via TOXBASE. Kuwait: 112 (emergency services).

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification (GB CLP)	Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
GHS Rev. 10 only (export)	Flam. Liq. 4, H227 Combustible liquid – based on the estimated flash point (60–93 °C). This category does not exist in GB CLP. Confirm by test (Section 9).
2.2 Label elements	Labelling according to GB CLP.
Hazard pictograms	GHS07 (exclamation mark), GHS08 (health hazard), GHS09 (environment)



GHS07
Exclamation mark



GHS08
Health hazard



GHS09
Environment

Signal word	DANGER
Hazard statements	H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing mist/vapours.
P264 Wash hands thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/eye protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE/doctor.
P331 Do NOT induce vomiting.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/national regulations.

Contains (sensitisers, named per GB CLP Art. 18)

Iso E Super (OTNE), Hydroxycitronellal, Bergamot oil FCF, Linalool, Lemon oil, Linalyl Acetate, Sweet Orange oil, Coumarin, Mandarin oil (green), Blood Orange oil, Benzoin Siam resinoid

2.3 Other hazards

Not expected to meet PBT/vPvB criteria as a mixture. Contains natural essential oils; may cause photosensitivity in rare cases (Bergamot FCF is furocoumarin-reduced).

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures

Mixture of fragrance materials (aroma chemicals, essential oils, resinoids).

Component	CAS No.	% w/w	Classification (GB CLP)
Galaxolide (HHCB)	1222-05-5	20.00	Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
Iso E Super (OTNE)	54464-57-2	13.00	Skin Irrit. 2 (H315); Skin Sens. 1 (H317); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
Methyl Pamplémousse	67674-46-8	8.25	Skin Irrit. 2 (H315); Aquatic Chronic 2 (H411)
Tonalide (AHTN)	1506-02-1	6.30	Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410); Acute Tox. 4 oral (H302), ATE 570 mg/kg
Dihydromyrcenol	18479-58-8	6.00	Skin Irrit. 2 (H315); Eye Irrit. 2 (H319)
Hydroxycitronellal	107-75-5	5.00	Eye Irrit. 2 (H319); Skin Sens. 1 (H317)
Vanillin	121-33-5	5.00	Eye Irrit. 2 (H319)
Bergamot oil FCF	89957-91-5	4.50	Flam. Liq. 3 (H226); Asp. Tox. 1 (H304); Skin Irrit. 2 (H315); Eye Irrit. 2 (H319); Skin Sens. 1 (H317); Aquatic Chronic 2 (H411)
Habanolide	34902-57-3	4.50	Aquatic Chronic 2 (H411)
Linalool	78-70-6	4.50	Skin Irrit. 2 (H315); Eye Irrit. 2 (H319); Skin Sens. 1 (H317)
Ethyl Vanillin	121-32-4	3.50	Eye Irrit. 2 (H319)
Lemon oil	84929-31-7	3.00	Flam. Liq. 3 (H226); Asp. Tox. 1 (H304); Skin Irrit. 2 (H315); Skin Sens. 1 (H317); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
Linalyl Acetate	115-95-7	3.00	Skin Irrit. 2 (H315); Eye Irrit. 2 (H319); Skin Sens. 1 (H317)
Sweet Orange oil	8008-57-9	3.00	Flam. Liq. 3 (H226); Asp. Tox. 1 (H304); Skin Irrit. 2 (H315); Skin Sens. 1 (H317); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
Coumarin	91-64-5	2.20	Skin Sens. 1 (H317); Aquatic Chronic 3 (H412); Acute Tox. 4 oral (H302), ATE 293 mg/kg
Verdox	88-41-5	2.00	Aquatic Chronic 2 (H411)
Mandarin oil (green)	84929-38-4	1.80	Flam. Liq. 3 (H226); Asp. Tox. 1 (H304); Skin Irrit. 2 (H315); Skin Sens. 1 (H317); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
Ethyl Maltol	4940-11-8	1.60	; Acute Tox. 4 oral (H302), ATE 1150 mg/kg
Diluent (from pre-dilutions)	see note	1.17	Not classified
Blood Orange oil	8028-48-6	0.75	Flam. Liq. 3 (H226); Asp. Tox. 1 (H304); Skin Irrit. 2 (H315); Skin Sens. 1 (H317); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
Beta Ionone	79-77-6	0.45	Aquatic Chronic 2 (H411)
Benzoin Siam resinoid	9000-72-0	0.20	Skin Sens. 1 (H317)
Phenyl Ethyl Alcohol	60-12-8	0.20	Eye Irrit. 2 (H319); Acute Tox. 4 oral (H302), ATE 1609 mg/kg
Other components, each <0.1%: Allyl Amyl Glycolate, Aldehyde C-11, Aldehyde C-8 (Octanal), Guaiacol	various	0.08	Minor contribution; considered in classification

Remaining ingredients are fragrance materials. Diluent from pre-dilutions in the formula: assumed Dipropylene Glycol (DPG, CAS 25265-71-8, not classified) – update this section if ethanol or another solvent was used. * **CAS check:** the formula lists Aldehyde C-11 with CAS 112-31-2, which is Decanal (Aldehyde C-10). Aldehyde C-11 undecylenic is 112-45-8; C-11 undecanal is 112-44-7. Confirm against the supplier label (present at 0.012% – no effect on classification).

SECTION 4: FIRST-AID MEASURES

4.1 Inhalation	Move to fresh air. If symptoms persist, get medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If irritation or rash develops, get medical advice.
Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If irritation persists, get medical attention.
Ingestion	Do NOT induce vomiting (aspiration hazard). Rinse mouth with water. Call a poison centre or doctor immediately. Show this SDS.
4.2 Most important symptoms	Skin redness/irritation; allergic skin reaction in sensitised persons; eye irritation; aspiration into lungs if swallowed may cause chemical pneumonitis.
4.3 Note to physician	Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media	Alcohol-resistant foam, carbon dioxide, dry chemical powder, water spray (fog).
Unsuitable media	Direct high-volume water jet (may spread burning liquid).
5.2 Specific hazards	Combustible liquid. Combustion produces carbon monoxide, carbon dioxide and irritating smoke.
5.3 Advice for fire-fighters	Wear self-contained breathing apparatus and full protective clothing. Cool closed containers with water spray. Prevent fire-fighting water from entering drains or waterways.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions	Remove ignition sources. Ventilate the area. Wear gloves and eye protection. Avoid contact with skin and eyes.
6.2 Environmental precautions	Do not allow to enter drains, sewers or watercourses. Inform authorities if released to the environment.
6.3 Containment and clean-up	Absorb with inert material (sand, vermiculite, diatomaceous earth). Collect into closed, labelled containers for disposal. Wash the area with detergent and water; collect washings.

SECTION 7: HANDLING AND STORAGE

7.1 Safe handling	Use in a well-ventilated area. Avoid contact with skin and eyes. Keep away from heat and ignition sources. Do not eat, drink or smoke when handling. Wash hands after use.
7.2 Storage	Store in tightly closed original containers (glass, aluminium, or lacquered/lined steel) in a cool, dry, dark, well-ventilated place, ideally 10–25 °C. Protect from direct sunlight and heat – important in hot climates such as Kuwait summer conditions (do not leave in vehicles or unshaded outdoor storage). Minimise headspace or blanket with nitrogen to limit oxidation.
Incompatible materials	Strong oxidising agents, strong acids and bases.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Occupational exposure limits	No component has a UK Workplace Exposure Limit (HSE EH40/2005, as amended) or Kuwait limit. DNEL/PNEC: not established for the mixture.
8.2 Engineering controls	General or local exhaust ventilation. Assess under COSHH 2002.
Eye/face protection	Safety glasses with side shields (BS EN ISO 16321 / BS EN 166).
Hand protection	Nitrile rubber gloves (≥0.4 mm, BS EN ISO 374-1). Replace if contaminated.
Skin/body protection	Lab coat or protective clothing.
Respiratory protection	Not normally required with adequate ventilation. For aerosols or large spills, organic-vapour filter type A (BS EN 14387).

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Physical state / appearance	Clear liquid, pale yellow (estimated)
Odour	Citrus, aromatic, musky, sweet

Flash point (closed cup)	Estimated >60 °C (typically 65–90 °C for this type of composition). MUST be confirmed by laboratory test (ISO 2719 / ASTM D93 or ISO 3679 / ASTM D3828) before shipment – the result determines the transport classification in Section 14.
Relative density	approx. 0.97–1.00 g/cm ³ at 20 °C (estimated)
Solubility	Insoluble in water; soluble in ethanol and fragrance oils.
Boiling point	>150 °C (mixture, estimated)
Auto-ignition temperature	>200 °C (estimated)
Explosive / oxidising properties	Not explosive. Not oxidising.
Kinematic viscosity	Not determined. If measured >20.5 mm ² /s at 40 °C, the H304 classification (and GHS08) can be removed.
Other	Not dyed.

SECTION 10: STABILITY AND REACTIVITY

10.1–10.2 Reactivity / stability	Stable under recommended storage conditions.
10.4 Conditions to avoid	Heat, flames, sparks, direct sunlight, prolonged air exposure.
Incompatible materials	Strong oxidising agents, strong acids and bases.
10.6 Hazardous decomposition	None under normal use. Combustion: CO, CO ₂ .
Hazardous polymerisation	Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Acute oral toxicity	ATEmix (calculated) ≈ 4,966 mg/kg bw – not classified (>2000 mg/kg).
Acute dermal / inhalation	Not classified based on available component data.
Skin corrosion/irritation	Causes skin irritation (Cat. 2; sum of Cat. 2 components = 47.8% ≥ 10%).
Serious eye damage/irritation	Causes serious eye irritation (Cat. 2; sum of Cat. 2 components = 31.7% ≥ 10%).
Skin sensitisation	May cause an allergic skin reaction (contains Cat. 1 sensitisers at ≥1%).
Respiratory sensitisation	Not classified.
Germ cell mutagenicity / Carcinogenicity / Reproductive toxicity	Not classified. No component present at ≥0.1% is classified CMR.
STOT single / repeated exposure	Not classified.
Aspiration hazard	Asp. Tox. 1 – contains approx. 10.2% hydrocarbons (limonene, pinenes, terpinenes, sesquiterpenes, calculated from the constituents of the essential oils), which is at or above the 10% threshold; viscosity not measured.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Sum of Aquatic Chronic 1 components = 47.8% (M-factor 1); Chronic 2 = 19.8%. Mixture classified Aquatic Chronic 1 (H410) and Aquatic Acute 1 (H400).
12.2 Persistence / degradability	Contains components that are not readily biodegradable (e.g. polycyclic / macrocyclic musks).
12.3 Bioaccumulation	Some components have log Kow > 4 and potential to bioaccumulate.
12.4 Mobility in soil	Low water solubility; expected to adsorb to soil/sediment.
12.5 PBT / vPvB	Mixture not assessed as PBT/vPvB.
Other adverse effects	Avoid release to drains and the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Product	Hazardous waste. Dispose of through a licensed waste contractor in accordance with the Environmental Protection Act 1990 and the Hazardous Waste (England and Wales) Regulations 2005 (or the Scottish/NI equivalents). Suggested List of Wastes code: 16 03 05* (organic wastes containing hazardous substances). In Kuwait: per Kuwait Environment Public Authority (KEPA) rules. Do not pour into drains.
Packaging	Empty containers retain residue; handle as the product. List of Wastes code 15 01 10* (packaging containing residues of hazardous substances) unless fully cleaned.

SECTION 14: TRANSPORT INFORMATION

Classification below applies if the tested flash point is >60 °C (expected for this composition):

Regulation	UN No.	Proper shipping name	Class	PG	Env. hazard
IATA-DGR (air)	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran (Galaxolide), Acetyl hexamethyl tetralin (Tonalide))	9	III	Yes
IMDG (sea)	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran (Galaxolide), Acetyl hexamethyl tetralin (Tonalide))	9	III	Yes – MARINE POLLUTANT
ADR / CDG 2009 (UK road)	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran (Galaxolide), Acetyl hexamethyl tetralin (Tonalide))	9	III	Yes

14.1–14.5 Small-quantity exemption

Single or inner packagings containing ≤5 L net (liquid) of UN3082 are **not subject to dangerous-goods regulations** under IATA Special Provision A197, IMDG Code 2.10.2.7 and ADR Special Provision 375. Shipments in bottles/containers of 5 L or less may therefore be sent as non-dangerous goods. Recommended wording on the air waybill / commercial invoice: *"Not restricted as per IATA Special Provision A197"*.

If flash point ≤60 °C

UN1266, PERFUMERY PRODUCTS, Class 3, PG III (IATA/IMDG/ADR). Limited Quantity (Y344 air, up to 10 L per inner packaging) and Excepted Quantity (E1) provisions apply. The A197 exemption does NOT apply to Class 3.

14.7 Transport in bulk

Not intended (MARPOL Annex II / IBC Code not applicable).

14.6 Special precautions

Keep upright, cushioned and sealed. Protect from heat during transit and customs holding in Kuwait.

SECTION 15: REGULATORY INFORMATION

15.1 UK regulations

UK REACH (SI 2019/758 as amended); GB CLP; Control of Substances Hazardous to Health Regulations 2002 (COSHH); Dangerous Substances and Explosive Atmospheres Regulations 2002 (DSEAR); Carriage of Dangerous Goods Regulations 2009 (CDG). Control of Major Accident Hazards Regulations 2015 (COMAH): category E1 (Hazardous to the aquatic environment); relevant only at tonnage quantities.

UK Cosmetics Regulation

If used in cosmetic products placed on the GB market, the finished product must comply with the UK Cosmetics Regulation (retained Regulation (EC) No 1223/2009), including Annex III allergen labelling.

15.2 Chemical safety assessment

Not carried out for this mixture.

GCC / Kuwait (export)

SDS and labelling prepared per GSO GHS requirements (GCC Standardization Organization) and the UN GHS as used in the State of Kuwait. Importers may be asked for this SDS by Kuwait General Administration of Customs, the Public Authority for Industry and KEPA. An Arabic translation of the label/SDS may be requested for commercial imports.

IFRA

Fragrance compounds are expected to comply with the current IFRA Standards (51st Amendment) at the intended use level. An IFRA Certificate of Conformity should accompany the product.

SECTION 16: OTHER INFORMATION

Full text of H-statements (Section 3)

H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Classification method

Calculation method per GB CLP Annex I and GHS Rev. 10 Parts 3–4 (additivity, ATEmix, summation method for aquatic hazards) using component classifications from raw-material supplier SDSs / ECHA C&L inventory and GB Mandatory Classification List. Flash point and viscosity are estimated.

Abbreviations

ATE: Acute Toxicity Estimate. GHS: Globally Harmonized System. GSO: GCC Standardization Organization. IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods Code. PG: Packing Group. PBT: Persistent, Bioaccumulative, Toxic.

Issue date / version

2026-09-26 / 1.1 – revised to UK REACH / GB CLP format; hazard pictograms redrawn; aspiration hazard assessed on essential-oil constituents.

Training advice

Staff handling this product should be trained in COSHH and in the contents of this SDS.

Disclaimer

The information in this SDS is based on our present knowledge and on data from raw-material suppliers. It describes the product only in terms of safety requirements and is not a product specification. Users must ensure the product is suitable for their use and comply with applicable laws.
