

SAFETY DATA SHEET


NASSER SUMMER – Fragrance concentrate (perfume compound)

Prepared in accordance with the UN GHS (Rev. 10) and GCC Standardization Organization GHS labelling requirements, for use in the State of Kuwait

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

Product name	NASSER SUMMER
Product code	YEV-NS-001
Product type	Mixture – fragrance concentrate (perfume compound), undiluted
Recommended use	Fragrance ingredient for the manufacture of fine fragrance and cosmetic products. Industrial/professional use.
Uses advised against	Direct application to skin undiluted. Not for ingestion.
Supplier	Yevfumes [Street address, City, State/Province, Postcode, Country] Tel: [Company phone] E-mail: yevfumes@gmail.com
Emergency telephone	[24-hour emergency number, e.g. CHEMTREC / Chemtel contract number] Kuwait emergency services: 112. Kuwait Poison Control Centre (Ministry of Health).

SECTION 2: HAZARDS IDENTIFICATION

Classification of the mixture	Flammable Liquid Cat. 4 (GHS; H227) – based on estimated flash point, see Section 9 Aspiration Hazard Cat. 1 (H304) Skin Irritation Cat. 2 (H315) Skin Sensitisation Cat. 1 (H317) Eye Irritation Cat. 2 (H319) Hazardous to the aquatic environment – Acute Cat. 1 (H400) Hazardous to the aquatic environment – Chronic 1 (H410)
Signal word	DANGER
Hazard pictograms	GHS07, GHS08, GHS09
 GHS07 Exclamation mark  GHS08 Health hazard  GHS09 Environment	
Hazard statements	H227 Combustible liquid (GHS Cat. 4 – estimated flash point 60–93 °C). H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing mist/vapours. P264 Wash hands thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTRE/doctor. P331 Do NOT induce vomiting. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container in accordance with local/national regulations.

Contains (sensitisers)	Iso E Super (OTNE), Hydroxycitronellal, Bergamot oil FCF, Linalool, Lemon oil, Linalyl Acetate, Sweet Orange oil, Coumarin, Mandarin oil (green), Blood Orange oil, Benzoin Siam resinoid
Other hazards	Not expected to meet PBT/VPvB criteria as a mixture. Contains natural essential oils; may cause photosensitivity in rare cases (Bergamot FCF is furocoumarin-reduced).

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical nature	Mixture of fragrance materials (aroma chemicals, essential oils, resinoids).		
Component	CAS No.	% w/w	GHS classification (component)
Galaxolide (HHCB)	1222-05-5	20.00	Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
Iso E Super (OTNE)	54464-57-2	13.00	Skin Irrit. 2 (H315); Skin Sens. 1 (H317); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
Methyl Pamplemousse	67674-46-8	8.25	Skin Irrit. 2 (H315); Aquatic Chronic 2 (H411)
Tonalide (AHTN)	1506-02-1	6.30	Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410); Acute Tox. 4 oral (H302), ATE 570 mg/kg
Dihydromyrcenol	18479-58-8	6.00	Skin Irrit. 2 (H315); Eye Irrit. 2 (H319)
Hydroxycitronellal	107-75-5	5.00	Eye Irrit. 2 (H319); Skin Sens. 1 (H317)
Vanillin	121-33-5	5.00	Eye Irrit. 2 (H319)
Bergamot oil FCF	89957-91-5	4.50	Flam. Liq. 3 (H226); Asp. Tox. 1 (H304); Skin Irrit. 2 (H315); Eye Irrit. 2 (H319); Skin Sens. 1 (H317); Aquatic Chronic 2 (H411)
Habanolide	34902-57-3	4.50	Aquatic Chronic 2 (H411)
Linalool	78-70-6	4.50	Skin Irrit. 2 (H315); Eye Irrit. 2 (H319); Skin Sens. 1 (H317)
Ethyl Vanillin	121-32-4	3.50	Eye Irrit. 2 (H319)
Lemon oil	84929-31-7	3.00	Flam. Liq. 3 (H226); Asp. Tox. 1 (H304); Skin Irrit. 2 (H315); Skin Sens. 1 (H317); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
Linalyl Acetate	115-95-7	3.00	Skin Irrit. 2 (H315); Eye Irrit. 2 (H319); Skin Sens. 1 (H317)
Sweet Orange oil	8008-57-9	3.00	Flam. Liq. 3 (H226); Asp. Tox. 1 (H304); Skin Irrit. 2 (H315); Skin Sens. 1 (H317); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
Coumarin	91-64-5	2.20	Skin Sens. 1 (H317); Aquatic Chronic 3 (H412); Acute Tox. 4 oral (H302), ATE 293 mg/kg
Verdox	88-41-5	2.00	Aquatic Chronic 2 (H411)
Mandarin oil (green)	84929-38-4	1.80	Flam. Liq. 3 (H226); Asp. Tox. 1 (H304); Skin Irrit. 2 (H315); Skin Sens. 1 (H317); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
Ethyl Maltol	4940-11-8	1.60	; Acute Tox. 4 oral (H302), ATE 1150 mg/kg
Diluent (from pre-dilutions)	see note	1.17	Not classified
Blood Orange oil	8028-48-6	0.75	Flam. Liq. 3 (H226); Asp. Tox. 1 (H304); Skin Irrit. 2 (H315); Skin Sens. 1 (H317); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
Beta Ionone	79-77-6	0.45	Aquatic Chronic 2 (H411)
Benzoin Siam resinoid	9000-72-0	0.20	Skin Sens. 1 (H317)
Phenyl Ethyl Alcohol	60-12-8	0.20	Eye Irrit. 2 (H319); Acute Tox. 4 oral (H302), ATE 1609 mg/kg
Other components, each <0.1%: Allyl Amyl Glycolate, Aldehyde C-11, Aldehyde C-8 (Octanal), Guaiacol	various	0.08	Minor contribution; considered in classification

Remaining ingredients are fragrance materials. Diluent from pre-dilutions in the formula: assumed Dipropylene Glycol (DPG, CAS 25265-71-8, not classified) – update this section if ethanol or another solvent was used. * **CAS check:** the formula lists Aldehyde C-11 with CAS 112-31-2, which is Decanal (Aldehyde C-10). Aldehyde C-11 undecylenic is 112-45-8; C-11 undecanal is 112-44-7. Confirm against the supplier label (present at 0.012% – no effect on classification).

SECTION 4: FIRST-AID MEASURES

Inhalation	Move to fresh air. If symptoms persist, get medical advice.
Skin contact	Remove contaminated clothing. Wash skin with plenty of soap and water. If irritation or rash develops, get medical advice.
Eye contact	Rinse cautiously with water for at least 15 minutes, holding eyelids open. Remove contact lenses if easy to do. If irritation persists, get medical attention.
Ingestion	Do NOT induce vomiting (aspiration hazard). Rinse mouth with water. Call a poison centre or doctor immediately. Show this SDS.
Most important symptoms	Skin redness/irritation; allergic skin reaction in sensitised persons; eye irritation; aspiration into lungs if swallowed may cause chemical pneumonitis.
Note to physician	Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam, carbon dioxide, dry chemical powder, water spray (fog).
Unsuitable media	Direct high-volume water jet (may spread burning liquid).
Specific hazards	Combustible liquid. Combustion produces carbon monoxide, carbon dioxide and irritating smoke.
Advice for fire-fighters	Wear self-contained breathing apparatus and full protective clothing. Cool closed containers with water spray. Prevent fire-fighting water from entering drains or waterways.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions	Remove ignition sources. Ventilate the area. Wear gloves and eye protection. Avoid contact with skin and eyes.
Environmental precautions	Do not allow to enter drains, sewers or watercourses. Inform authorities if released to the environment.
Clean-up	Absorb with inert material (sand, vermiculite, diatomaceous earth). Collect into closed, labelled containers for disposal. Wash the area with detergent and water; collect washings.

SECTION 7: HANDLING AND STORAGE

Safe handling	Use in a well-ventilated area. Avoid contact with skin and eyes. Keep away from heat and ignition sources. Do not eat, drink or smoke when handling. Wash hands after use.
Storage	Store in tightly closed original containers (glass, aluminium, or lacquered/lined steel) in a cool, dry, dark, well-ventilated place, ideally 10–25 °C. Protect from direct sunlight and heat – important in Kuwait summer conditions (do not leave in vehicles or unshaded outdoor storage). Minimise headspace or blanket with nitrogen to limit oxidation.
Incompatible materials	Strong oxidising agents, strong acids and bases.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure limits	No component has a Kuwait or ACGIH occupational exposure limit at the concentration present.
Engineering controls	General or local exhaust ventilation.
Eye/face protection	Safety glasses with side shields (EN 166 / ANSI Z87.1).
Hand protection	Nitrile rubber gloves (≥0.4 mm, EN 374). Replace if contaminated.
Skin/body protection	Lab coat or protective clothing.
Respiratory protection	Not normally required with adequate ventilation. For aerosols or large spills, organic-vapour filter (type A).

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state / appearance	Clear liquid, pale yellow (estimated)
Odour	Citrus, aromatic, musky, sweet
Flash point (closed cup)	Estimated >60 °C (typically 65–90 °C for this type of composition). MUST be confirmed by laboratory test (ISO 2719 / ASTM D93 or ISO 3679 / ASTM D3828) before shipment – the result determines the transport classification in Section 14.
Relative density	approx. 0.97–1.00 g/cm ³ at 20 °C (estimated)
Solubility	Insoluble in water; soluble in ethanol and fragrance oils.
Boiling point	>150 °C (mixture, estimated)
Auto-ignition temperature	>200 °C (estimated)
Explosive / oxidising properties	Not explosive. Not oxidising.
Kinematic viscosity	Not determined. If measured >20.5 mm ² /s at 40 °C, the H304 classification may be removed.
Other	Not dyed.

SECTION 10: STABILITY AND REACTIVITY

Reactivity / stability	Stable under recommended storage conditions.
Conditions to avoid	Heat, flames, sparks, direct sunlight, prolonged air exposure.
Incompatible materials	Strong oxidising agents, strong acids and bases.
Hazardous decomposition	None under normal use. Combustion: CO, CO ₂ .

Hazardous polymerisation

Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute oral toxicity	ATEmix (calculated) $\approx$ 4,966 mg/kg bw – not classified (>2000 mg/kg).
Acute dermal / inhalation	Not classified based on available component data.
Skin corrosion/irritation	Causes skin irritation (Cat. 2; sum of Cat. 2 components = $47.8\% \geq 10\%$).
Serious eye damage/irritation	Causes serious eye irritation (Cat. 2; sum of Cat. 2 components = $31.7\% \geq 10\%$).
Skin sensitisation	May cause an allergic skin reaction (contains Cat. 1 sensitisers at $\geq 1\%$).
Respiratory sensitisation	Not classified.
Germ cell mutagenicity / Carcinogenicity / Reproductive toxicity	Not classified. No component present at $\geq 0.1\%$ is classified CMR.
STOT single / repeated exposure	Not classified.
Aspiration hazard	Asp. Tox. 1 – contains 13.1% of Cat. 1 components (hydrocarbon-rich essential oils); viscosity not measured.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity	Sum of Aquatic Chronic 1 components = 47.8% (M-factor 1); Chronic 2 = 19.8%. Mixture classified Aquatic Chronic 1 (H410) and Aquatic Acute 1 (H400).
Persistence / degradability	Contains components that are not readily biodegradable (e.g. polycyclic / macrocyclic musks).
Bioaccumulation	Some components have log Kow > 4 and potential to bioaccumulate.
Mobility in soil	Low water solubility; expected to adsorb to soil/sediment.
PBT / vPvB	Mixture not assessed as PBT/vPvB.
Other adverse effects	Avoid release to drains and the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Product	Dispose of as hazardous chemical waste through a licensed contractor, in accordance with Kuwait Environment Public Authority (KEPA) regulations and local rules. Do not pour into drains.
Packaging	Empty containers retain residue; handle as the product. Recycle only when fully cleaned.

SECTION 14: TRANSPORT INFORMATION

Classification below applies if the tested flash point is >60 °C (expected for this composition):

Regulation	UN No.	Proper shipping name	Class	PG	Env. hazard
IATA-DGR (air)	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran (Galaxolide), Acetyl hexamethyl tetralin (Tonalide))	9	III	Yes
IMDG (sea)	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran (Galaxolide), Acetyl hexamethyl tetralin (Tonalide))	9	III	Yes – MARINE POLLUTANT
ADR (road)	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran (Galaxolide), Acetyl hexamethyl tetralin (Tonalide))	9	III	Yes

Small-quantity exemption	Single or inner packagings containing ≤ 5 L net (liquid) of UN3082 are not subject to dangerous-goods regulations under IATA Special Provision A197, IMDG Code 2.10.2.7 and ADR Special Provision 375. Shipments in bottles/containers of 5 L or less may therefore be sent as non-dangerous goods. Recommended wording on the air waybill / commercial invoice: "Not restricted as per IATA Special Provision A197".
If flash point ≤ 60 °C	UN1266, PERFUMERY PRODUCTS, Class 3, PG III (IATA/IMDG/ADR). Limited Quantity (Y344 air, up to 10 L per inner packaging) and Excepted Quantity (E1) provisions apply. The A197 exemption does NOT apply to Class 3.
Transport in bulk	Not intended.
Special precautions	Keep upright, cushioned and sealed. Protect from heat during transit and customs holding in Kuwait.

SECTION 15: REGULATORY INFORMATION

GCC / Kuwait	SDS and labelling prepared per GSO GHS requirements (GCC Standardization Organization) and the UN GHS as used in the State of Kuwait. Importers may be asked for this SDS by Kuwait General Administration of Customs, the Public Authority for Industry and KEPA. An Arabic translation of the label/SDS may be requested for commercial imports.
IFRA	Fragrance compounds are expected to comply with the current IFRA Standards (51st Amendment) at the intended use level. An IFRA Certificate of Conformity should accompany the product.

SECTION 16: OTHER INFORMATION

Full text of H-statements (Section 3)	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
Classification method	Calculation method per GHS Rev. 10 Parts 3–4 (additivity, ATEmix, summation method for aquatic hazards) using component classifications from raw-material supplier SDSs / ECHA C&L inventory. Flash point and viscosity are estimated.
Abbreviations	ATE: Acute Toxicity Estimate. GHS: Globally Harmonized System. GSO: GCC Standardization Organization. IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods Code. PG: Packing Group. PBT: Persistent, Bioaccumulative, Toxic.
Issue date / version	2026-09-26 / 1.0
Disclaimer	The information in this SDS is based on our present knowledge and on data from raw-material suppliers. It describes the product only in terms of safety requirements and is not a product specification. Users must ensure the product is suitable for their use and comply with applicable laws.