

Water Quality Association International Headquarters 4151 Naperville Road Lisle, IL 60532-3696 USA

Phone: 630 505 0160 Fax: 630 505 9637 www.wqa.org

A not-for-profit organization.

March 24, 2015

Pearl Cai iSpring Water Systems, LLC 3020 Trotters Parkway Alpharetta, GA 30004

Dear Pearl Cai,

For your records, WQA is sending you the test report for the NSF/ANSI 58 - 2013 - Structural Integrity (Hydrostatic) Testing conducted on the PJ-1034 Booster Pump.

We appreciate your business and look forward to working with you on future testing and certification projects. Should you have any questions or need additional information, please feel free to contact Tana Brady at (630) 505-0160 x 507 or tbrady@wqa.org.

Sincerely, Water Quality Association

Amanda Grass, CWS-VI Laboratory Assistant

Enclosures.

Revised: 03/21/2013 FORM.10020



Water Quality Association International Headquarters 4151 Naperville Road,

Lisle, IL 60532-3696

 $A\ not\ \hbox{-}for\hbox{-}profit\ organization.$

Phone: 630 505 0160 Fax: 630 505 9637 www.wqa.org

iSpring Water Systems, LLC Test Report

| REP.7168.1501L.032415.02 Certification Project: 7138.1401C Testing Laboratory: Water Quality Association Laboratory 4151 Naperville Road Lisle, IL 60532 Client: iSpring Water Systems, LLC 3020 Trotters Parkway Alpharetta, GA 30004 Test Unit Number: 7168.1501L.07 Model Number: PJ-1034 Booster Pump Test Completion Date: March 11, 2015 Test Method: NSF/ANSI 58 - 2013 - Structural Integrity (Hydrostatic) Test Results: PASS Comments: Testing was conducted to Standard 58 with no deviations based on the Manufacturer's Maximum Working Pressure (MWP) of 80 psi. All testing was conducted at WQA's Performance Laboratory. Please see the enclosed Structural Integrity Test Summary for a review of the data. Testing Conducted By: Megan Aubry, Laboratory Analyst Report Approved By: 3/24/2015 Tom Spoden, CWS-VI, Laboratory Manager Date | • | Spring water systems, LLC rest Report | |
|---|--|---|-----------|
| Testing Laboratory: Water Quality Association Laboratory 4151 Naperville Road Lisle, IL 60532 Client: iSpring Water Systems, LLC 3020 Trotters Parkway Alpharetta, GA 30004 Test Unit Number: 7168.1501L.07 Model Number: PJ-1034 Booster Pump Test Completion Date: March 11, 2015 Test Method: NSF/ANSI 58 - 2013 - Structural Integrity (Hydrostatic) Test Results: PASS Comments: Testing was conducted to Standard 58 with no deviations based on the Manufacturer's Maximum Working Pressure (MWP) of 80 psi. All testing was conducted at WQA's Performance Laboratory. Please see the enclosed Structural Integrity Test Summary for a review of the data. Testing Conducted By: Megan Aubry, Laboratory Analyst Report Approved By: 3/24/2015 | Report Number: | REP.7168.1501L.032415.02 | |
| 4151 Naperville Road Lisle, IL 60532 Client: iSpring Water Systems, LLC 3020 Trotters Parkway Alpharetta, GA 30004 Test Unit Number: 7168.1501L.07 Model Number: PJ-1034 Booster Pump Test Completion Date: March 11, 2015 Test Method: NSF/ANSI 58 - 2013 - Structural Integrity (Hydrostatic) Test Results: PASS Comments: Testing was conducted to Standard 58 with no deviations based on the Manufacturer's Maximum Working Pressure (MWP) of 80 psi. All testing was conducted at WQA's Performance Laboratory. Please see the enclosed Structural Integrity Test Summary for a review of the data. Testing Conducted By: Megan Aubry, Laboratory Analyst Report Approved By: 3/24/2015 | Certification Project: | 7138.1401C | |
| 3020 Trotters Parkway Alpharetta, GA 30004 Test Unit Number: 7168.1501L.07 Model Number: PJ-1034 Booster Pump Test Completion Date: March 11, 2015 Test Method: NSF/ANSI 58 - 2013 - Structural Integrity (Hydrostatic) Test Results: PASS Comments: Testing was conducted to Standard 58 with no deviations based on the Manufacturer's Maximum Working Pressure (MWP) of 80 psi. All testing was conducted at WQA's Performance Laboratory. Please see the enclosed Structural Integrity Test Summary for a review of the data. Testing Conducted By: Megan Aubry, Laboratory Analyst Report Approved By: 3/24/2015 | Testing Laboratory: | 4151 Naperville Road | |
| Model Number: PJ-1034 Booster Pump Test Completion Date: March 11, 2015 Test Method: NSF/ANSI 58 - 2013 - Structural Integrity (Hydrostatic) Test Results: PASS Comments: Testing was conducted to Standard 58 with no deviations based on the Manufacturer's Maximum Working Pressure (MWP) of 80 psi. All testing was conducted at WQA's Performance Laboratory. Please see the enclosed Structural Integrity Test Summary for a review of the data. Testing Conducted By: Megan Aubry, Laboratory Analyst Report Approved By: 3/24/2015 | Client: | 3020 Trotters Parkway | |
| Test Completion Date: March 11, 2015 Test Method: NSF/ANSI 58 - 2013 - Structural Integrity (Hydrostatic) Test Results: PASS Comments: Testing was conducted to Standard 58 with no deviations based on the Manufacturer's Maximum Working Pressure (MWP) of 80 psi. All testing was conducted at WQA's Performance Laboratory. Please see the enclosed Structural Integrity Test Summary for a review of the data. Testing Conducted By: Megan Aubry, Laboratory Analyst Report Approved By: 3/24/2015 | Test Unit Number: | 7168.1501L.07 | |
| Test Method: NSF/ANSI 58 - 2013 - Structural Integrity (Hydrostatic) Test Results: PASS Comments: Testing was conducted to Standard 58 with no deviations based on the Manufacturer's Maximum Working Pressure (MWP) of 80 psi. All testing was conducted at WQA's Performance Laboratory. Please see the enclosed Structural Integrity Test Summary for a review of the data. Testing Conducted By: Megan Aubry, Laboratory Analyst 8 Report Approved By: 3/24/2015 | Model Number: | PJ-1034 Booster Pump | |
| Test Results: PASS Comments: Testing was conducted to Standard 58 with no deviations based on the Manufacturer's Maximum Working Pressure (MWP) of 80 psi. All testing was conducted at WQA's Performance Laboratory. Please see the enclosed Structural Integrity Test Summary for a review of the data. Testing Conducted By: Megan Aubry, Laboratory Analyst Report Approved By: 3/24/2015 | Test Completion Date: | March 11, 2015 | |
| Comments: Testing was conducted to Standard 58 with no deviations based on the Manufacturer's Maximum Working Pressure (MWP) of 80 psi. All testing was conducted at WQA's Performance Laboratory. Please see the enclosed Structural Integrity Test Summary for a review of the data. Testing Conducted By: Megan Aubry, Laboratory Analyst Report Approved By: 3/24/2015 | Test Method: | NSF/ANSI 58 - 2013 - Structural Integrity (Hydrostatic) | |
| Testing was conducted to Standard 58 with no deviations based on the Manufacturer's Maximum Working Pressure (MWP) of 80 psi. All testing was conducted at WQA's Performance Laboratory. Please see the enclosed Structural Integrity Test Summary for a review of the data. Testing Conducted By: Megan Aubry, Laboratory Analyst Report Approved By: 3/24/2015 | Test Results: | PASS | |
| Report Approved By: 3/24/2015 | Testing was conducted to Standard 5 (MWP) of 80 psi. All testing was con | ducted at WQA's Performance Laboratory. Please see the enclosed Sti | _ |
| | Testing Conducted By: | Megan Aubry, Laboratory Analyst | |
| Tom Spoden, CWS-VI, Laboratory Manager Date | Report Approved By: | | 3/24/2015 |
| | | Tom Spoden, CWS-VI, Laboratory Manager | Date |

This report may not be reproduced, except in whole, without the written approval of WQA. The test results relate only to the specific items tested and do not indicate the product is certified by WQA or can display the Gold Seal Mark.



Water Quality Association International Headquarters 4151 Naperville Road, Lisle, IL 60532-3696 Phone: 630 505 0160 Fax: 630 505 9637

www.wqa.org
A not -for-profit organization.

STRUCTURAL INTEGRITY TEST SUMMARY

Test Unit Number: 7168.1501L.07

Manufacturer: iSpring Water Systems, LLC

Model: PJ-1034 Booster Pump

Hydrostatic Test:

Test Unit Number: 7168.1501L.07 Result: PASS

Test Date: 3/11/2015

Analyst: Megan Aubry

Notes: The test unit maintained structural integrity at 120 psi for 15 minutes.

