

NTVE.



LIDA Tasks




Generate Charts

★ Insight 0: ⇔

main() Goal Goal(question='What is the correlation between app store rating (`score`)
and the number of downloads (`downloads`)?', visualization='Scatter plot of `score` vs
`downloads`', rationale='This visualization will reveal if higher-rated apps tend to
have more downloads, providing insights into the relat...

A visualization goal	
index int	0
question str	'What is the correlation between app store rating (`score`) and the number of downloads (`downloads`)?'
rationale str	'This visualization will reveal if higher-rated apps tend to have more downloads, providing insights into the relationship between app quality (as perceived by users) and app popularity. The use of a scatter plot allows for the identification of potential outliers and trends.'
visualization str	'Scatter plot of `score` vs `downloads`'



^{** 「}つ・・・?つ Download Chart **

localhost:8501/task




* Insight 1:

main() Goal Goal(question='How does the distribution of app ratings (`score`) vary
across different content rating categories (`content_rating`)?', visualization='Box plot
of `score` grouped by `content_rating`', rationale="This will show if there are
significant differences in average ratings and rating variab...

A visualization goal	
index int	1
question str	'How does the distribution of app ratings (`score`) vary across different content rating categories (`content_rating`)?'
rationale str	"This will show if there are significant differences in average ratings and rating variability between apps with different content ratings (e.g., 'Everyone', 'Teen', etc.). A box plot effectively displays the median, quartiles, and outliers for each category."
visualization str	'Box plot of `score` grouped by `content_rating`'

How does the distribution of app ratings (`score`) vary across different content rating categories (`content_rating`)?



** 「つ・・・?つ Download Chart **



★ Insight 2:


main() Goal Goal(question='What are the top 10 app categories (`categories`) with the
highest average number of downloads (`downloads`)?', visualization='Bar chart of average
`downloads` for the top 10 `categories`', rationale='This will identify the most popular
app categories in terms of total downloads. A b...


A visualization goal

index int	2
question str	'What are the top 10 app categories (`categories`) with the highest average number of downloads (`downloads`)?'
rationale str	'This will identify the most popular app categories in terms of total downloads. A bar chart provides a clear and easy-to-understand

14:44 10/5/25

NTViz





<u>** 「つ・・・?つ Download Chart **</u>



★ Insight 3:

main() Goal Goal(question='What is the relationship between the number of ratings
(`ratings_count`) and the app store rating (`score`)? Are highly rated apps always
reviewed more frequently?', visualization='Scatter plot of `ratings_count` vs `score`
with a trend line', rationale='This explores the relationshi...


A visualization goal

index int	3
question str	'What is the relationship between the number of ratings (`ratings_count`) and the app store rating (`score`)? Are highly rated apps always reviewed more frequently?'

localhost:8501/task 5/7

rationale str	'This explores the relationship between the number of user reviews and the average rating. A scatter plot with a trend line will show the overall correlation and help identify any potential patterns or anomalies. This helps understand if higher ratings correlate with more reviews, suggesting a more
visualization str	'Scatter plot of `ratings_count` vs `score` with a trend line'

What is the relationship between the number of ratings ('ratings_count') and the app store rating ('score')? Are highly rated apps always reviewed more frequently?



<u>** 「つ・・・?つ Download Chart **</u>



★ Insight 4:

main() Goal Goal(question='How does the distribution of downloads (`downloads`) differ
across various app sections (`section`)?', visualization='Logarithmic bar chart of
`downloads` grouped by `section`', rationale="This visualization will compare the number
of downloads across different app sections (e.g., 'To...

NTViz

A visualization goal

index int	4
question str	'How does the distribution of downloads (`downloads`) differ across various app sections (`section`)?'
rationale str	"This visualization will compare the number of downloads across different app sections (e.g., 'Tools & Utilities', 'Games', etc.). A logarithmic scale is used to better visualize the wide range of download numbers, preventing the chart from being dominated by a few apps with exceptionally high downl
visualization str	'Logarithmic bar chart of `downloads` grouped by `section`'