Design Principles

Interfaces Over Implementations, Composition Over Inheritance

Design Principle:

Code to an Interface, Not an Implementation

When faced with the choice between interacting with subclasses or interacting with a supertype, choose the supertype. Your code will be easier to extend and will work with all of the interface's subclasses – even those not yet created.


 Note: we are talking about the concept of an interface here – not the actual interface construct in languages like Java

• The interface we are talking about could be an interface, abstract class, or even a concrete superclass

• This design principle really says: Code to a Supertype, Not a Subtype

Modelling Athletes and Teams

• Suppose we have the following hierarchy:



Modelling Athletes and Teams


We wish to model a team of athletes

- One option: create a class Team and then subclass that for each specific team type:
 - BaseballTeam
 - FootballTeam
 - TennisTeam
 - ...

Modelling Athletes and Teams


- Issues
 - Creates a large inheritance hierarchy (KISS principle – Keep It Simple, Stupid)
 - Results in extensive code duplication (DRY principle – Don't Repeat Yourself)
 - Have to add a new subclass for each new sport we wish to support

A better way...



7

• A better way...



Benefits

- Adds flexibility
 - Code can now work with any type of Athlete even those we haven't created yet
- Simplified architecture
- Reduced duplication
 - Having a hierarchy of teams (BaseballTeam, FootballTeam, ...) would result in extensive duplication of code
 - addPlayer would duplicate in each class

always choose buse eye at first.

Design Principle:

Favour Composition Over Inheritance


By favouring delegation, composition, and aggregation over inheritance, we can produce software that is more flexible, and easier to maintain, extend, and reuse.

• Inheritance establishes an IS-A relationship

 Composition/aggregation establish a HAS-A relationship – this can often be preferable

something HAS A behavior, that is, adding feature to

• We already saw an example of this in the duck simulation...



 Instead of inheriting their behaviour, the ducks get their behaviour by being composed with the right behaviour object

• Benefits:


- Creating systems using composition gives us more flexibility
- Encapsulate a family of algorithms into their own set of classes
- Can easily extend the code with new behaviours
- Can change behaviour at run-time
- Reduce code duplication

Rule of thumb:

 If you need to use functionality in another class, but you don't need to change that functionality, consider using delegation instead of inheritance.

• An object composed of other objects owns those objects

 When the object is destroyed, so are all the objects of which it is composed




```
Unit* pirate = new Unit();
pirate->SetProperty("weapon", new Sword());
```

This Unit is composed with an instance of Sword.

Unit

Sword


This Sword object outside of the context of this particular Unit.



- Note: we are not necessarily seeking to model the real world exactly here:
 - Yes, a weapon could exist on its own in the real world
 - The question you should be asking yourself is whether or not in your model, you need to track a weapon outside of a unit
 - If not, use **composition** (OWNS-A)
 - If so, use **aggregation** (HAS-A)

Aggregation

- An object comprised of other objects uses those objects
- Those objects exist outside of the object
- When the object is destroyed, the objects that comprise it remain



Composition vs. Aggregation

- When deciding which to use, simply ask: Do I need this object outside of the class?
 - If no, use composition (black diamond of death)

If yes, use aggregation (white diamond of life)