

ChessCardRelease


Server

需要在user.json中按照json格式添加账号密码

如账号1:abc,密码:123;账号2:efg,密码:asd

则如图

```
{  
  "abc": "123",  
  "efg": "asd"  
}
```




The screenshot shows a terminal window with a dark background. The title bar at the top indicates the file path 'D:\Qtprogram\ChessCardRele' and includes standard window controls. The terminal output shows the program displaying the local IP address '192.168.0.104' and prompting the user to enter a listening IP and port. The user has entered '127.0.0.1' for the IP and '1200' for the port.


```
D:\Qtprogram\ChessCardRele  ×  +  ▾  
Your IP is 192.168.0.104  
Please enter IP:127.0.0.1  
Please enter port(must be more equal 1024):1200  
|
```

输入监听的IP地址和端口，回车


Client



输入服务器端IP地址和端口，点击确定



输入账号密码，点击登录



选择游戏，目前只有一种，点击进入



玩家身份有两种，第一个进入的为房主，可以选择开始游戏

虎牌

III

当前牌数27

fff

当前牌数27

yyy

当前牌数27

yfl

当前牌数27

当前点数

牌堆数量:0

出牌

90

3

3♣

3♣

3♥

4♠

4♥

5♠

5♦

5♥

6♣

6♠

6♥

7♣

7♦

7♥

8♥

8♥

8♥

9♦

9♣

9♣

10♦

10♦

10♦

J♥

J♠

J♠

Q♥

Q♥

Q♠

K♥

A♠

A♠

2♣

2♥

2♥

出牌界面

虎牌

yfl

当前牌数24

III

当前牌数27

fff

当前牌数27

yyy

当前牌数27

当前点数:3

牌堆数量:3

出牌

97

不出

3♦

3♦

3♦

4♠

4♥

4♥

5♣

5♠

5♥

6♣

6♣

6♣

8♣

8♠

8♦

9♦

9♠

9♥

10♠

10♠

10♥

J♥

J♦

J♦

Q♥

Q♣

Q♣

K♥

K♣

K♣

A♣


A♠

2♥


2♠

2♦

跟牌界面



是否check



check后界面