【Feature Platform】RAG Agent Application PRD

- **Summary**

1. 此功能支持用户在 Feature Platform 内通过 Ask AI 查询“该用哪个特征”：Agent 从已入库 Feature Knowledge 中检索并返回可解释 Feature Card，包含命中原因、适用范围、data source、owner、usage example 和风险边界，降低业务方依赖人工 oncall 找特征的成本；
2. 支持 RAG 编辑用户通过 Agent Q&A 完成特征知识录入与维护：Agent 将 F3 新特征设置表单包装成 skill template，按问答方式收集必要字段，并自动渲染为平台可写入的结构化特征信息；
3. 支持录入内容通过 skills evaluation 后直接生效：Agent 自动评估字段完整度、语义质量、source/owner 可追溯性和检索可用性，通过后写入 Knowledge Library 并进入 embedding queue
4. Enables users to query “Which feature should I use?” via Ask AI within the Feature Platform: The Agent retrieves and returns an explainable Feature Card from the Feature Knowledge repository, including the reason for selection, scope of application, data source, owner, usage example, and risk boundaries, thereby reducing the cost for business users of relying on manual on-call support to find features;
5. Enables RAG editors to enter and maintain feature knowledge via Agent Q&A: The Agent wraps the F3 new feature configuration form into a skill template, collects required fields through a question-and-answer format, and automatically renders the information into structured feature data that can be written to the platform;
6. Enables entered content to take effect immediately upon passing skills evaluation: The Agent automatically evaluates field completeness, semantic quality, traceability of source/owner, and search usability; upon passing, the information is written to the Knowledge Library and enters the embedding queue

- **Related Documents**

1. What are we building?//需求概述

这个需求背景计划从两个层面说明：平台规划和业务应用。
This requirement background is explained from two perspectives: platform planning and business application.

1. 平台规划层面，Feature Platform 作为特征中台，当前已经沉淀了大量可被下游策略、模型和治理场景消费的特征，但平台主要承载的是特征注册、分发和配置能力，缺少面向“特征理解、检索和使用决策”的知识层。随着特征数量持续增长，业务用户很难仅通过 feature code、字段名或 owner 信息判断某个特征是否适合当前策略场景，也无法快速了解特征的含义、数据来源、适用范围和风险边界。因此，需要在 Feature Platform 内建设 Feature Knowledge Library + Ask AI 能力，把分散在代码、文档、RD 经验和 oncall 口径里的特征知识结构化沉淀下来，形成可检索、可维护、可被 Agent 消费的轻量 RAG 能力。

From the platform planning perspective, Feature Platform, as a centralized feature platform, has already accumulated a large number of features that can be consumed by downstream strategies, models, and governance scenarios. However, the platform today mainly supports feature registration, distribution, and configuration. It still lacks a knowledge layer for feature understanding, retrieval, and usage decision-making. As the number of features continues to grow, business users can hardly determine whether a feature is suitable for a specific strategy scenario only based on feature code, field name, or owner information. They also cannot quickly understand the feature meaning, data source, applicable scope, and risk boundaries. Therefore, Feature Platform needs to build Feature Knowledge Library + Ask AI capabilities to structure feature knowledge currently scattered across code, documents, RD experience, and oncall answers, and turn it into a lightweight RAG capability that is searchable, maintainable, and consumable by agents.

2. 业务应用层面，从业务侧看，当前主要存在两类典型场景：

From the business application perspective, there are two typical scenarios today:
特征发现与使用决策

1. 当业务方在 IDSP 策略配置或治理分析中需要选择特征时，往往只知道业务问题，但不知道应该使用哪个 feature。现状下用户通常依赖人工询问 RD、PM 或平台 oncall，效率低且口径不稳定。Ask AI 需要支持用户用自然语言描述策略问题，并返回可解释的 Feature Card，包括命中原因、适用范围、data source、owner、usage example 和 risk / limitation，帮助用户快速判断“这个场景该用哪个特征”。

Feature discovery and usage decision-making
When business users need to select features for IDSP strategy configuration or governance analysis, they often only know the business problem but do not know which feature should be used. Today, users usually rely on manually asking RD, PM, or platform oncall, which is inefficient and often leads to inconsistent answers. Ask AI needs to support users in describing their strategy problem in natural language and returning explainable Feature Cards, including why the feature is matched, applicable scope, data source, owner, usage example, and risk / limitation. This helps users quickly determine which feature should be used in a given scenario.
特征知识补录、维护与新建

2. 随着存量特征和新增特征不断进入平台，单靠人工维护文档无法保证知识完整度和可持续更新。对于 no result、low confidence、知识缺失或新 feature 创建场景，有 RAG 编辑权限的用户需要能够通过 Agent 问答方式补录、维护或创建特征知识。Agent 按 F3 新特征设置模板收集 feature meaning、entity、data source、owner、usage example、risk / limitation 等字段，并通过 skills evaluation 判断是否符合知识库要求，通过后直接写入 Knowledge Library 并进入 embedding queue 生效。

Feature knowledge supplement, maintenance, and new feature creation
As both existing and new features continue to enter the platform, manually maintained documents alone cannot ensure knowledge completeness or sustainable updates. For no-result, low-confidence, missing-knowledge, or new feature creation scenarios, users with

RAG edit permission need to supplement, maintain, or create feature knowledge through Agent Q&A. The Agent follows the F3 new feature setup template to collect fields such as feature meaning, entity, data source, owner, usage example, and risk / limitation. It then runs skills evaluation to determine whether the content meets Knowledge Library requirements. Once passed, the content is directly written into the Knowledge Library and enters the embedding queue to become effective.

结论：基于以上背景，Feature Platform 计划建设 Feature Knowledge Library + Ask AI 能力。本期将优先搭建 MVP 版本，覆盖"特征发现"和"Agent 辅助特征知识录入 / 维护 / 新建"两个核心场景，通过轻量 RAG 降低业务找特征、理解特征和维护特征知识的成本，为后续特征血缘、策略推荐、oncall 合并和跨入口 Agent 能力建设打下基础。

Conclusion: Based on the above background, Feature Platform plans to build Feature Knowledge Library + Ask AI capabilities. This phase will prioritize an MVP version covering two core scenarios: feature discovery and Agent-assisted feature knowledge supplement / maintenance / new feature creation. Through lightweight RAG, the platform aims to reduce the cost for business users to find features, understand features, and maintain feature knowledge, while laying the foundation for future feature lineage, strategy recommendation, oncall integration, and cross-entry Agent capabilities.

2. Goal//目标& Indicators//指标

Feature Platform 是策略生产链路中的 feature intelligence layer：负责特征发现、特征解释、适用性判断、数据来源追溯、风险边界提示和知识持续更新。

Goal	Metric // 指标	Owner
提升特征可检索覆盖率 Improve searchable feature coverage	当前基线：7,024 features，其中 6,683 indexed，覆盖率 95.1%；P0 目标：indexed 可用率 ≥ 99%，failed items 可被批量重跑并保留失败原因。	Feature Platform RD / PM
降低业务方找特征成本 Reduce feature discovery effort	从人工询问平台 owner 的 X min → Ask AI 首轮返回 ≤ 30s；Feature Card 点击到详情页路径 1 step。	PM / DA
提高新特征创建完整度 Improve completeness for new feature creation	`New feature entry · Ask AI` 生成的新 feature 草稿必须覆盖：feature code/name、entity、data source、owner、usage example、risk / limitation；P0 required fields submit completeness = 100%。	PM / RD
提升 RAG 召回可验证性Make RAG recall verifiable	每条详情页展示 structured text、embedding model、chunk count、vector id、last synced；用户从 Ask AI Feature Card 跳转 F2 后可完成最终确认。	RD

3. Requirement Over all

1. Featurelist

Platform	Menu	Feature list	Feature list（English）	优先级
Feature Platform	特征 Agent 应用 / Knowledge Library	FE: 将现有 Feature List 升级为 Knowledge Library 管理页，展示 KPI、筛选、RAG Status、Last Synced、批量 Re-index、单条 View RAG / Re-run。 BE: 从 Feature Platform Meta 同步基础字段，并与 Knowledge Library / embedding pipeline 建立状态映射。	FE: Upgrade the existing Feature List into a Knowledge Library management page with KPI, filters, RAG Status, Last Synced, batch Re-index, and per-row View RAG / Re-run actions. BE: Sync basic fields from Feature Platform Meta and map them to Knowledge Library and embedding pipeline statuses.	P0
Feature Platform	Feature Detail	FE: 详情页三栏展示 read-only Meta、Structured Text、RAG Status；详情页本身不承载补录逻辑，只用于查看、确认、Regenerate / Re-index。 BE: 生成 embedding-ready structured text，并返回 vector id、embedding model、chunk count、sync time、coverage 与 recall test result。	FE: The detail page uses a three-column layout for read-only Meta, Structured Text, and RAG Status. It does not carry new-feature creation or backfill tasks; it is used for viewing, confirmation, Regenerate, and Re-index. BE: Generate embedding-ready structured text and return vector id, embedding model, chunk count, sync time, coverage, and recall test result.	P0
Feature Platform	New Feature Entry · Ask AI	FE: 在新建特征页提供 `New feature entry · Ask AI` 空态入口；用户点击 `Start Agent Entry` 后进入 Agent Q&A 窗口。Agent 通过问答收集新 feature 的业务诉求、feature meaning、entity、data	FE: Provide an empty-state New `feature entry · Ask AI` entry on the new feature page. After the user clicks `Start Agent Entry`, an Agent Q&A window opens. The Agent	P0

		source、owner、usage example、risk / limitation，并生成新 feature draft。用户按 `Confirm → Skills Evaluation → Submit` 提交；单个新 feature 任务结束后关闭当前 conversation，如需继续创建另一条 feature，需要开启新的 Agent conversation。 BE: 用户 Submit 后同时写入 Feature Platform Meta 与 Knowledge Library，触发 Agent 使用 skills 评估新 feature 草稿是否符合知识库要求；通过后自动进入 embedding queue。	collects the business need, feature meaning, entity, data source, owner, usage example, and risk / limitation, then generates a new feature draft. The user submits through `Confirm → Skills Evaluation → Submit`. After one new-feature task ends, the current conversation is closed; creating another feature requires a new Agent conversation. BE: After submitting, write to Feature Platform Meta and Knowledge Library, then trigger Agent skills to evaluate whether the new feature draft meets knowledge-based requirements. If passed, the item enters the embedding queue automatically.	
Feature Platform	Ask AI Widget	FE: 页面右下常驻 Ask AI，与 Oncall widget 并存；点击打开侧边面板，支持 prompt suggestions、Feature Card、低置信结果提示、空结果引导新建。 BE: 本期仅支持 Feature Discovery 模式，返回候选特征、解释、置信度和跳转信息。	FE: Keep an always-on Ask AI button at the bottom right, coexisting with the Oncall widget. Clicking it opens a side panel with prompt suggestions, Feature Cards, low-confidence hints, and empty-result guidance to create a new feature. BE: P0 only supports Feature Discovery mode, returning candidate features, explanations, confidence scores, and navigation metadata.	P0

Feature Platform / Oncall-> Lark	Ask AI Widget / Platform Oncall	P2 再与 Oncall 团队对齐是否合并；本期不改现有 Oncall，不 block RAG 上线。	Align with the Oncall team in P2 on whether the two widgets should merge. P0 does not change the existing Oncall widget and should not block the RAG launch.	P2

2.
User Story Route

USER JOURNEY FLOW CHART · AGENT Q&A FEATURE ENTRY

Agent Q&A Feature Entry / 通过 Agent 问答式录入特征

有 RAG 编辑权限的用户通过 Agent 对话补录 / 维护特征知识，确认生成稿后触发评估、入库并直接生效。

Source: Feature RAG discussion notes + PRD
Scope: P0 write capability · no manual–entry template journey

Core Principle / 核心原则： 录入不是手填模板，而是 Agent Q&A：用户描述特征和使用场景，Agent 追问缺失上下文并生成结构化知识。用户确认后不走人工审批，直接进入 Agent Evaluation；通过后 embedding 入库并对 Ask AI 生效。

User Journey · Agent Q&A Feature Entry / 用户通过 Agent 问答式录入特征

RAG editor → describe feature in chat → Agent asks missing context → generated knowledge draft → user confirm → evaluation → embedding → indexed effective



Design Rule / 设计规则： 这张图单独表达“用户通过 Agent 问答式录入特征”的 journey：有权限 → 问答补齐上下文 → 生成知识草稿 → 用户确认 → Agent Evaluation → embedding 入库 → Ask AI 可召回。不包含手动模板录入。

USER JOURNEY FLOW CHART · FEATURE KNOWLEDGE LIBRARY RAG

Feature RAG User Journey / 特征知识库 RAG 用户路径流程图

Flow A: Ask AI Agent 读权限用于 Feature Discovery · Flow B: 有 RAG 编辑权限的人通过 Agent 补录 / 维护知识，评估后 embedding 入库

Source: Feature Knowledge Library RAG PRD + prototype v0.2
Scope: P0 Feature Discovery only · Oncall widget stays unchanged

Core Principle / 核心原则： Ask AI Agent 有两个能力：Feature Discovery 读能力面向所有可访问用户；补录 / 维护写能力只面向有 RAG 编辑权限的人。知识维护不走手动录入 journey，不走人工审批，由 Agent 调用 skills 评估是否符合知识库要求；通过后 embedding 入库并直接生效。



Design Rule / 设计规则： Flow A 表达 Ask AI Agent 的 Feature Discovery 读能力；Flow B 表达有 RAG 编辑权限的人如何通过 Agent 问答式录入 / 维护特征知识、确认生成稿、触发 skills 评估、入库、失败重跑。手动模板录入不进入本 user journey。

4. Feature Details-Page

1. Feature1+2：Library Management+Feature Details

<table>
<tr><th>Demo</th><th>Description</th></tr>
<tr><td>
</td><td></td></tr>
</table>


Secondary path · manual template
Hide manual form
This page writes the feature to both Feature Platform Meta and Knowledge Library. All features automatically enter the embedding queue.
No manual approval on submit · triggers Agent Skills Evaluation (required-field completeness / semantic clarity / source & owner traceability / usage-example recallability / risk covering launch boundaries); enters the embedding queue once passed.
Basic Info
Storage & Data Source
Rate Limit
Knowledge Library
new
Feature English name *
e.g. Slice · In Battle
Feature Chinese name *
例：切片是否在 PK 中
Short description · 一句话解释 * (≤ 80 字，用于列表 / Ask AI 摘要 / hover)
切片是否在直播间 PK 中
Feature code *
slice_is_in_battle
Owner entity · 主体 *
Live room
Feature type *
Ordinary feature
Date type *
INT64
Stability level
system-evaluated
A · pending eval
Real-time level *
Second level
RAG 分类 · CLASSIFICATION
FOLLOWS FP DIMENSIONS
Freshness · 时效性 *
Online 在线
Offline 离线
Source · 来源 *
Native 原生
Derived 衍生
Usage · 用途 * (multi)
✓ Model 模型
Strategy 策略
Metric 指标
✓ RAG 检索
Scope · 作用域 *
Common 通用
Current scenario
Scenario specific
覆盖范围 · COVERAGE
NEW
Business domain · 业务域
e.g. live_governance / content_review
Scenarios · 场景 (multi · Scope=Scenario specific 时必填)
✓ live_review
✓ anchor_violation
risk_recall
strategy_thresholding
+ 添加场景
Supported regions · 支持国家/区域 * (multi)
Global
✓ SEA
US
EU
LATAM
MEA
+ Add
Not available in (exceptions)
e.g. JP, KR (会体现在 Ask AI 提示 "此特征不适用")
FEATURE CONTENT · 描述与逻辑
Feature description · 特征含义描述 *
详细描述这个特征衡量什么、输入/输出的语义、使用场景。文本会灌入向量库供 Ask AI 检索。
Coding · 代码逻辑 *
Paste snippet, DAG node config, JMES path etc.
RD 补齐 · 后期可用 Agent 读策略代码 + 血缘自动推导
Data source * (multi · 选取上游 subfeature 数据源)
✓ ocr_text_default_lower OCR
slice_info_host_asr_text ASR
treco_room_lower_title 直播间标题
treco_user_lower_bio_description bio
treco_user_lower_name 用户名称
room_sub_feature_text_content_live_goal LIVE goal
room_sub_feature_text_content_about_me about me
room_sub_feature_text_content_pin_message pin
room_sub_feature_text_content_sticker sticker
room_sub_feature_text_content_live_board LIVE board
room_sub_feature_text_content_poll poll
+ 添加
RAG DISCOVERY · 检索增强
OPTIONAL BUT RECOMMENDED
Search summary · 检索摘要 (2–3 句 · 灌入向量库的可读摘要)
例：这是一个 room 粒度的在线原生特征，用于表示直播间当前是否处于 PK 状态，可用于 IDSP 策略场景中的风险叠加。
Aliases · 别名 / 同义词 / 常见误拼 (帮助 Ask AI 提升召回)
✓ battle_flag
✓ is_pk
✓ PK 状态
+ 添加别名
RAG tags · 检索标签 (chips · Ask AI 侧过滤/加权用)
✓ room
✓ pk
✓ online
✓ native
idsp
+ 添加 tag
Common questions · 常见问法 (one per line · 用户真实会问的话)
这个特征在 PK 中怎么用?
开播国 SEA 能不能用这个特征?
这个特征和 room_country_root 是什么关系?

F1: Library Management





F1: Library Management

1. **Key dashboard:** 展示 Total Features、Indexed、Failed。当前原型基线为 7,024 / 6,683 / 341，Indexed 比例 95.1%。

The key dashboard shows Total Features, Indexed, and Failed. The prototype baseline is 7,024 / 6,683 / 341, with an Indexed rate of 95.1%.

1. **Filter Search:** 保留现有 name/code、create time、type、owner、creator、data source extra；新增 RAG Status，支持 All / Indexed / Failed。

Filter search keeps existing filters such as name/code, create time, type, owner, creator, and data source extra. Add RAG Status with All / Indexed / Failed options.

2. 新增 RAG Status、Last Synced。Indexed 行展示 View RAG；Failed 行展示 Re-run。多选后支持 Re-index (N) 与 Export。

Add RAG Status and Last Synced columns. Indexed rows show View RAG, while Failed rows show Re-run. Multi-select supports Re-index (N) and Export.

3. Sync from Meta 将 Feature Platform Meta 中基础字段同步到 Knowledge Library；

F2: Feature Details



Batch Re-index 将选中特征重新进入 embedding pipeline。

Sync from Meta syncs basic fields from Feature Platform Meta into Knowledge Library. Batch Re-index sends selected features back into the embedding pipeline.

F2: Feature Details

From left to right:

Feature Metadata:

左栏展示从 Feature Platform 同步的只读字段：code、英文名、中文名、type、owner entity、data type、stability、real-time level、validity、data source extra、config mode。除 Edit Description 入口外，详情页不直接修改 Meta。

The left column shows read-only fields synced from Feature Platform: code, English name, Chinese name, type, owner entity, data type, stability, real-time level, validity, data source extra, and config mode. Except for Edit Description, the detail page does not directly modify Meta.

Structured Text:

中栏展示向量化前的可读文本，由 Meta、description、usage scope、data source、code logic、rate limit 等信息拼装。用户可点击 Regenerate 重新生成。

The middle column shows readable pre-embedding text assembled from

	Meta, description, usage scope, data source, code logic, rate limit, and related fields. The user can click Regenerate to rebuild it. **Output Samples**: 在 Feature Meta 栏 `Config Mode` 下方维护特征的完整取值枚举表 **+** 每个值的业务含义，回答两个问题：① 这个特征共有多少个取值、分别是什么（如 room type 共 10 个枚举值）；② 每个值的业务含义是什么（如 room type = 001 代表 "Game LIVE room"）。该信息由 Feature RAG 维护并进入向量化文本，Agent Q&A 支持直接查询（"这个特征有哪些取值 / 001 代表什么"）。范围：仅 **categorization features**，非必填；model feature 分数范围固定（-1 ~ 100），不需要。数据可从开发团队已有数据直接提取（对应 IDSP 条件配置下拉里的枚举值，如 RoomStatusEnum_Prepare / Living / Pause / Finish）。MVP 不展示 IDSP 侧 hit / not hit；列表页 hover 预览为 P2，方案：仅 categorization 行在 feature code 旁显示 `enum · N` 徽标，hover 弹出"值 → 含义"气泡（默认展示前 5 个，"+N more" 跳详情），原型已演示。 Maintain the complete enum value list + business meaning of each value below Config Mode in the Feature Meta column (position adjusted 07/29), answering: ① how many values the feature has and what they are (e.g. room type has 10 enum values); ② what each value means in business terms (e.g. room type = 001 = "Game LIVE room"). Feature RAG maintains this info, it feeds the embedding text, and Agent Q&A supports querying it directly. Scope: categorization features only, optional (not required); model features have fixed score ranges (-1 to 100) and do



not need it. Data can be extracted from what dev teams already store (matching the enum values in IDSP condition dropdowns, e.g. RoomStatusEnum_Prepare / Living / Pause / Finish). MVP excludes IDSP-side hit/not-hit; hover preview on the list page is P2.

Feature RAG Status:

右栏展示 status、vector id、embedding model、chunk count、first indexed、last synced、coverage。当前原型展示 embedding model = bge-m3(@Clark Wu 由clark最终确定model选择），chunk count = 3。

The right column shows status, vector id, embedding model, chunk count, first indexed, last synced, and coverage. The current prototype shows embedding model = bge-m3 and chunk count = 3.

New feature entry · Ask AI empty state

新建特征页顶部展示 `New feature entry · Ask AI` 入口卡片，状态为 `Create mode`。用户进入页面后先看到 `Start Agent Entry` 按钮，按钮位于 `Start from describing` 之前，强调本流程从描述业务诉求开始，而不是从手动填写模板开始。

The top of the New Feature page shows a `New feature entry · Ask AI` entry card in `Create mode`. The first visible action is `Start Agent Entry`, placed before `Start from describing`, emphasizing that the flow starts from describing the business need instead of manually filling a template.

Start from describing

入口卡片说明用户需要描述"想创建的新特征解决什么策略问题"；Agent 后续会追问 feature meaning、entity、data source、owner、usage example、risk / limitation。

The entry card tells the user to describe what strategy problem the new feature should solve. The Agent will then ask for feature meaning, entity, data source, owner, usage example, and risk / limitation

Agent Entry window

点击 `Start Agent Entry` 后打开 Agent Entry 窗口。左侧是 Agent Q&A，对话收集新 feature 的策略场景和上下文；右侧展示 `Generated New Feature Draft`，例如 feature code/name、description、usage example、data source、owner、risk / limitation。

Clicking `Start Agent Entry` opens the Agent Entry window. The left side is Agent Q&A, collecting the policy scenario and context for the new feature. The right side shows `Generated New Feature Draft`, including feature code/name, description, usage example, data source, owner, and risk / limitation.

Confirm → Skills Evaluation → Submit

用户确认草稿后按 `Confirm → Skills Evaluation → Submit` 提交。系统不走人工审批流，而是由 Agent 调用 skills 评估新 feature 草稿是否满足知识库要求；通过后写入 Feature Platform Meta + Knowledge Library，并进入 embedding queue。

	After confirming the draft, the user submits through `Confirm → Skills Evaluation → Submit`. There is no manual approval flow. The Agent invokes skills to evaluate whether the new feature draft meets knowledge-based requirements. If passed, it is written to Feature Platform Meta + Knowledge Library and enters the embedding queue. **One task = one conversation** 单个新 feature 创建任务结束后关闭当前 conversation。用户如果要创建另一条 feature，需要点击 `Start new conversation` 开启新的 Agent conversation，避免不同 feature 的上下文混在同一个任务里。 After one new-feature creation task is complete, the current conversation closes. To create another feature, the user must click `Start new conversation` to open a new Agent conversation, avoiding mixed context across different features.

2.

Agent Feature：page relevant（ASK AI）

Demo	**Description**





Ask AI:

1. Positioning:

页面右下常驻 Ask AI 按钮，与现有 Oncall 悬浮窗并存；本期 Ask AI 归 RAG PRD，Oncall widget 不做。

Ask AI is an always-on bottom-right button, coexisting with the existing Oncall widget. P0 Ask AI belongs to this RAG PRD, and the Oncall widget is for the next iteration.

2. User priority

主入口优先服务业务方 / 策略 PM，用自然语言找候选特征；平台 PM/RD 的召回诊断放在 F2 `RAG Status`、Feature Card 跳转与 embedding 状态。

The primary entry serves business users and strategy PMs who search for candidate features in natural language. Platform PM/RD diagnostics rely on F2 `RAG Status`, Feature Card navigation, and embedding status.



3. Mode

本期唯一模式为 Feature Discovery。Platform Oncall 为 P2，对齐后再决定是否合并。
The only P0 mode is Feature Discovery. Platform Oncall is P2 and will be aligned later before deciding whether to merge.

4. Answer pattern

默认先解释用户问题可能涉及的业务口径，再按相关度排序展示 Feature Cards；不标 `Recommended`，避免系统替业务做最终决策。用户明确搜 code/name 时直接返回列表；问题太泛且口径冲突明显时，最多追问 1 轮选项式澄清问题。
By default, explain the possible business interpretation first, then show Feature Cards ranked by relevance. Do not label cards as `Recommended`, so the system does not make the final business decision. If the user searches by code/name, return the list directly. If the question is too broad or the interpretation conflicts, ask at most one round of option-based clarification.

5. Feature Card

卡片包含：Feature name CN/EN、`feature_code`、why matched、scope、SLA / real-time / validity、data source、owner、usage example、risk / limitation、`View detail to confirm`。卡片可给轻量判断：`Likely suitable` / `Likely not suitable` / `Need more context`。

Each card includes Feature name CN/EN, `feature_code`, why matched, scope, SLA / real-time / validity, data source, owner, usage example, risk / limitation, and `View detail to confirm`. Cards may show light-fit labels: `Likely suitable`, `Likely not suitable`, or `Need more context`.





Interaction

打开侧边面板；展示 3 条 suggest prompt(可以考虑省去)；用户输入问题后返回口径解释和 Feature Cards；点击 `View detail to confirm` 打开 feature卡片，跳转 F2-feature details。

Open the side panel, show three suggested prompts, return interpretation plus Feature Cards after the user asks a question, and navigate to F2 through `View detail to confirm`.

Low confidence / empty

Score 低于阈值时结果打灰并展示 `参考度低 / Low confidence`；无结果或业务确认需要新增特征时，引导有 RAG 编辑权限的用户进入 F3 `New feature entry · Ask AI`。无编辑权限用户点击后展示申请权限弹窗，不进入写模式。

When score is below threshold, gray out the result and show `Low confidence`. If there is no result or the business confirms that a new feature is needed, guide users with RAG edit permission to F3 `New feature entry · Ask AI`. Users without edit permission see an apply-permission popup and cannot enter write mode.

Future rollout:

P2:Phase 2 支持记忆、多轮、收藏；Phase 3 接入 Lark 对话框，同一 agent 底座复用。

Phase 2 adds memory, multi-turn interaction, and favorites. Phase 3 integrates with Lark dialogs using the same agent foundation.

Feature card examples

Feature output search

Feature Discovery A

Detailed prototype · RAG-

Feature Disc

我找到 2 个相关特征。
的是房间归属地、当前

Room · Root Count

`room_country_root`

SLA A · Ordinary ·

Why matched: 命中“

Scope: live_governar

Data source: Room p
Owner: Live Governa
Usage example: 用于
Risk / limitation: 不代
broadcast country。

View detail to confirm

Room · Broadcast C

`room_country_broac`

SLA C · Ordinary ·

Why matched: 命中“

Scope: live_review /

Data source: Livestr
Owner: Live Room Fe
Usage example: 用于
Risk / limitation: SLA

View detail to confirm

Compare before use. 如



3. **Feature3：手动特征录入格式 manual input feature index template**

Register New Feature · 录入特征

沿用现有 Edit model feature 表单结构 · 新增特征含义描述、代码逻辑、Data source、RAG 分类维度

ⓘ 本页面同时把特征写入 **Feature Platform Meta** 与 **Knowledge Library**。所有特征都会自动进入 embedding 队列。
编辑权限 · 全员可改 · 提交后走 **reviewer pool** 审批（禁止自审），同词表 Active edit 模型。

Basic Info | Storage & Data Source | Rate Limit | Knowledge Library new

Feature English name *
e.g. Slice · In Battle

Feature Chinese name *
例：切片是否在 PK 中

Short description · 一句话解释 * (≤ 80 字，用于列表 / Ask AI 摘要 / hover)
切片是否在直播间 PK 中

Feature code *
`slice_is_in_battle`

Owner entity · 主体 *
Live room

Feature type *
Ordinary feature

Date type *
INT64

Stability level system-evaluated
A · pending eval

Real-time level *
Second level

RAG 分类 · CLASSIFICATION FOLLOWS FP DIMENSIONS

Freshness · 时效性 *
[Online 在线] [Offline 离线]

Source · 来源 *
[Native 原生] [Derived 衍生]

Usage · 用途 * (multi)
[✓ Model 模型] [Strategy 策略] [Metric 指标] [✓ RAG 检索]

Scope · 作用域 *
[Common 通用] [Current scenario] [Scenario specific]

覆盖范围 · COVERAGE NEW

Business domain · 业务域
e.g. live_governance / content_review

Scenarios · 场景 (multi · Scope=Scenario specific 时必填)
[✓ live_review] [✓ anchor_violation] [risk_recall] [strategy_thresholding] [+ 添加场景]

Supported regions · 支持国家/区域 * (multi)
[Global] [✓ SEA] [US] [EU] [LATAM] [MEA] [+ Add]

Not available in (exceptions)
e.g. JP, KR (会体现在 Ask AI 提示 "此特征不适用")

FEATURE CONTENT · 描述与逻辑

Feature description · 特征含义描述 *
详细描述这个特征衡量什么、输入/输出的语义、使用场景。文本会灌入向量库供 Ask AI 检索。

Coding · 代码逻辑 *
Paste snippet, DAG node config, JMES path etc.

RD 补齐 · 后期可用 Agent 读策略代码 + 血缘自动推导

Data source * (multi)
[✓ Subfeature] [OCR] [ASR] [Livestream]

RAG DISCOVERY · 检索增强 OPTIONAL BUT RECOMMENDED

Search summary · 检索摘要 (2–3 句 · 灌入向量库的可读摘要)
例：这是一个 room 粒度的在线原生特征，用于表示直播间当前是否处于 PK 状态，可用于 IDSP 策略场景中的风险叠加。

Aliases · 别名 / 同义词 / 常见误拼 (帮助 Ask AI 提升召回)
[✓ battle_flag] [✓ is_pk] [✓ PK 状态] [+ 添加别名]

Ask AI · 问特征

RAG tags · 检索标签 (chips · Ask AI 侧过滤/加权用)

Section	Fields // 字段	Rule // 规则
Basic Info	Feature English name, Chinese name, Short description, Feature code, Owner entity, Feature type, Data type, Stability level, Real-time level	带 * 字段必填；Stability level 为 system-evaluated，提交时可展示 pending eval 。 Fields marked with * are required. Stability level is system-evaluated, and submit can show pending evaluation.
RAG Classification	Freshness, Source, Usage, Scope	Usage 支持多选，至少选择一个；RAG 检索作为可选用途，但若本特征进入 Knowledge Library ，默认建议打开。 Fields marked with * are required. Stability level is system-evaluated, and submit can show pending evaluation.
Coverage	Business domain, Scenarios, Supported regions, Not available in	Scope = Scenario specific 时 Scenarios 必填；Not available in 会在 Ask AI 回复里用于提示"不适用"。 When Scope = Scenario specific, Scenarios are required. Not available in is used by Ask AI to explain when a feature is not applicable.
Feature Content	Feature description, Coding, Data source	Description / Coding / Data source 为 P0 必填 ；Coding 可由 RD 填写，后期可由 Agent 读取策略代码和血缘自动推导。 Description, Coding, and Data source are P0 required fields. Coding can be filled by RD in P0, and may later be inferred by the Agent from strategy code and lineage.
RAG Discovery	Search summary, Aliases, RAG tags, Common questions, Usage example, Risk / limitation	Optional but recommended；用于提升召回、排序、解释质量和低适用场景提示。 Optional but recommended. These fields improve recall, ranking, explanation quality, and low-applicability hints.
Ask AI -new feature entry	Start Agent Entry, Start from describing, Agent Q&A, Generated New Feature Proposal, Confirm, Skills Evaluation, Submit	用户先点击 `Start Agent Entry`，再从 `Start from describing` 描述新特征要解决的策略问题；Agent 追问并生成新 feature proposal。用户按 `Confirm → Skills Evaluation → Submit` 完成提交；任务结束后需新开 conversation 创建下一条 feature。 This is the main P0 journey for creating a new feature. The user first clicks `Start Agent`

		Entry, then starts from Start from describing to describe the strategy problem the new feature should solve. The Agent asks follow-up questions and generates a new feature proposal. The user submits through Confirm → Skills Evaluation → Submit. After the task ends, a new conversation is required to create another feature.

5. Feature Details -Backend Data Contract // 后端数据合同

F2: Feature Details

Object	Required fields	Notes
Feature Meta	feature_code, feature_name_en, feature_name_cn, feature_type, owner_entity, data_type, stability_level, real_time_level, feature_validity, data_source_extra, config_mode	从 Feature Platform Meta 同步，详情页只读。 Synced from Feature Platform Meta and read-only on the detail page.
Knowledge Library Extension	short_description, freshness, source, usage, scope, business_domain, scenarios, supported_regions, not_available_in, feature_description, coding, data_source, search_summary, aliases, rag_tags, common_questions, usage_example, risk_limitation	由 New feature entry · Ask AI 生成并在用户确认后写入，作为 structured text 和 retrieval ranking 的输入。 Generated by New feature entry · Ask AI and written after user confirmation. These fields feed structured text and retrieval ranking.
Embedding Status	rag_status, vector_id, embedding_model, chunk_count, first_indexed_at,	用于列表、详情页和 failed re-run。

	`last_synced_at`, `coverage`, `last_error_code`, `last_error_message`	Used by the list page, detail page, and failed re-run actions.

6.

Feature Details -Status & Error Code // 状态与异常码

Code	含义	触发时机	由谁产生	UX
`AGENT_EVALUATING`	Agent 正在评估新 feature 方案质量	Submit 后	Backend / Agent	显示 evaluating 状态；当前 feature task 不可重复提交。
`EVALUATION_FAILED`	Agent 评估未通过	必填字段缺失、语义不清、检索摘要/标签不足、风险限制缺失等	Agent	返回具体修改建议，用户回到编辑态补齐，回复给agent。
`INDEXED`	已完成向量化并直接生效，可被 Ask AI 召回	Embedding pipeline 成功	Backend	列表展示 Indexed；详情页展示 vector 信息；Ask AI 立即可召回。
`INDEX_FAILED`	向量化失败	文本拼装、embedding、vector store 写入任一环节失败	Backend	列表展示 Failed；operation 展示 Re-run；详情页展示失败原因。
`VALIDATION_FAILED`	必填字段缺失或格式错误	提交前 FE 校验或提交后 BE 校验	Frontend / Backend	字段 inline warning；Submit 不通过。
`LOW_CONFIDENCE`	Ask AI 召回低置信	Top result score < 阈值	Backend	结果打灰，展示“参考度低”，提示用户补充场景。
`NO_RESULT`	无可用特征结果	检索无命中或全部低于展示阈值	Backend	展示空结果，并引导跳转 F3 新建。
`NEED_CLARIFICATION`	问题太泛或候选口径冲突明显	候选特征覆盖多个容易误用的 entity /	Backend / Agent	最多追问 1 轮选项式澄清问题；用户回答或跳过后必须

		region / online-offline 口径		返回 Feature Cards。

1. **Permission & Agent Evaluation // 权限与 Agent 评估**

1. Feature Discovery 读能力面向所有可访问 Ask AI 的用户；新 feature 创建写能力仅面向有 RAG 编辑权限的用户。
2. Feature Meta 只读字段由 Feature Platform Meta 管理；新 feature 的 Knowledge Library 扩展字段由 `New feature entry · Ask AI` 通过问答生成，用户确认后写入。P0 忽略版本管理，不把手动模板录入作为主 journey。
3. Agent Evaluation 至少检查：新 feature 必填字段完整度、description 是否能解释语义、coding/source 是否可追溯、search summary 是否适合检索、aliases/tags/common questions 是否能提升未来召回、risk/limitation 是否覆盖上线边界。
4. Agent Evaluation 通过后直接进入 embedding queue；embedding 成功后 `INDEXED` 直接生效。
5. 批量 Re-index 需要记录操作者、时间、 特征数量、成功/失败数量与失败原因。（待定）

6.2 Ask AI Widget // 常驻问答悬浮窗

Area	**Description // 描述**
Positioning	页面右下常驻 Ask AI 按钮，与现有 Oncall 悬浮窗并存；本期 Ask AI 归 RAG PRD，Oncall widget 不改。Ask AI is an always-on bottom-right button, coexisting with the existing Oncall widget. P0 Ask AI belongs to this RAG PRD, and the Oncall widget remains unchanged.
Mode	本期唯一模式为 Feature Discovery。Platform Oncall 为 P2，对齐后再决定是否合并。The only P0 mode is Feature Discovery. Platform Oncall is P2 and will be aligned later before deciding whether to merge.
Case 1 · NEED_CLARIFICATION	触发：问题过泛，候选覆盖多个容易误用的业务口径。 UX：用 chips 提供一次选项式澄清并允许 Skip；当前 conversation 最多追问这一轮。用户回答或 Skip 后必须返回 Feature Cards，后续同会话的模糊问题直接返回排序候选，不再连环追问。Trigger: The query is broad and candidates cover multiple easily confused business definitions. UX: Offer one option-based clarification using chips, with Skip. Allow at most this one clarification round in the current conversation. After an answer or Skip, return Feature Cards; later ambiguous queries in the same conversation return ranked candidates without another follow-up.

Case 2 · FEATURE_CARDS	触发：正常语义召回，或用户明确搜索 feature code / name。 UX：默认先解释口径，再按相关度排序；code/name 直查跳过解释直接返回。卡片不标 Recommended，只支持 Likely suitable / Likely not suitable / Need more context。Trigger: Normal semantic retrieval or an explicit feature code/name lookup. UX: Explain the business definition before ranked results by default; skip the explanation for direct code/name lookup. Never label a card Recommended; supported fit labels are Likely suitable, Likely not suitable, and Need more context.
Case 3 · LOW_CONFIDENCE	触发：候选 score 低于展示阈值。 UX：结果卡打灰，展示 参考度低 / Low confidence、实际 score 与阈值，并引导用户补充场景。低置信卡不提供 F2 跳转，避免用户把弱匹配当作可用结论。Trigger: Candidate score is below the display threshold. UX: Gray out cards, show Low confidence, disclose the score and threshold, and ask for more scenario context. Low-confidence cards do not navigate to F2, preventing weak matches from being treated as usable conclusions.
Case 4 · NO_RESULT	触发：没有召回可用的 INDEXED feature。 UX：明确“不编造特征逻辑”，提供 Rephrase 与 Create in F3。具备 RAG 编辑权限的用户跳 F3 并打开 Agent Entry；无权限用户返回 PERMISSION_REQUIRED，展示申请权限 modal，禁止进入写模式。 Trigger: No usable INDEXED feature is retrieved. UX: State that the system will not invent feature logic, and offer Rephrase and Create in F3. Users with RAG edit permission open F3 Agent Entry; users without permission receive PERMISSION_REQUIRED, see an apply-permission modal, and cannot enter write mode.
Feature Card contract	卡片包含 Feature name CN/EN、feature_code、why matched、scope、SLA / real-time / validity、data source、owner、usage example、risk / limitation 与 View detail to confirm。点击正常卡片跳 F2；支持基于 output_samples 回答枚举值与业务含义。Cards include the CN/EN feature name, feature_code, why matched, scope, SLA / real-time / validity, data source, owner, usage example, risk / limitation, and View detail to confirm. Normal cards open F2. Enum-value questions are answered from output_samples.
Guardrail	Ask AI 只消费 INDEXED Feature Knowledge，不编造特征逻辑；可以输出 likely suitable 级别判断，但最终确认必须进入 F2 detail。Ask AI only consumes INDEXED Feature Knowledge and must not invent feature logic. It can provide light-fit judgments such as likely suitable, but final confirmation must happen in F2 detail.

Future rollout	Phase 2 支持记忆、多轮、收藏;Phase 3 接入 Lark 对话框，同一 agent 底座复用。Phase 2 adds memory, multi-turn interaction, and favorites. Phase 3 integrates with Lark dialogs using the same agent foundation.

6.3 Structured Text Generation // 结构化文本生成

1. 系统从 Feature Meta + Knowledge Library Extension 拼装 structured text，字段顺序建议为 FEATURE、TYPE、ENTITY、VALUE、DESCRIPTION、USAGE SCOPE、DATA SOURCE、CODE LOGIC、RATE LIMIT、RISK / LIMITATION。
2. Regenerate 只重新生成 structured text，不直接覆盖用户原始填写字段;用户确认后才触发重新 embedding。
3. 每次成功 embedding 后更新 `vector_id`、`chunk_count`、`last_synced_at` 与 `rag_status`。

6.3 Open Questions // 待确认问题

1. Embedding model 需要 RD 确认。-用户个人agent的复用
2. Agent Evaluation 具体使用哪些 skills、每项评分阈值和 blocking 条件需要与 RD / PM 对齐。
3. Ask AI 低置信阈值、无结果阈值、Top N 返回数量需要与 RD / DA 对齐。
4. Event tracking 需要补齐:Ask AI open、send、suggest click、clarification option click、clarification skip、feature card expand、feature card click、View detail、Start Agent Entry、Agent Q&A send、Confirm Draft、Skills Evaluation、Submit New Feature、Start new conversation、Create new feature、Re-index、Submit to Agent Evaluation。