

【Feature Platform】List Management PRD



• Summary

- 支持业务团队在 Feature Platform 下统一管理词表（Allow list / Block list），打通从创建、上传、Translation Agent 翻译、审批到上线的全链路，把原本散落在各业务团队的本地维护表收口到平台
- 支持 Active 词表在不下线 IDSP 规则的前提下做在线编辑：用户改完提交审批，reviewer 看 Before/After Diff，审批通过后原子替换 Active 主表，旧版本在审批期间继续生效，引用规则零中断；
- 支持 IDSP 规则配置中直接挑选词表：在规则 Conditions 模块加 boolean feature「命中词表」，配两级选择器（Allow list / Block list → 具体词表名），后端按 List ID 自动同步最新 Active 版本，规则不需要重新发布。

- Support unified word list management (Allow list / Block list) on the Feature Platform — covering creation, upload, Translation Agent translation, approval, and activation — consolidating word lists previously maintained locally by individual business teams;
- Support inline editing of Active word lists without taking referencing IDSP rules offline: editors submit changes for review, reviewers see the Before/After Diff, and on approval the system atomically swaps the Active master; the previous version stays live during review, so referencing rules never break;
- Support direct selection of word lists in IDSP rule configuration: add a boolean feature "hits a word list" in the rule Conditions module with a two-level picker (Allow list / Block list → specific list name); the backend auto-syncs to the latest Active version by List ID, with no rule republish required.

• Related Documents

📄 词表调研

1. Basic Info//基础信息

Change Log//变更记录

1. Feature Platform 平台下，缺乏统一的词表管理能力。今天 IDSP 策略团队需要在规则里频繁引用词表（Allow list / Block list）来做撞库，但词表能力散落在各业务团队的本地维护表里，创建、上传、Translation Agent 翻译、审批、归档、血缘各环节都没有平台化入口，业务每加一个词表都要研发配合发版。

On Feature Platform, there is no unified Word List management capability today. The IDSP policy team frequently references word lists (Allow list / Block list) inside rules for key-collision matching, but the capability is scattered across team-local maintenance tables. Creation, upload, Translation Agent translation, approval, archival, and lineage all lack a platform surface, and every new list requires RD effort to ship.

2. PM侧调研了市场上相关词表管理能力的平台：[词表调研](#)，在其中我基于现有的平台功能以及本业务场景所涉及的数据特殊性的挑战，因此梳理出了词表管理页面长期的规划以及短期mvp的产品版本可完成的词表功能目标。短期业务方需要一个平台功能可以支持他们可以通过手动输入和批量导入词表，来应用在idsp策略平台规则配置，方便业务能够在IDSP平台一键式调用特征平台的词表功能，配置有关词表的规则并随时支持增删改词表，以保证策略的实时性和准确度。在长期的planning中，此功能可以**帮助embedding以及rag的检索**：词表可以成为标注的一个子类，满足后期不同平台对特征的多方调用。

Therefore, I conducted research on platforms available on the market that offer term list management capabilities: Term List Research. Based on the existing platform features and the challenges posed by the specific nature of the data involved in our business scenario, I outlined a long-term plan for the term list management page as well as short-term functional goals that would deliver immediate value. In the long-term plan, this feature will support embedding and RAG search: term lists can serve as a subcategory of annotations, enabling multi-party access to features across different platforms in the future.

2.2 Goal//目标

此功能的目标是在支撑特征平台智能化能力落地。通过词表能力，将语义相近、业务含义相似的原子特征聚合为可复用的聚类指标，帮助策略业务人员在 IDSP 策略平台中一键引用表中所有指标完成规则配置，降低特征筛选和规则配置成本。同时，词表沉淀的特征聚合关系将作为特征平台知识库建设的基础，为后续特征推荐、特征解释和规则效果分析提供支撑。

词表功能是打通特征平台与 IDSP 策略平台的第一步。下一阶段，平台将基于词表在 IDSP 规则和策略包中的使用表现，补充词表效果监控能力，并通过核心 metrics 将规则表现反哺至特征平台，持续优化特征指标颗粒度，帮助业务人员更精细地分析和判断规则效果。

最终形成“特征平台配置词表 → IDSP 策略平台引用规则 → 特征平台输出效果监控”的 lifecycle 闭环，推动特征平台从特征分发层升级为覆盖特征理解、特征消费和效果反馈的全生命周期管理平台。

This feature is designed to support the implementation of the feature platform's intelligent capabilities. Through the glossary feature, atomic features with similar semantics and business meanings are aggregated into reusable clustered metrics, enabling strategy specialists to reference these metrics with a single click within the IDSP policy platform to configure rules, thereby reducing the costs associated with feature filtering and rule configuration. At the same time, the feature aggregation relationships captured in the glossary will serve as the foundation for building the feature platform's knowledge base, providing support for subsequent feature recommendations, feature explanations, and rule performance analysis.

The glossary feature is the first step in integrating the Feature Platform with the IDSP Policy Platform. In the next phase, based on the performance of the glossary in IDSP rules and policy packages, the platform will introduce performance monitoring capabilities for the glossary. It will also feed rule performance back into the Feature Platform through core metrics, continuously optimizing the granularity of feature metrics to help business users analyze and evaluate rule effectiveness with greater precision.

This will ultimately form a closed-loop lifecycle— “Feature Platform configures the glossary → IDSP Strategy Platform references rules → Feature Platform outputs performance monitoring” —driving the evolution of the Feature Platform from a feature distribution layer to a full-lifecycle management platform covering feature understanding, feature consumption, and performance feedback.

2.3 Indicators&Revenue//指标

定性指标 // Qualitative indicator

Feature Platform词表管理功能提升业务方在IDSP规则配置一体化，形成从词表创建、词条录入、校验与翻译、审批激活、Active 词表在线增删改、Diff 与版本管理，到 IDSP 规则引用及更新同步的完整闭环。

Feature Platform establishes a 0-to-1 platformized word-list management capability, forming an end-to-end lifecycle from list creation, term entry, validation and translation, review and activation, online updates to Active lists, Diff and version management, through IDSP rule references and update synchronization. Core capabilities.

定量指标 // Quantitative indicator

Feature Platform 解决业务团队词表录入及规则配置的平台化提速诉求：

- 业务方单次规则配置时长 End-to-end time for business to configure one rule referencing a word list

从1-2 天散在 RD 私域 + 词表改一条要 IDSP 重发整条规提速至 ≤ 15 分钟) ；

- 特征平台季度上线词表数：0 （业务方词表 100% 散在私域 Excel / Lark / 工单里） $\rightarrow$ Y 个新词表；对应季度平台操作工作量 ≤ 10 分钟 $\times$ Y 个词表（Y 待业务团队确认，覆盖关键业务场景）；
- 多语言覆盖：本期覆盖 16 种审核语言（按 Ron Jin Excel 固定 rank），覆盖率 100%。
- 词表录入 source terms 总量：从 0 条到 $\geq 5,000$ 条（按 7 项 scenario 平均分布）

The Feature Platform addresses the business team's need to accelerate the process of inputting word lists and configuring rules:

- End-to-end time for business teams to configure a single rule referencing a word list: Reduced from 1–2 days (involving scattered R&D-managed workflows and requiring a full rule re-submission via IDSP for even a minor word list edit) to ≤ 15 minutes.
- Quarterly word list deployment volume: From 0 (with business word lists previously 100% scattered across private Excel files, Lark documents, or ticketing systems) to Y new word lists; corresponding quarterly operational workload: ≤ 10 minutes $\times$ Y word lists (Y to be confirmed by the business team; covers key business scenarios).
- Multilingual coverage: Covers 16 moderation languages in this phase (based on the fixed ranking in Ron Jin's Excel file), achieving 100% coverage.
- Total volume of source terms input: From 0 to $\geq 5,000$ items (distributed evenly across 7 scenarios).

3. Requirement Over all

3.1 Featurelist

词表功能优先级 / Word List Feature Priorities （业务方）

优先级 / Priority	功能 (中文)	Feature (English)
P0	单条、手动批量、文件批量导入	Single-entry import, manual bulk import, and file-based bulk i
P0	Translation 与失败词条处理	Translation and failed-entry handling
P0	导入校验及成功/失败结果反馈	Import validation and success/failure result feedback
P0	创建词表与 Active 词表在线增删改	Word list creation and online addition, deletion, and editing of
P0	创建、激活、修改审批及 Diff	Approval and diff review for word list creation, activation, and
P0	特征平台词表选择与 IDSP 策略打通	Integration between word list selection on the Feature Platform
P0	Exact / Fuzzy 两种匹配模式	Exact and fuzzy matching modes
P1下期	Policy 多选与分层分类体验优化	UX optimization for multi-policy selection and hierarchical cat
P1下期	引用方 Owner 通知与其它策略的影响面展示	Referencing owner notifications and impact visualization for o
P1下期	词表版本管理与新旧版本切换	Word list version management and switching between old and

平台设计词表功能 Feature list:

Platform	Menu / Feature	Feature List (分前后端)
Feature Platform	List Management 主表 支持全员 View、Status / Ownership / 关键词筛选、行内 Action (Details / Edit / Archive / Delete)	Server/backend: 列表查询接口；支持按 Status × Ownership × Keyword 过滤；Active Refs 实时计数；行级权限校验（Active 全员可编辑，Draft 仅 Owner 可编辑）。
	List Management Hub View open to all; filter by Status / Ownership / keyword; row actions: Details / Edit / Archive / Delete	Backend: List-query API with Status × Ownership × Keyword filter; time Active Refs counter; row-level permission checks (Active edit to all; Draft / Archive Owner-only).
Feature Platform	List Management 主表	Frontend: 四态主表（Pending Review / Active / Draft / Archive）；（Orphaned / Pending Revision / Rejected）；根据状态渲染可用 Action FE: Four-state table; status badges for Orphaned / Pending Revision / Rejected; state-aware row actions.
Feature Platform	Create Wizard 创建向导 3 步：Configure → Import → Result	Serverend: 格式校验（必填、重复、全半角分隔符、字符、单条长/短限制）；超过 2,000 行的 Lark Sheet；调用 Translation Agent；返回 Imported / Translated / Failed 数量。 Backend: Format validation; Lark Sheet parsing up to 2,000 rows; Agent invocation; Imported / Translated / Failed counts.
Feature Platform	Create Wizard 创建向导	FE: 配置区支持 Allow List / Block List 二选一、Policy Title 多选、Email Match Mode、Primary / Secondary Key 和源语言 Tag；导入区支持 Paste、Lark Sheet 模板下载与上传；结果区展示统计，失败行支持手动删除或重试。 FE: Configuration, import, and result zones with manual correction and retry for failed rows.
Feature Platform	Active Inline Edit 在线编辑 全员可编辑、必须审批、禁止自审	Serverend: 暂存 Pending Revision Payload；计算 Add / Delete / Modify 包括 master_en Before / After；维护 Reviewer Pool；后端兜底校验 Backend: Stage Pending Revision payload; compute Add / Delete / Modify with master_en Before / After; maintain reviewer pool; enforce self-prevention.
Feature Platform	Active Inline Edit 在线编辑	FE: ae-modal 支持双击单元格编辑、+ Add Term、× 软删除，以及 +Add / ~Mod / -Del Chips；Submit for Review 时打开 Reviewer 选当前用户选项 Disabled；写入 PENDING_REVISION_KEY 后跳转审批页 FE: Inline editing modal, change-summary chips, reviewer selection disabled, and navigation to the review page.
Feature Platform	Reviewer Approval Page 审批页 Reviewer 查看 Before / After Diff 并决策	Serverend: 审批工单状态机：Pending → Approved / Rejected；A 同一 List ID 原子替换 Active 主表；Reject 后回填 Draft 并保留 Reviewer Comment。 Backend: Approval state machine; atomic Active-master replacement; approval; return to Draft with reviewer comments on rejection.
		FE: 双栏 Before / New Diff: Add 仅右侧使用淡橙色 #FFEDD5；Delete 仅左侧，右侧显示红色 × 和灰色删除线；Modify 仅右侧使用淡绿色 #ECF5E0

Feature Platform	Reviewer Approval Page 审批页	持普通黑白且无星标。展示 Owner、Submitted At、Reviewer、Rule Affected；提供 Approve / Reject 表单，Reject 时 Comment 必填。 FE: Two-column Diff with defined Add / Delete / Modify styles, review metadata, and mandatory rejection comments.
Feature Platform	Lineage Drawer 血缘抽屉 在词表详情侧抽屉展示 IDSP 引用	Serverend: 按 List ID 反查所有引用规则，聚合规则状态并返回三个 Backend: Reverse-lookup all referencing rules by List ID, aggregate status, and return three top-level metrics.
Feature Platform	Lineage Drawer 血缘抽屉	FE: 展示五层树形血缘：Business Scenario → Version → Canvas → Rule Group；每层值前添加全大写 Level Label。Active Only 默认关闭，显示 Active + Inactive，不展示 Draft。顶部展示 Rule Group Reference Nodes、Active Canvases。 FE: Five-level lineage tree, Active-only toggle, and three top-level metrics.
Feature Platform	Archive 归档 根据是否存在引用采用不同处置	Serverend: 实时计算 active_refs；Archive 后保留 API Key，支持恢复需要二次确认。本期仅支持静态词表，动态 Hive Table 词表延期。 Backend: Real-time active_refs; recoverable Archive with API Key double confirmation for Delete; static lists only in V1.
Feature Platform	Archive 归档	FE: Active 词表存在引用时拦截 Archive，并显示 Lark Toast：Archiving · This list is currently referenced by N active rule(s)；Archived 词表操作后退回 Draft 并重新审批，也支持 Delete。 FE: Block Archive when active references exist; Archived lists can be restored through Draft and approval, or deleted.
Feature Platform	Lark Fan-out 通知	Serverend: 在编辑提交和审批通过两个时间点，按 List ID 查询全部 Owner，并调用 Lark Open API 推送通知卡片。 Backend: At submission and approval, look up owners of all referenced lists and send Lark cards.
Feature Platform	Lark Fan-out 通知	FE: Lark 卡片展示 List Name、+N Added / Modified / Removed、Fan-out 引用规则数量，以及跳转 Reviewer Page 的 Deeplink。 FE: Lark card containing list name, change summary, reviewer, reference count, and reviewer-page deeplink.
IDSP / Trident	Rule Conditions 模块 命中词表两级选择器	Serverend: Rule Schema 新增 hit_word_list 字段，包括 Type、list_name_snapshot；运行时按 List ID 使用 Primary + Secondary Key 保持 List ID 不变，词表更新自动生效，不触发规则重发。 Backend: Add hit_word_list to the rule schema; perform runtime stable List ID; list updates take effect without rule republishing.
IDSP / Trident	Rule Conditions 模块	FE: Conditions 新增 in “命中词表”；Level 1 选择 Allow List / Block List，Level 2 先按 Policy Title 筛选，再选择具体词表；提供返回 Level 1 的 Navigation。 FE: Add the in= “hits a word list” Boolean feature with a two-level Block and Policy Title-based list picker.
		Backend: 特征平台的词表会生成特征平台的名单特征，词表一旦生

Feature Platform 与 IDSP的打通	服务端模块	能自动引用和使用，这块的实现逻辑做在服务端depend 主key 副key 生效后LIST_ID来做两个平台连接 The feature platform's vocabulary generates "list features." Once t vocabulary becomes active, IDSP can automatically reference and The implementation logic resides on the server side, relying on pr secondary key matching and the `LIST_ID` generated upon activa
----------------------------	-------	--

3.2 User Story Route

Word List Lifecycle / 词表全生命周期

Create, approve, edit, trace, bind and consume the latest Active word-list version.

4 User Journeys · Bilingual
Feature Platform → Review Process → IDSP
Stable reference: list_id

Create / 创建 Activate / 生效 Revise / 更新 Reference / 引用 Runtime / 执行

USER JOURNEY 01

Create and Publish a Word List / 创建并上线词表

Entry or upload → format validation → optional translation → reviewer selection → approval → Active → IDSP candidate


USER STORY 01 · P0 · DETAILED CLOSED LOOP / 详细闭环

Create and Publish a Word List / 创建并上线词表

Term entry / 词条录入 → format validation / 格式校验 → translation / 翻译 → review / 审批 → activation / 生效

List Type / 词表类型: Allow List / Block List
Lifecycle / 生命周期: Uploaded → Pending Review → Active
Save as Draft / 保存草稿: rejection branch only / 仅审批驳回

User / platform action / 用户或平台操作 Review workflow / 审批流程 Successful state / 成功状态 Recovery path / 恢复路径



Closed-loop rule / 闭环原则: format failures return to validation; translation failures return to Translation Agent; approval rejection is the only path that creates a Draft. / 格式失败返回校验; 翻译失败返回 Translation Agent; 只有审批驳回才创建 Draft.

USER JOURNEY 02

Edit an Active Word List / 编辑 Active 词表

Active continues serving → Pending Revision → Diff review → atomic replacement; concurrent Revision blocked


USER STORY 02 · P0 · CLOSED LOOP


Edit an Active Word List / 修改正在使用的 Active 词表

Active stays live / Active 持续服务; approved changes atomically replace the online version / 审批通过后原子替换线上版本

Current / 当前: Active
Change / 变更: Pending Revision
Result / 结果: Atomic Replacement / 原子替换

Protection Principle / 核心保护原则: During editing, validation and review, the current Active version continues serving IDSP. Only an approved Revision can replace online content. / 编辑、校验和审批期间, 当前 Active 版本持续服务 IDSP; 只有审批通过的 Revision 才能替换线上内容。





Same list_id, new approved Active content / 同一 list_id 下发布新的 Active 内容

USER JOURNEY 03

View Lineage and Sync Updated Version to IDSP / 查看血缘并同步更新版本

View Rule Lineage → inspect referencing rules → edit → review → publish event → IDSP hot-swap → audit

USER STORY 03 · P0 · ACTIVE LIST UPDATE


Edit an Active Word List and Sync to IDSP / 编辑 Active 词表并同步至 IDSP

Same list_id / 同一 list_id

No IDSP rule republish / 无需重新发布规则

Active List / 生效词表 → Edit / 编辑 → Review / 审批 → Automatic IDSP Hot-swap / IDSP 无缝更新

Current Active stays live during review / 审批期间旧版本持续生效



Active word list becomes an IDSP rule dependency / Active 词表作为 IDSP 规则依赖被引用

USER JOURNEY 04

Configure "Hit Word List" in IDSP Rule / 在 IDSP 规则中配置「命中词表」

Allow / Block → Policy Title → list selection → write hit_word_list → resolve latest Active by list_id at runtime

USER JOURNEY · P0 · RULE CONFIGURATION + RUNTIME

Configure "Hit Word List" in IDSP Rule / 配置「命中词表」规则条件

Rule reference: stable list_id

Name snapshot: display only

Word-list updates: no rule republish

Two-level picker → rule schema binding → latest Active version resolution → transparent word-list updates

Core Principle / 核心原则: Rule configuration stores a stable list_id. Runtime always resolves the latest Active word-list version; list_name_snapshot is used only for rule readability. / 规则仅保存稳定的 list_id, 运行时始终解析最新 Active 版本; list_name_snapshot 只用于规则可读性展示。

Policy RD 策略 RD

01 · CONFIGURE / 配置

02 · SAVE & RELEASE / 保存与发布



编辑距离（Levenshtein Distance）：从字符串 A 变成字符串 B，需要的最少单字符操作次数（插入 / 删除 / 替换）。算法的本质：Fuzzy Match 在工程上通常基于 Trie 树 + 编辑距离剪枝 或 Bk-tree 实现。相比之下，Exact Match 是纳秒级，而 Fuzzy Match 需要微秒到毫秒级，取决于词表大小和阈值。

适用场景：对抗故意拼错（如 1t 替代 it）；对抗字符重复（如 freeee 替代 free）；捕捉 OCR 识别错误（如果同时处理直播画面中的文字）

Fuzzy Match

Definition: A match is deemed to exist when the edit distance between the text being checked and a dictionary entry does not exceed a preset threshold.

Edit Distance (Levenshtein Distance): The minimum number of single-character operations (insertion, deletion, or replacement) required to transform string A into string B. Algorithmic Essence: In practice, Fuzzy Match is typically implemented using a Trie tree combined with edit-distance pruning or a Bk-tree. In comparison, Exact Match operates at the nanosecond level, while Fuzzy Match takes microseconds to milliseconds, depending on the size of the word list and the threshold.

Applicable Scenarios: Countering intentional misspellings (e.g., “sh1t” instead of “shit”); countering character repetitions (e.g., “freeee” instead of “free”); detecting OCR recognition errors (when processing text from live video feeds).

各节点状态//Node Status

节点状态 Node Status	工单状态 Work Order Status	可以操作 Actionable	下一步操作 Next Steps
Draft草稿	未提交：草稿。已创建但还没提交审批，对外不可被规则引用 Not Submitted: Draft. Created but not yet submitted for approval; cannot be referenced by external rules.	继续编辑edit词条、补翻译 Continue editing the entry and adding translations	确认 OK 后 Submit Review 提审 After confirming “OK,” click “Submit Review” to submit the review
Pending Review	审批进行中：已提交给 Reviewer，等待审批结论 Pending Approval: Submitted to the reviewer; awaiting	无法操作 Unactionable	等待审批通过 Wait for approval

	approval decision.		
Reviewed (passed))=Active	审批通过：已上线。 Approved: Deployed.	Active, Api id生效， 联动API id同步idsp Active, API ID is valid; copy the API ID and import it into IDSP	随时通过点开details来看词表被引用的数量，当被0个规则引用时，“archive” 按键生效可随时归档 You can click “Details” at any time to view the number of times the glossary is referenced. When it is referenced by 0 rules, the “Archive” button becomes active, and you can archive it at any time.
Reviewed (no passed)	审批不通过Rejected	已退回为草稿draft， 可edit Reverted to draft status; can be edited	edit完成后重新提交review After editing, resubmit the review.
Active	上线 Deployed	list id生效，联动list id 同步idsp，以及可以 edit List ID is valid; copy the list ID and import it into IDSP; can be edited	保存运行；当没被规则引用时可以直接归档 可以edit，进行对词表的增删改 Save and run; if it is not referenced by any rules, you can archive it directly; You can edit the glossary to add, delete, or modify entries.
Archived	已归档 Archived	点击edit转化为draft或 删除 Click “Edit” to convert to draft or delete	转化为draft重新发布或直接删除 Convert it to a draft and republish, or delete it directly.

注意事项：

A. 归档有保护：只有"引用规则数 = 0"的词表才允许 Archive，防止把还被线上规则使用的词表误下线。

A. Archiving is protected: Only glossaries with “Number of Rules Referencing = 0” are allowed to be archived, to prevent accidentally taking offline glossaries that are still used by live rules.

B. 关于权限模型

词表本期采用"全员 View + Active edit 全员 + Draft / Archive Owner-only + 必走审批 + 禁自审"模型
(。Active 列表不限制必须是 Owner 才能 Edit——任何用户都可以点 Edit 改 Active 词表, 但所有改动都通过审批工单走, 编辑人不能给自己审批。

B. About the Permissions Model

For this release, the glossary adopts the following model: "View: All Users + Active Edit: All Users + Draft/Archive: Owner-Only + Mandatory Approval Workflow + Self-Approval Prohibited." The "Active" list does not require the user to be the Owner to edit—any user can click "Edit" to modify an active glossary, but all changes must go through an approval ticket, and the editor cannot approve their own changes.

C. IDSP与feature platform联动(tbd)

IDSP runtime 在判定 `<feature> in <word list>` 命中时:

1. 从规则配置里拿到 `list_id` (持久化的) ----api key (删掉)
2. 查 `word_list_active_pointer` WHERE `list_id=X` → 得到 `active_version_id`
3. 查 `word_list_term` WHERE `version_id=<active_version_id>` → 得到 term set
4. 在 term set 里做命中匹配

关键点: IDSP 规则不持久化 `version_id`, 所以 active 切换对规则完全无感, 规则不需要重发。

C. Integration between IDSP and the feature platform

When the IDSP runtime detects a match for `<feature> in <word list>`:

1. Retrieve the `list_id` (persisted) from the rule configuration.
2. Query `word_list_active_pointer` where `list_id=X` → obtain the `active_version_id`.
3. Query `word_list_term` where `version_id=<active_version_id>` → obtain the term set.
4. Perform the match against the term set.

Key point: IDSP rules do not persist the `version_id`, so rule execution is completely unaffected by switches to the active version; the rules do not need to be redeployed.

4. Feature Details-Page

4.1 Feature1: Front-End




Demo	Description // 描述	
	主表页面： - 主表展示 Pending Review、Active、Draft 和 Archive。 - Active 可进入 Inline Edit；Draft 仅用于审批驳回后的修改；Archive 可恢复或删除。 - Pending Revision 存在时禁用第二次编辑和 Archive。	- The table shows Pending Review, Active, Draft and Archive. - Active supports Inline Edit; Draft is for rejected content; Archive can be restored or deleted. - When a Pending Revision exists, a second edit and Archive are blocked.
 	- 用户从 Feature Platform 进入 List Management；页面汇总所有词表及当前生命周期状态。 - 使用顶部筛选快速定位目标词表，或点击 Create List 开始创建。 - 行内 Action 会根据状态变化，避免用户执行不合法操作。	- Enter List Management from Feature Platform to view all word-list assets and lifecycle states. - Use filters to locate a list or select Create List to start creation. - Row actions change by state so unavailable operations are not offered.
	工具栏一排筛选条件 + 显式搜索，从左到右： Status 下拉： All（默认，全状态展示） / Active /	A row of filter criteria on the toolbar + explicit search, from left to right: Status dropdown: All (default, displays all statuses) / Active /

Table with 10 columns: List Name, Primary Key, List Type, Match Mode, Languages, Status, Actions. It lists various LIME and PLATFORM glossary items with their respective keys and match modes.

Table with 10 columns: List Name, Primary Key, List Type, Match Mode, Languages, Status, Actions. It lists various LIME and PLATFORM glossary items with their respective keys and match modes.

Form titled 'LIST BASICS' and 'MATCHING RULES'. It includes fields for List Name, Description, List Type, Notes, Match Mode, Primary Key, Secondary Key, and a section for TRANSLATION AGENT with checkboxes for 'Use Translation Agent' and 'Accept inputs'.

Pending Review / Archive

Ownership 下拉: All (默认) / 各用户名, 按负责人过滤

关键字搜索框: 按词表名 / Primary Key / list_id 模糊查询

Type 下拉: Block list / Allow list

Match Mode 下拉: Exact Match / Fuzzy Match

Search 按钮: 所有条件是"先选好、点 Search 才生效"的显式触发, 多个条件之间是 AND 关系。这样用户可以一次组合多个条件再查, 避免每改一个下拉就刷一次列表。

Reset: 一键清空全部条件, 回到默认视图 (Status All + Ownership All)。

主列表每行只保留**高频决策字段**: List Name; Primary Key; Type; Match Mode; Languages; Status; Actions

Draft / Pending Review / Archive

Ownership dropdown: All (default) / individual usernames, filter by responsible person

Keyword search box: Fuzzy search by glossary name / Primary Key / list_id


Type dropdown: Block list / Allow list

Match Mode dropdown: Exact Match / Fuzzy Match

Search button: All conditions are explicitly triggered — “select first, then click Search” —and multiple conditions are combined using an AND operator. This allows users to combine multiple conditions in a single search, avoiding the need to refresh the list after each dropdown selection.

Reset: One-click to clear all conditions and return to the default view (Status: All + Ownership: All).


Only high-frequency decision fields are retained in each row of the main list: List Name; Primary Key; Type; Match Mode; Languages; Status; Actions



点击【create list】进入配置页面




Click [create list] to go to the configuration page




A. Create list

Step 1 · List Basics Configuration / 词表基础配置








List Basics Configuration



1. 填写 List Name，并选择 Allow List 或 Block List。
2. 选择 Policy / Business Scenario、Exact 或 Fuzzy Match Mode、Primary / Secondary Key。
3. 如输入包含非英文词条，开启 Translation Agent 并选择允许的源语言。

1. Enter List Name and choose Allow List or Block List.
2. Select Policy / Business Scenario, Match Mode and Primary / Secondary Key.
3. Enable Translation Agent and accepted source languages when foreign-language terms are expected.





1. 用户可以下载 Lark Table 查看词表模板，按模板格式填写后上传；单次最多 2,000 行。本期通过和业务沟通我们一直认为通过lark创建表格或将lark已有表格直接导入
2. 系统先校验列数、必填字段、字符、重复项和长度；失败时展示错误行，不接受部分导入。

Lark 上传 partial fail: 平台 **不接收** partial import, 所有行必须 validate 通过才能 Import。如果import失败了需要给出指引引导用户re-upload重新上传

如超过**2000 行 cap**: 超过则上传被拒, 提示 "**within 2000-row cap**". 引导用户 **re-upload**重新上传 (与研发对齐)

1. Download the Lark Table template, complete it and upload up to 2,000 rows.
2. Validate columns, required fields, characters, duplicates and length; show failed rows and reject partial import.
3. Lock valid source terms and continue to Translation Agent.

Lark upload partial failure: The platform does not accept partial imports; all rows must pass validation before the import can proceed. If the import fails, provide instructions to guide the user through re-uploading.

import成功也给出指引
【next】提醒然后引导用户
进行下一步

如果词表是全英文不需要翻
译agent则用户点击【next】
后，弹窗显示词表final
configuration 然后引导用户
去提交审核

走审核流程，选择审核人
（可参考已有审核流程设
计）

审批流程在后面

格式通过后锁定源词条并进
入 Translation Agent。
用户点击【Translate Now】
1. Idle：用户确认源词条后
主动点击 Translate
Now。

If the import is successful,
provide instructions with a
[Next] prompt to guide the
user to the next step.

If the glossary is entirely in
English and does not require
an agent, after the user clicks
[Next], a pop-up window
should display the glossary’ s
final configuration and guide
the user to submit it for review.

Follow the review process and
select a reviewer (refer to the
existing review process design).

The approval process is
described below.

2. Running: 逐条识别语言、翻译成 English, 并计算翻译的完成度。
3. Complete / Issues: 展示成功、失败和不可用数量; 失败行支持用户可以手动修改现有词语以及增加语言标签。

Stage 2是翻译过程中 (可以ui简化不需要显示, 就给个过程中的提示也可以)

当translate agent翻译完毕后, 如有错误或显示如左图,

Translation Agent 错误 case:

- Missing value (翻译 null) → 行级提示, 可手动补 / 或 Skip
- Untranslatable (语言不在 Accept Inputs, 比如检测到 **zh-TW**) → 提示决定 Skip 或回 Step 1 加语言

用户修改完点击confirm后 (多语言版本):

会出现左边语言翻译的 breakdown bar以及final configuration

1. Idle: the user explicitly starts translation after source terms are locked.
2. Running: detect each source language, translate to the English master and calculate confidence.
3. Complete / Issues: show successful, failed and unusable counts with edit, retry, add-language or exclude actions.

Stage 2 is during the translation process (this can be simplified in the UI—it doesn't need to be displayed; a progress indicator is sufficient)

Once the Translation Agent has finished translating, if there are errors or the screen displays as shown in the image on the left,

Translation Agent error cases:

- Missing value (translation is null) → Line-level prompt; can be manually filled in or skipped
- Untranslatable (language not in "Accept Inputs," e.g., zh-TW is detected) → Prompt to decide whether to skip or return to Step 1 to add the language

After the user makes changes and clicks "Confirm" (multilingual version)

1. 系统生成 list_id，并锁定本次配置、词条和上传摘要。
2. 点击 Select Reviewer 进入 Owner 提交页。
3. 正常创建链路不生成 Draft；只有审批驳回后才保存为 Draft。

用户确认后，点击【select reviewer】

审核人视角：

1. Owner 检查 List Type、Match Mode、词条数量、Translation Agent 和权限信息。
2. 选择 Reviewer 并填写提交背景（逻辑与 idsp 一致）
3. 提交后状态进入 Pending Review，并向 Reviewer 发送 Lark 通知。

Left pop-up window should display the glossary's final translation breakdown and final configuration and guide the user to submit it for review.

1. Generate list_id and lock configuration, terms and upload summary.
2. Select Reviewer to enter the Owner submission page.
3. The normal creation path does not create Draft; Draft is created only after rejection.

1. Review list type, Match Mode, term counts, Translation Agent and permission information.

2. Choose a reviewer and add context; self-review is not allowed.
3. Submission moves the request to Pending Review and sends a Lark notification.

B. View and Edit An Active List

1. 当前 Active 内容作为基线展示，元数据只读。
2. 用户可新增、双击修改或删除词条（增删改）
3. 整个编辑和审批期间，旧 Active 版本持续服务 IDSP。

1. Display current Active content as the baseline while metadata remains read-only.
2. Add, double-click to modify, soft-delete, or add to edit the list
3. The old Active version continues serving IDSP through editing and review.

#	List Name	Primary Key	List Type	Match Mode	Languages	Status	Actions
1	LIVE_DAC_keywords	user_handle	Block list	Fuzzy Match	4 langs	Pending Review	Details
2	LIVE_M_incentive_v1	comment_text	Block list	Exact Match	3 langs	Pending Review	Details
3	LIVE_NSA_lexicon_v3	LIVE_NSA_lexicon_v3	Block list	Fuzzy Match	3 langs	Active	Details Edit
4	LIVE_HSH_lexicon_v2	user_handle	Block list	Exact Match	2 langs	Active	Details Edit
5	LIVE_edu_safe_v1	bio_text	Allow list	Fuzzy Match	5 langs	Active	Details Edit
6	LIVE_PCF_gift_solicitation	comment_text	Block list	Fuzzy Match	1 lang	Active	Details Edit
7	PLATFORM_present_globalSAFE	comment_text + bio_text	Block list	Fuzzy Match	10 langs	Active	Details Edit

List Configuration

Active · Edit term content through a Pending Revision. The old Active version remains live during review; Type, List ID and API Key are immutable.

List Name

LIVE_NSA_lexicon_v3

API Key

list_live_nsa_lex_v3

List Type

Block list

Match Mode

Fuzzy Match

Scenario Type

Eco-governance, Just for Recall

Languages

3 langs

Owner

@ymgao

Last Updated

2026-06-02

Status

Active

Active Refs

3 rules · View Word List Rule Lineage → In Use

Close

Archive

View Configuration →

List Configuration

Active · Edit term content through a Pending Revision. The old Active version remains live during review; Type, List ID and API Key are immutable.

List Name

LIVE_NSA_lexicon_v3

API Key

list_live_nsa_lex_v3

List Type

Block list

Match Mode

Fuzzy Match

Scenario Type

Eco-governance, Just for Recall

Languages

3 langs

Owner

@ymgao

Last Updated

2026-06-02

Status

Active

Active Refs

3 rules · View Word List Rule Lineage → In Use

Close

Archive

View Configuration →




点击【details】，显示词表属性

1. 查看 list_id、类型、Match Mode、Owner、更新时间、状态和 Active Refs。
2. Active Refs 是进入词表规则血缘的入口。

Click on 【details】 to view configuration

Active · Edit term content through a Pending Revision. The old Active version remains live during review; Type, List ID and API Key are immutable

1. View list_id, type, Match Mode, Owner, update time, status and Active Refs.
2. Active Refs opens Word List Rule Lineage.



1	LIVE_DAC_keywords	user_handle	Block list	Fuzzy Match	4 langs	Pending Revision	Details	Edit
2	LIVE_ML_incentive_v1	comment_text	Block list	Exact Match	3 langs	Pending Revision	Details	Edit
3	LIVE_NSA_injection_v3	live_text + combined	Block list	Fuzzy Match	3 langs	Active	Details	Edit
4	LIVE_HSH_injection_v2	user_handle	Block list	Exact Match	2 langs	Active	Details	Edit
5	LIVE_mbi_safv_v1	bio_text	Allow list	Fuzzy Match	5 langs	Active	Details	Edit
6	LIVE_PCF_gpt_sollicitation	comment_text	Block list	Fuzzy Match	1 lang	Active	Details	Edit
7	PLATFORM_present_globalsafe	comment_text + bio_text	Block list	Fuzzy Match	16 langs	Active	Details	Edit

3. Active 词表通过 Pending Revision 修改；Type、List ID 和 API Key 不变。

Active Refs → 血缘抽展：

显示当前有多少条规则在引用这个词表。点击可打开 Scenario Type 血缘抽展，逐级看到"哪个业务场景 → 哪条策略 → 哪个规则组 → 哪条规则"在它。价值：未来有多版本/多修改权限时改词表/下线词表之前，先看清楚影响面。

1. 从 Details 的 Active Refs 打开侧边抽展。
2. 按 Business Scenario → Version → Canvas → Node → Rule Group 展示引用链路。
3. Active Only 默认开启，避免 Draft 规则污染线上影响判断。

Lineage Full View / 详情页血缘

1. 顶部汇总 Rule Group References、Active Nodes 和 Active Canvases。
2. 用户在修改前确认涉及的 Policy、Scenario 和 Region。
3. 审批成功后更新版本、同步状态和审计记录。

3. Edit Active content through a Pending Revision; Type, List ID and API Key are immutable.

Active Refs → Lineage Panel:





Displays how many rules are currently referencing this glossary. Click to open the Scenario Type lineage panel and view, step by step, “which business scenario → which policy → which rule set → which rule” is using it. Value: When there are multiple versions or multiple modification permissions in the future, you can clearly see the scope of impact before modifying or decommissioning a glossary.

1. Open the side drawer from Active Refs in Details.
2. Show references as Business Scenario → Version → Canvas → Node → Rule Group.

3. Active Only is on by default, so Draft rules do not distort online impact.

Lineage Full View

1. Summarize Rule Group References, Active Nodes and Active Canvases.
2. Confirm affected Policy, Scenario and Region before editing.



点击【view configuration】


1. 详情页展示配置、最终词条、源语言和版本信息。
2. 所有用户可查看；有权限的用户可发起 Revision。
3. Archive 在词表存在 Active Refs 时不可用。

1. 按业务提供的语言优先顺序展示语言、词条数、翻译率和平均翻译完成度。
2. Translation Rate = 成功翻译词条数 ÷ 该语言总词条数。




3. Update version, sync status and audit record after approval.

Click 【view configuration】

1. Display configuration, final terms, source languages and version information.
 2. All users can view; authorized users can initiate a Revision.
 3. Archive is unavailable while Active references exist.
1. Show language, term count, translation rate and average confidence in business-priority order.



点击【edit】任意一个active的list



选哪种 / Pick the right path:

- ≤ 3 条 → 双击 cell 或 + Add term 10-100 条批量加 → Manual paste
- 整表重做 (UED 给新批) → Re-import Lark sheet

2. Translation Rate equals successful translations divided by total terms for that language.

Click 【edit】

Which option to choose / Pick the right path:

- ≤ 3 entries → Double-click a cell or click + Add term / ≤ 3 edits → Double-click or click + Add term
- 10-100 bulk additions → Manual paste / 10-100 bulk additions → Manual paste
- Re-import the entire Lark sheet (UED provides a new batch) → Re-import Lark sheet / Whole-list redo → Re-import Lark sheet

[illegible]

The screenshot shows the AWS IAM console interface. At the top, there's a navigation bar with the AWS logo and the text 'IAM Groups'. Below this, there's a breadcrumb trail: 'Groups' > 'New Group'. The main content area is titled 'Groups' and shows a list of groups. A red box highlights the 'New Group' button in the top right corner. A red arrow points from this button to the 'Groups' page header. Another red arrow points from the 'Groups' page header to the 'Groups' page content area.

Review Decision

Submit Decision

Decision *

☒ X Reject

☐ ✓ Approve

Comment

Translation confidence is below the required threshold. Please verify the flagged rows and resubmit.

100% / 500

Cancel Submit Decision

1. 新增、删除和修改使用不同颜色与 + / - / ~ 计数。（可以根据ued自行设计/沿用原有设计）
2. 软删除可恢复，修改行展示旧值和新值。
3. 这些变更会形成 Reviewer 的 Before / New Diff。

点击输入，回车键确认

1. Use distinct colors and + / - / ~ counts for Add, Delete and Modify.
2. Soft deletion can be restored; modified rows show old and new values.
3. The changes become the Reviewer Before / New Diff.

点击【manual paste】，可以一键复制入表

Click [manual paste] to copy the data into the table with a single click.

平台也支持重新录入lark表格

点击【submit for review】，弹窗通知用户：

1. 确认 Added、Removed、Modified 数量及 Rules Affected。
2. 提交后旧版本保持 Active，新内容仅存在于 Pending Revision。
3. Lark 同时通知 Reviewer 和关联规则 Owner。

The platform also supports re-entering data from Lark spreadsheets.

1. Confirm Added, Removed, Modified counts and Rules Affected.
2. The old version remains Active while new content exists only in Pending Revision.
3. Notify both the Reviewer and owners of referencing rules through Lark.

1. Reviewer 左侧查看当前 Active，右侧查看拟生效内容。
2. Add 只在右侧出现；Delete 在右侧显示删除线；Modify 展示修改前后值。
3. 审批通过后系统原子替换 Active 版本。

审核人视角：

1. Reviewer 查看提交人、提交时间、Change Type、配置快照和 Owner Comment。
2. 页面同时展示翻译覆盖和完整 词表更改前后的 diff，帮助判断质量。
3. Reviewer 在页面底部选择 Approve 或 Reject。

同时把list configuration 词表metadata属性页做成下拉

1. The left side shows current Active content and the right side shows proposed content.
2. Add appears on the right, Delete uses strikethrough, and Modify shows before and after.
3. Approval atomically replaces the Active version.

1. Review submitter, time, change type, configuration snapshot and Owner Comment.
2. Use translation coverage and full English to assess quality.
3. Choose Approve or Reject at the bottom of the page.

方式，审核人可以通过点击
下拉view 词表属性details

At the same time, convert the
vocabulary metadata
configuration section into a
dropdown format, allowing
reviewers to view the
vocabulary details by clicking
the dropdown.

1. Approve Comment 可
选，用于补充审批判断。
2. 首次创建审批通过后直接
变为 Active，不增加
Owner 手动 Publish 步
骤。
3. Active 词表进入 IDSP 候
选集合。

1. Approval comment is
optional.
2. Approved initial creation
becomes Active directly
without an extra Owner
Publish step.

1. Reject 时 Comment 必填，必须告诉 Owner 具体问题和修复方向。
2. 首次创建被驳回后保存为 Draft，并保留全部内容和审批意见。
3. Owner 修改后重新选择 Reviewer 并提交。

3. The Active list enters the IDSP candidate pool.

1. A rejection comment is required and must explain the issue and expected correction.
2. Rejected initial creation is saved as Draft with content and comments preserved.
3. The Owner revises, selects a reviewer and resubmits.

C.Pending Revision State / 审批中状态：

当词表的状态是pending review时：

第一次提交审核正在等待时：

1.主表状态为pending review，api key未active不可用，不可被 idsp引用

非第一次，而是增删改已提交过的词表时：

- a. 主表保留 Active 状态，同时增加 Changes Pending Review 标识。


When the word list status is "Pending Review":


For an initial submission awaiting review:


1. The main list status is "Pending Review"; the API key is inactive and unavailable for use; it cannot be referenced by IDSP.

For subsequent submissions involving additions, deletions, or modifications to an existing list:


	b. Edit 和 Archive 暂时不可用，避免并发 Revision。 c. 用户可打开 Review Status 查看审批人和提交时间。	1. The main list retains its "Active" status but is marked with a "Changes Pending Review" indicator. 2. "Edit" and "Archive" functions are temporarily disabled to prevent concurrent revisions. 3. Users can view the "Review Status" to see the reviewer and submission time.
--	---	--

	D. Rejected Draft / 创建驳回 当词表被owner提交审核，但审核人reject时，词表主表页面上在此词表标下标： 1. 该行表示首次创建审批被驳回，不代表 Active Revision 被驳回。 2. Hover Badge 查看 Reviewer、时间和完整驳回原因。 3. 点击 Edit 返回创建向导修复并重新提交。	1. This row represents rejected initial creation, not a rejected Active Revision. 2. Hover the badge to view reviewer, time and full rejection reason. 3. Select Edit to return to the wizard, fix issues and resubmit.
--	--	---

	E. Archive Blocked / 归档拦截	1. Block Archive when Active Refs is greater than zero.
--	------------------------------------	---



1. 当词表的Active Refs > 0 时也就是被idsp的规则引用时，系统阻止 Archive。
 2. Toast 明确展示正在引用该词表的 Active Rule 数量。
 3. 用户需要先下线或解除引用规则，再重新 Archive。
2. The toast states how many Active Rules reference the list.
 3. Take referencing rules offline or remove references before retrying Archive.



F.Configure Hit Word List / 配置「命中词表」

1. 策略 RD 打开 IDSP Edit Rule → Conditions。
2. 新增一个 Condition，并在 Feature 字段选择命中词表。
3. 只有 Active 词表进入候选集合。

1. Open IDSP Edit Rule → Conditions.
2. Add a Condition and choose Hit Word List in the Feature field.
3. Only Active lists enter the candidate set.

IDSP 只看 Active: Draft / Pending Review / Archive

IDSP shows only Active entries: Draft, Pending Review, and Archive are not included in the

不进 picker (数据源已过滤)。

Pending Revision: 词表正在审批 → 用户 **无需操作**, 规则会继续用当前 Active; 审批通过后自动 pick up 新版本。

Type lock: 一个 condition row 只能绑同一 type; 切类型需要 < Back to type 。

单选: 一个 condition row 只绑一个词表, 多词表用多 condition row + Logical Expression 组合。

picker (data source has been filtered).

Pending Revision: The glossary is currently under review → Users do not need to take any action; the rules will continue to use the current Active version. Once approved, the new version will be automatically picked up.

Type lock: A condition row can only be bound to a single type; to switch types, use < Back to type.

Single Selection: A single condition row can be bound to only one glossary; to use multiple glossaries, combine multiple condition rows with logical expressions.

1. 选择【in】作为「命中词表 / Hit Word List」的命中条件。因此选择in之后 input栏自动变成词表的allow/block list选项

2. 该 Feature 的 Value 不是普通 True/False, 而是一个词表引用。

3. Operator 使用 in, Value 进入两级选择流程。

1. Allow List: 命中词条可作为白名单豁免。






2. Block List: 命中词条触发拦截或策略条件。


3. 选择类型后, Level 2 只展示该类型的 Active 词表。

1. Select [in] as the matching condition for the "Hit Word List." Upon selecting [in], the input field automatically switches to the allow/block list options for the word list.

2. The value for this feature is not a simple True/False boolean, but a reference to a word list.

3. Set the operator to **[in]** and proceed through a two-step selection process for the value.





1. 候选项按当前 Policy 优先展示，再展示其他 Policy。
2. 可按名称、Policy Title、Primary Key 和 Owner 查询。
3. Pending Revision 只显示提示，规则继续使用当前 Active 版本。

1. Allow List provides allowing lists overriding semantics.
2. Block List triggers blocking or policy-condition semantics.
3. After type selection, Level 2 shows only Active lists of that type.

1. Prioritize lists from the current Policy, followed by other Policies.
2. Search by name, Policy Title, Primary Key and Owner.
3. Pending Revision is informational; the rule keeps using current Active content.

1. 先选择 Policy Title(具体 title 需要与业务对齐)，缩小当前类型下的候选范围。
2. All Policy Titles 清除该筛选；Active Only 始终生效。

3. 筛选结果为空时提供 Clear Filters 和 Open List Management。 1. Hover 具体词表查看 Primary Key、Secondary Key 和 Match Mode。 2. 用户在不离开规则页面的情况下确认撞库字段和匹配逻辑。 3. 确认后选择唯一一个具体词表。 block/allow---发展 1. 运行时按 list_id 读取最新 Active 版本；词表更新不要求规则重新发布。	1. Select Policy Title to narrow candidates within the chosen type. 2. All Policy Titles clears this filter while Active Only remains enforced. 3. When no result exists, offer Clear Filters and Open List Management. 1. Hover a list to inspect Primary Key, Secondary Key and Match Mode. 2. Confirm lookup fields and matching behavior without leaving Rule Conditions. 3. Select exactly one specific word list. 1.Runtime resolves the latest Active version by list_id without rule republishing.
---	---

4.2 Feature2: page relevant (Edit)

Backend / No-page Capabilities // 后端非页面能力

本section是 Backend、IDSP RD 与 QA 的实现契约，不重复页面布局；前端仅消费这里定义的状态、错误码和字段。

This section is the implementation contract for Backend, IDSP RD, and QA. Frontend consumes the states, codes, and fields defined here.

Lifecycle & State Transitions // 生命周期与状态流转

Current State // 当前状态	Event // 事件	Next State // 下一状态	Rule // 规则
New	Submit for Approval	Pending Review	锁定提交快照，提交者不可直接修改 // Lock the submission snapshot
Pending Review	Approve	Active	生成首个 Active 版本并记录激活时间 // Create the first Active version
Pending Review	Reject	Draft	Draft 仅由驳回产生，并保留审批意见 // Draft is created only by rejection
Draft	Resubmit	Pending Review	生成新的审批快照 // Create a new review snapshot
Active	Edit	Active + Pending Revision	Active 持续服务；Revision 隔离存储 // Active keeps serving; the revision is isolated
Active + Pending Revision	Approve	New Active	原子替换；旧版本进入历史记录 // Atomic replacement; the old version is archived
Active + Pending Revision	Reject	Active	丢弃 Pending Revision；旧 Active 不变 // Discard the Pending Revision
New Active	IDSP Sync Success	Serving in IDSP	更新血缘、同步状态和生效时间 // Update lineage, sync status, and effective time
New Active	IDSP Sync Failure	Previous Active Serving	不切换线上内容；通知并重试 // Do not switch online content; notify and retry

Validation & Error Handling // 校验与异常处理

Code // 异常码	Meaning // 含义	Trigger // 触发
PERMISSION_DENIED	无创建或编辑权限 // No create or edit permission	打开 Create / Edit 前 // Before Create / Edit
ACCOUNT_LIMIT_REACHED	账号级词表数量达到上限 // Account-level list quota reached	创建前配额检查 // Pre-create check
FORMAT_INVALID	必填字段、文件结构、字符、分隔符或长度不合法 // Invalid required field, file structure, character, delimiter, or length	录入或上传校验 // Entry validation
DUPLICATE_TERM	同一词表存在重复词条 // Duplicate term in the list	录入或变更校验 // Entry validation
TRANSLATION_FAILED	Translation Agent 未返回有效结果 // Translation Agent returned no valid result	翻译新增或修改词条 // Translation for new or modified terms
REVISION_CONFLICT	当前词表已有 Revision 审批中 // A Revision is already under review	点击 Edit // On Edit
IMMUTABLE_FIELD	尝试修改 Type、list_id 或 API Key // Attempt to change Type, list_id, or API Key	保存编辑内容 // Saving content
REVIEW_REJECTED	Reviewer 驳回提交 // Reviewer rejected submission	Review decision
VERSION_OUTDATED	IDSP 收到低于或等于当前版本的事件 // IDSP received an older or duplicate version event	IDSP 消费版本事件 // Version consumption
SYNC_FAILED	内容加载、checksum 校验或热切换失败 // Content loading, checksum verification, or hot-swap failed	IDSP 同步 // IDSP synchronization

Version & IDSP Synchronization // 版本与 IDSP 同步

Contract / 契约	Backend Requirement / 后端要求	IDSP Requirement / IDSP 要求
Version Event	审批通过后发布 list_id、version、status、checksum、activated_at、trace_id	仅消费 ACTIVE 事件，按 list_id + version 累加处理
Load & Switch	同一 list_id 下保留版本历史和上一 Active 快照	内容加载、checksum 校验、本地热切换全成功后才回报成功
Failure	记录失败原因、重试次数和同步状态，并通知 Owner	不得暴露部分加载内容；失败时继续使用上一 Active 版本
Rule Reference	词表更新不修改引用规则中的稳定 list_id	按 list_id 解析最新 Active 内容，无需重新解析规则

策略平台idsp Schema Contract // 字段契约 (待与研发对齐)

Field	Type	Required	Description / 描述
type	enum	Yes	ALLOW / BLOCK; 用于候选过滤和规则语义
list_id	string	Yes	稳定运行时引用；跨版本保持不变 / Stable runtime reference across versions
list_name_snapshot	string	Yes	仅用于规则详情和 Diff 展示，不参与运行时解析 / Display-only; excluded from runtime resolution

Permissions, Audit & Notifications // 权限、审计与通知

Area / 范围	Requirement / 要求	Owner
Permission	Create、Edit、Submit、Review、Activate、Archive 分别鉴权；API 不得绕过页面权限 / Authorize each action independently and enforce the same rules at API level	Feature Platform Back
Review	Reviewer 不得审批本人提交；同一 list_id 同时最多一个 Pending Revision / No self-review; at most one Pending Revision per list	Review Process + Back
Notification	提交审批通知 Reviewer；Active Revision 提交同时通知引用方 Owner；同步失败通知词表 Owner / Notify reviewers, referencing owners, and list owners at the defined events	Feature Platform Back
Audit	记录 list_id、version、actor、reviewer、Diff、comment、sync status、timestamp、trace_id	Feature Platform Back IDSP

4.3 Feature3

Demo	Description

5. Feature Details -no Page