



R J Hill Laboratories Limited
28 Duke Street Frankton 3204
Private Bag 3205
Hamilton 3240 New Zealand

0508 HILL LAB (44 555 22)
+64 7 858 2000
mail@hill-labs.co.nz
www.hill-labs.co.nz

Certificate of Analysis

Page 1 of 5

Client:	Prebble Seeds Limited	Lab No:	4169173	shvpv1
Address:	PO Box 11186 Christchurch 8443	Date Received:	08-Apr-2026	
		Date Reported:	14-Apr-2026	
		Quote No:		
		Order No:	Hagley Oval	
		Client Reference:	Hagley Oval	
Phone:	0800 280 028	Submitted By:	Craig Gosney	

Sample Name: Oval **Lab Number:** 4169173.1
Sample Type: TURF Ryegrass, Sand (S277)

Analysis	Level Found	Medium Range*	Low	Medium	High
pH	pH Units	6.4	5.5 - 6.5		
Olsen Phosphorus	mg/L	9	20 - 30		
Potassium	me/100g	0.15	0.20 - 0.50		
Calcium	me/100g	2.7	2.0 - 4.0		
Magnesium	me/100g	0.55	0.30 - 0.70		
Sodium	me/100g	0.05	0.00 - 0.20		
CEC	me/100g	3	3 - 6		
Total Base Saturation	%	100	35 - 80		
Volume Weight	g/mL	1.41	0.60 - 1.20		
Organic Matter*	%	1.5	2.0 - 4.0		
Total Carbon*	%	0.9			
K/Mg Ratio*		0.3	0.3 - 1.0		
Base Saturation %	K 4.3 Ca 78 Mg 16.1 Na 1.5				
MAF Units	K 4 Ca 5 Mg 17 Na 3				



This Laboratory is accredited by International Accreditation New Zealand (IANZ), which represents New Zealand in the International Laboratory Accreditation Cooperation (ILAC). Through the ILAC Mutual Recognition Arrangement (ILAC-MRA) this accreditation is internationally recognised. The tests reported herein have been performed in accordance with the terms of accreditation, with the exception of tests marked * or any comments and interpretations, which are not accredited.



R J Hill Laboratories Limited
28 Duke Street Frankton 3204
Private Bag 3205
Hamilton 3240 New Zealand

0508 HILL LAB (44 555 22)
+64 7 858 2000
mail@hill-labs.co.nz
www.hill-labs.co.nz

Certificate of Analysis

Page 2 of 5

Client:	Prebble Seeds Limited	Lab No:	4169173	shvpv1
Address:	PO Box 11186 Christchurch 8443	Date Received:	08-Apr-2026	
		Date Reported:	14-Apr-2026	
		Quote No:		
		Order No:	Hagley Oval	
		Client Reference:	Hagley Oval	
Phone:	0800 280 028	Submitted By:	Craig Gosney	

Sample Name: Run Ups **Lab Number:** 4169173.2
Sample Type: TURF Ryegrass, Sand (S277)

Analysis	Level Found	Medium Range*	Low	Medium	High
pH	pH Units	5.3	5.5 - 6.5		
Olsen Phosphorus	mg/L	33	20 - 30		
Potassium	me/100g	0.22	0.20 - 0.50		
Calcium	me/100g	1.5	2.0 - 4.0		
Magnesium	me/100g	0.37	0.30 - 0.70		
Sodium	me/100g	0.05	0.00 - 0.20		
CEC	me/100g	5	3 - 6		
Total Base Saturation	%	45	35 - 80		
Volume Weight	g/mL	1.49	0.60 - 1.20		
Organic Matter*	%	1.1	2.0 - 4.0		
Total Carbon*	%	0.6			
K/Mg Ratio*		0.6	0.3 - 1.0		
Base Saturation %	K 4.5 Ca 32 Mg 7.7 Na 1.1				
MAF Units	K 7 Ca 3 Mg 12 Na 3				

The above nutrient graph compares the levels found with reference interpretation levels. NOTE: It is important that the correct sample type be assigned, and that the recommended sampling procedure has been followed. R J Hill Laboratories Limited does not accept any responsibility for the resulting use of this information. IANZ Accreditation does not apply to comments and interpretations, i.e. the 'Range Levels' and subsequent graphs.



R J Hill Laboratories Limited
28 Duke Street Frankton 3204
Private Bag 3205
Hamilton 3240 New Zealand

0508 HILL LAB (44 555 22)
+64 7 858 2000
mail@hill-labs.co.nz
www.hill-labs.co.nz

Certificate of Analysis

Page 3 of 5

Client:	Prebble Seeds Limited	Lab No:	4169173	shvpv1
Address:	PO Box 11186 Christchurch 8443	Date Received:	08-Apr-2026	
		Date Reported:	14-Apr-2026	
		Quote No:		
		Order No:	Hagley Oval	
		Client Reference:	Hagley Oval	
Phone:	0800 280 028	Submitted By:	Craig Gosney	

Soil Analysis Results							
Sample Name:		Oval	Run Ups				
Lab Number:		4169173.1	4169173.2				
Sample Type:		TURF Ryegrass, Sand	TURF Ryegrass, Sand				
Sample Type Code:		S277	S277				
pH	pH Units	6.4	5.3	-	-	-	-
Olsen Phosphorus	mg/L	9	33	-	-	-	-
Potassium	me/100g	0.15	0.22	-	-	-	-
Potassium	%BS	4.3	4.5	-	-	-	-
Potassium	MAF units	4	7	-	-	-	-
Calcium	me/100g	2.7	1.5	-	-	-	-
Calcium	%BS	78	32	-	-	-	-
Calcium	MAF units	5	3	-	-	-	-
Magnesium	me/100g	0.55	0.37	-	-	-	-
Magnesium	%BS	16.1	7.7	-	-	-	-
Magnesium	MAF units	17	12	-	-	-	-
Sodium	me/100g	0.05	0.05	-	-	-	-
Sodium	%BS	1.5	1.1	-	-	-	-
Sodium	MAF units	3	3	-	-	-	-
CEC	me/100g	3	5	-	-	-	-
Total Base Saturation	%	100	45	-	-	-	-
Volume Weight	g/mL	1.41	1.49	-	-	-	-
Organic Matter*	%	1.5	1.1	-	-	-	-
Total Carbon*	%	0.9	0.6	-	-	-	-
K/Mg Ratio*		0.3	0.6	-	-	-	-

Certificate of Analysis

Page 4 of 5

Client:	Prebble Seeds Limited	Lab No:	4169173	shvpv1
Address:	PO Box 11186 Christchurch 8443	Date Received:	08-Apr-2026	
		Date Reported:	14-Apr-2026	
		Quote No:		
		Order No:	Hagley Oval	
Phone:	0800 280 028	Client Reference:	Hagley Oval	
		Submitted By:	Craig Gosney	

Analyst's Comments

Samples 1-2 Comment:

The medium or optimum range guidelines shown in the histogram report relate to sampling protocols as per Hill Laboratories' crop guides and are based on reference values where these are published. Results for samples collected to different depths than those described in the crop guide should be interpreted with caution. For pastoral soils, the medium ranges are specific for a 75mm sample depth, but if a 150mm sampling depth is used the nutrient levels measured may appear low against these ranges, as nutrients are typically more concentrated in the top of the soil profile. These soil profile differences are altered upon cultivation or contouring. Further explanation of the derivation of the medium and optimum ranges is available on request.

Samples 1-2 Comment:

The low CEC level found in this soil indicates that it can only retain low levels of cation nutrients (potassium, calcium, magnesium and sodium). The bar graph format shown above presents the cation levels in terms of a % base saturation level, which allows for the soil's low cation retention.

Summary of Methods

The following table(s) gives a brief description of the methods used to conduct the analyses for this job. The detection limits given below are those attainable in a relatively simple matrix. Detection limits may be higher for individual samples should insufficient sample be available, or if the matrix requires that dilutions be performed during analysis. A detection limit range indicates the lowest and highest detection limits in the associated suite of analytes. A full listing of compounds and detection limits are available from the laboratory upon request. Unless otherwise indicated, analyses were performed at Hill Labs, 28 Duke Street, Frankton, Hamilton 3204.

Sample Type: Soil			
Test	Method Description	Default Detection Limit	Sample No
Sample Registration*	Samples were registered according to instructions received.	-	1-2
Soil Prep (Dry & Grind)*	Air dried at 35 - 40°C overnight (residual moisture typically 4%) and crushed to pass through a 2mm screen.	-	1-2
pH	1:2 (v/v) soil:water slurry followed by potentiometric determination of pH. In-house.	0.1 pH Units	1-2
Olsen Phosphorus	Olsen extraction followed by Molybdenum Blue colorimetry. In-house method.	1 mg/L	1-2
Potassium	1M Neutral ammonium acetate extraction followed by ICP-OES. In-house.	1 MAF units	1-2
Calcium	1M Neutral ammonium acetate extraction followed by ICP-OES. In-house.	1 MAF units	1-2
Magnesium	1M Neutral ammonium acetate extraction followed by ICP-OES. In-house.	1 MAF units	1-2
Sodium	1M Neutral ammonium acetate extraction followed by ICP-OES. In-house.	2 MAF units	1-2
Organic Matter*	Organic Matter is 1.72 x Total Carbon.	0.2 %	1-2
Total Carbon*	Determined by NIR, calibration based on Total Carbon by Dumas combustion.	0.1 %	1-2
Potassium	1M Neutral ammonium acetate extraction followed by ICP-OES. In-house.	0.01 me/100g	1-2
Calcium	1M Neutral ammonium acetate extraction followed by ICP-OES. In-house.	0.5 me/100g	1-2
Magnesium	1M Neutral ammonium acetate extraction followed by ICP-OES. In-house.	0.04 me/100g	1-2
Sodium	1M Neutral ammonium acetate extraction followed by ICP-OES. In-house.	0.05 me/100g	1-2
Potassium	1M Neutral ammonium acetate extraction followed by ICP-OES. In-house.	0.1 %BS	1-2
Calcium	1M Neutral ammonium acetate extraction followed by ICP-OES. In-house.	1 %BS	1-2

Certificate of Analysis

Page 5 of 5

Client:	Prebble Seeds Limited	Lab No:	4169173	shvpv1
Address:	PO Box 11186 Christchurch 8443	Date Received:	08-Apr-2026	
		Date Reported:	14-Apr-2026	
		Quote No:		
		Order No:	Hagley Oval	
Phone:	0800 280 028	Client Reference:	Hagley Oval	
		Submitted By:	Craig Gosney	

Sample Type: Soil			
Test	Method Description	Default Detection Limit	Sample No
Magnesium	1M Neutral ammonium acetate extraction followed by ICP-OES. In-house.	0.2 %BS	1-2
Sodium	1M Neutral ammonium acetate extraction followed by ICP-OES. In-house.	0.1 %BS	1-2
CEC	Summation of extractable cations (K, Ca, Mg, Na) and extractable acidity. May be overestimated if soil contains high levels of soluble salts or carbonates. In-house.	2 me/100g	1-2
Total Base Saturation	Calculated from Extractable Cations and Cation Exchange Capacity.	5 %	1-2
Volume Weight	The weight/volume ratio of dried, ground soil. In-house.	0.01 g/mL	1-2

These samples were collected by yourselves (or your agent) and analysed as received at the laboratory.

Testing was completed between 13-Apr-2026 and 14-Apr-2026. For completion dates of individual analyses please contact the laboratory.

Samples are held at the laboratory after reporting for a length of time based on the stability of the samples and analytes being tested (considering any preservation used), and the storage space available. Once the storage period is completed, the samples are discarded unless otherwise agreed with the customer. Extended storage times may incur additional charges.

This certificate of analysis must not be reproduced, except in full, without the written consent of the signatory.



Andrew Whitmore BSc (Tech)
Client Services Manager