

Pantheon Report



Generated at 2025-04-18 03:04:48 (UTC).
Tested in mahimahi: mm-link 12mbps.trace 12mbps.trace
Repeated the test of 3 congestion control schemes once.
Each test lasted for 60 seconds running 1 flow.

System info:

Linux 5.4.0-150-generic
net.core.default_qdisc = fq_codel
net.core.rmem_default = 212992
net.core.rmem_max = 212992
net.core.wmem_default = 212992
net.core.wmem_max = 212992
net.ipv4.tcp_rmem = 4096 131072 6291456
net.ipv4.tcp_wmem = 4096 16384 4194304

Git summary:

branch: master @ 23e738ce5acae1d36e321886cd613b0b9401ac11
third_party/fillp @ d6da1459332fcee56963885d7eba17e6a32d4519
third_party/fillp-sheep @ 0e5bb722943babcd2b090d2c64fcd45e12e923f9
third_party/genericCC @ d0153f8e594aa89e93b032143cedbdf5e58e562f4
third_party/indigo @ 463d89b09699a57bfdfbae351646df6a60040b90
third_party/libutp @ b3465b942e2826f2b179eaab4a906ce6bb7cf3cf
third_party/pantheon-tunnel @ f866d3f58d27afd942717625ee3a354cc2e802bd
third_party/pcc @ 1afc958fa0d66d18b623c091a55fec872b4981e1
M receiver/src/buffer.h
M receiver/src/core.cpp
M sender/src/buffer.h
M sender/src/core.cpp
third_party/pcc-experimental @ cd43e34e3f5f5613e8acd08fab92c4eb24f974ab
third_party/proto-quic @ 77961f1a82733a86b42f1bc8143ebc978f3cff42
third_party/scream-reproduce @ f099118d1421aa3131bf11ff1964974e1da3bdb2
third_party/sprout @ 366e35c6178b01e31d4a46ad18c74f9415f19a26
M src/examples/cellsim.cc
M src/examples/sproutbt2.cc
M src/network/sproutconn.cc
third_party/verus @ d4b447ea74c6c60a261149af2629562939f9a494
M src/verus.hpp
M tools/plot.py
third_party/vivace @ 2baf86211435ae071a32f96b7d8c504587f5d7f4
third_party/webrtc @ 3f0cc2a9061a41b6f9dde4735770d143a1fa2851



scheme	# runs	mean avg tput (Mbit/s) flow 1	mean 95th-%ile delay (ms) flow 1	mean loss rate (%) flow 1
TCP BBR	1	12.00	16.37	0.02
PCC-Allegro	1	7.80	20.27	0.00
QUIC Cubic	1	11.96	952.95	1.63

Run 1: Statistics of TCP BBR

Start at: 2025-04-18 03:01:20

End at: 2025-04-18 03:02:20

Below is generated by plot.py at 2025-04-18 03:04:46

Datalink statistics

-- Total of 1 flow:

Average capacity: 12.00 Mbit/s

Average throughput: 12.00 Mbit/s (100.0% utilization)

95th percentile per-packet one-way delay: 16.372 ms

Loss rate: 0.02%



-- Flow 1:

Average throughput: 12.00 Mbit/s

95th percentile per-packet one-way delay: 16.372 ms

Loss rate: 0.02%

Run 1: Report of TCP BBR — Data Link





```
Run 1: Statistics of PCC-Allegro

Start at: 2025-04-18 03:02:23
End at: 2025-04-18 03:03:24

# Below is generated by plot.py at 2025-04-18 03:04:46
# Datalink statistics
-- Total of 1 flow:
Average capacity: 12.00 Mbit/s
Average throughput: 7.80 Mbit/s (65.0% utilization)
95th percentile per-packet one-way delay: 20.266 ms
Loss rate: 0.00%
-- Flow 1:
Average throughput: 7.80 Mbit/s
95th percentile per-packet one-way delay: 20.266 ms
Loss rate: 0.00%
```

Run 1: Report of PCC-Allegro — Data Link



Run 1: Statistics of QUIC Cubic

Start at: 2025-04-18 03:03:27

End at: 2025-04-18 03:04:27

Below is generated by plot.py at 2025-04-18 03:04:46

Datalink statistics

-- Total of 1 flow:

Average capacity: 12.00 Mbit/s

Average throughput: 11.96 Mbit/s (99.7% utilization)

95th percentile per-packet one-way delay: 952.949 ms

Loss rate: 1.63%

-- Flow 1:

Average throughput: 11.96 Mbit/s

95th percentile per-packet one-way delay: 952.949 ms

Loss rate: 1.63%

Run 1: Report of QUIC Cubic — Data Link

