


Recitation 7

DS-GA 1013 Mathematical Tools for Data Science

1. Early Stopping
2. Which of the following cosine functions all have a period of 2π ?
 - A. $\cos(t), \cos(t/2), \cos(t/3), \dots$
 - B. $\cos(\pi t), \cos(2\pi t), \cos(3\pi t), \dots$
 - C. $\cos(t), \cos(2t), \cos(3t) \dots$
3. What is the fundamental period of
 1. $\sin(\pi t/3)$
 2. $|\sin(t)|$
 3. $\cos^2(3t)$
 4. $f(t) = \cos(t) + \cos(2t) + \cos(3t)$?
4. Express the following sinusoidal function in the form $A\cos(\omega t - \varphi)$ where $A \in \mathbb{R}^+ \cup \{0\}$ and $\omega, \varphi \in \mathbb{R}$



5. Now express the sinusoid above as $\sum_j r_j e^{i\varphi_j} e^{i\omega_j t}$ where $r_j \in \mathbb{R}^+ \cup \{0\}$ and $\omega_j, \varphi_j \in \mathbb{R}$
6. What's the fundamental period of $e^{j\omega t}$? What is the projection of $e^{j\omega t}$ to both the axes on complex plane? Animation. Negative frequency.

Here we list some useful facts about complex numbers. Below $z \in \mathbb{C}$ and $a, b \in \mathbb{R}$.

- $z = a + bi = \text{Re}(z) + i \text{Im}(z)$
- $(a + bi)(c + di) = ac - bd + (ad + bc)i$
- $|a + bi|^2 = a^2 + b^2 = (a + bi)(a - bi) = (a + bi)\overline{(a + bi)}$

- $|zw| = |z||w|$, $|z + w| \leq |z| + |w|$
- $e^{a+bi} = e^a(\cos(b) + i\sin(b))$, $e^ze^w = e^{z+w}$
- $|e^{a+bi}| = e^a$
- $z = \bar{z}$ if and only if $z \in \mathbb{R}$
- $z + \bar{z} = 2\operatorname{Re}(z)$ and $z - \bar{z} = 2i\operatorname{Im}(z)$
- $\langle \vec{x}, \vec{y} \rangle = \overline{\langle \vec{y}, \vec{x} \rangle}$
- $\langle c\vec{x}, \vec{y} \rangle = c\langle \vec{x}, \vec{y} \rangle$ and $\langle \vec{x}, c\vec{y} \rangle = \bar{c}\langle \vec{x}, \vec{y} \rangle$
- $\|\vec{x}\|^2 = \langle \vec{x}, \vec{x} \rangle$
- For $\vec{x} \in \mathbb{C}^n$, $\vec{x}^* := (\overline{\vec{x}})^T$
- For $A \in \mathbb{C}^{m \times n}$, $A^* = \overline{A}^T$
- For $\vec{x}, \vec{y} \in \mathbb{C}^n$, $\langle \vec{x}, \vec{y} \rangle = \vec{y}^* \vec{x} = \sum_{i=1}^n \overline{y[i]} x[i]$

7. Compute $z = 1 + e^{2\pi i/n} + e^{4\pi i/n} + \dots + e^{2(n-1)\pi i/n}$ where $n \geq 1$. Explain your answer geometrically.

8. For $z, z_1, z_2 \in \mathbb{C}$, if

$$\left| z - \left(\frac{z_1 + z_2}{2} \right) \right| = \frac{|z_1 - z_2|}{2}$$

then show that

$$|z - z_1|^2 + |z - z_2|^2 = |z_1 - z_2|^2$$

9. Show that $|r_1 e^{it} - r_2 e^{is}| \geq |r_1 - r_2|$ for all $r_1, r_2 > 0$ and $t, s \in \mathbb{R}$.

10. Prove that Cauchy-Schwarz holds in a complex inner product space:

$$|\langle \vec{x}, \vec{y} \rangle| \leq \|\vec{x}\| \|\vec{y}\|.$$