

Johns Hopkins Engineering


Methods in Neurobiology

Choosing the Appropriate
Model in Research



JOHNS HOPKINS
WHITING SCHOOL
of ENGINEERING

How to select an appropriate research model




Peng, Y., Clark, K.J., Campbell, J.M., Panetta, M.R., Guo, Y., & Ekker, S.C. (2014). Making designer mutants in model organisms. *Development* 141, 4042 - 4054.

How to select an appropriate research model: Example 1

Nature

Volume 392, Issue 6676, 9 April 1998, Pages 605-608

Mutations in the parkin gene cause autosomal recessive juvenile parkinsonism

Kitada, T., Asakawa, S., Hattori, N., Matsumine, H., Yamamura, Y., Minoshima, S., Yokochi, M., Mizuno, Y., Shimizu, N. 

- Cell model carrying the mutant gene: most easy to make but with limitations
- iPSCs model: more difficult and sometimes no access to human samples
- Animal model: high risk/high gain. More difficult, expensive but more comprehensive

How to select an appropriate research model:

Example 2

Cell Rep. 2020 Mar 17;30(11):3682-3690.e6. doi: 10.1016/j.celrep.2020.02.099.

Changes in Gut Microbiota by Chronic Stress Impair the Efficacy of Fluoxetine.

Siopi E¹, Chevalier G², Katsimpardi L³, Saha S³, Bigot M³, Moigneu C³, Eberl G², Lledo PM⁴.

- Animal model because we need microbiota-host interaction. Mouse because more similar to humans, easier to manipulate, cost effective.
- Gut on a chip. Technique not widely available.

How to select an appropriate research model: Example 3



Biomedicine & Pharmacotherapy

Volume 126, June 2020, 110054



Beneficial effect of fluoxetine on anti-tumor progression on hepatocellular carcinoma and non-small cell lung cancer bearing animal model

Li-Cho Hsu ^a, Hsi-Feng Tu ^b, Fei-Ting Hsu ^c, Po-Fu Yueh ^c, I-Tsang Chiang ^{d, e, f}  

- Cell line of liver carcinoma;
- Nude mice/SCID mice (xenograft model);
- Spheroids from patients.
- 3D cultures
- Multiorgan on a chip



JOHNS HOPKINS

WHITING SCHOOL
of ENGINEERING