Boom hoist motor incremental encoder 臂俯电机编码器	YASKAWA supply	1
Boom hoist Drum side absolute encoder 臂俯绝对值编码器	YASKAWA supply	1
Boom hoist Drum overspeed switch 臂俯超速开关	YASKAWA supply	1
Boom hoist cam switch 臂俯凸轮限位	YASKAWA supply	1
Boom hoist Drum brake released 臂俯卷筒制动器打开限位	Brake factory supplier	2
Boom hoist motor brake auto released 臂俯高速制动器自动打开限位	Brake factory supplier	1
Boom hoist motor brake manual released 臂俯高速制动器手动打开限位	Brake factory supplier	1
Boom hoist emergency chain detection limit switch 臂俯应急链轮检测限位	TurckNI50-CP80-FZ3X2	1
Boom hoist rope over lap limit switch 臂俯乱绳限位	XCKJ10541H29C	2

Boom up stop limit switch 臂俯上升停止限位	TD422-01y-1090/2512	1
Boom up overtravel limit switch 臂俯上升极限限位	TD422-01y-1090/2512	1
Boom slack rope switch 臂俯松绳限位	XCKJ10541H29C	2
Boom latch up switch 大梁挂钩限位	TurckNI15-M30-AZ3X-0.1S90-RS4	2
Boom latch engage switch 大梁进钩限位	TurckNI15-M30-AZ3X-0.1S90-RS4	2
Boom rope break limit switch 臂俯断绳保护限位	TurckNI15-M30-AZ3X-0.1S90-RS4	1

Mainhoist motor incremental encoder 起升电机编码器	YASKAWA supply	2
Mainhoist Drum side absolute encoder 起升绝对值编码器	YASKAWA supply	1
Mainhoist Drum overspeed switch 起升超速开关	YASKAWA supply	1
Mainhoist cam switch 起升凸轮限位	YASKAWA supply	1
Mainhoist Drum brake released 起升卷筒制动器打开限位	Brake factory supplier	2
Mainhoist motor brake auto released 起升高速制动器自动打开限位	Brake factory supplier	2
Mainhoist motor brake manual released 起升高速制动器手动打开限位	Brake factory supplier	2
Mainhoist emergency chain detection limit switch 起升应急链轮检测限位	TurckNI50-CP80-FZ3X2	1
Main hoist rope over lap limit switch 起升乱绳限位	XCKJ10541H29C	2

Trolley motor incremental encoder 小车电机编码器	YASKAWA supply	1
Trolley Drum side absolute encoder 小车绝对值编码器	YASKAWA supply	1
Trolley motor brake auto released 小车高速制动器自动打开限位	Brake factory supplier	1
Trolley motor brake manual released 小车高速制动器手动打开限位	Brake factory supplier	1
Trolley emergency chain detection limit switch 小车应急链轮检测限位	TurckNI50-CP80-FZ3X2	1

Trolley Magnet Block 磁铁	BP22N	1
Trolley park position limit switch 小车停车位限位	TurckNI15-M30-AZ3X-0.1S90-RS4	1
Trolley stow pin limit switch 小车锚定限位	XCKJ10541H29C	1

Boom up trolley forward limit switch 大梁仰起小车向前停止限位	Schmersal:BN20-11rz	1
Trolley position synchronize check 小车归零限位	Schmersal:BN20-11rz	1

Mainhoist loadcell 起升重量传感器	Tecsis:F53014520016	4

Trolley rope tension limit switch 小车张紧限位	XCKJ10541H29C	4
Catenary trolley rope tension limit switch 托架小车张紧限位	XCKJ10541H29C	4

platform gate limit switch 跳水平台门限位	TurckNI15-M30-AZ3X-0.1S90-RS4	1

Trolley backward end stop limit switch 小车向后停止限位	TD422-01y-1090/2512	1
Trolley landside overtravel limit switch 小车陆侧极限限位	TD422-01y-1090/2512	1
Trolley landside slowdown limit switch 小车陆侧减速检测限位	Schmersal:BN20-11rz	1

Boom anti-collision limit switch 大梁防撞限位	XCKJ10541H29C	2
Boom hinge left gate limit switch 大梁左通道门限位	TurckNI15-M30-AZ3X-0.1S90-RS4	1

Trolley forkward end stop limit switch 小车向前停止限位	TD422-01y-1090/2512	1
Trolley seaside overtravel limit switch 小车海侧极限限位	TD422-01y-1090/2512	1
Trolley seaside slowdown limit switch 小车海侧减速检测限位	Schmersal:BN20-11rz	1

Trolley gate open limit switch 小车门限位	TurckNI15-M30-AZ3X-0.1S90-RS4	2

Mainhoist overtravel limit switch 起升极限限位	Motsushima ELAW-21NSZ	1

Landside rail brake released 陆侧夹轨器限位	Brake factory supplier	8
Landside gantry motor brake auto released 陆侧大车电机制动器自动打开限位	Brake factory supplier	8
Landside gantry motor brake manual released 陆侧大车电机制动器手动打开限位	Brake factory supplier	8

Seaside rail brake released 海侧夹轨器限位	Brake factory supplier	8
Seaside gantry motor brake auto released 海侧大车电机制动器自动打开限位	Brake factory supplier	8
Seaside gantry motor brake manual released 海侧大车电机制动器手动打开限位	Brake factory supplier	8

Gantry slowdown 大车减速限位	Telemecanique:XUK1ARCNL2(24-240Vac)	2
Gantry stop limit switch 大车停止限位	TD422-01y-1090/2512	2

GANTRY STOWAGE PIN RELEASED 大车锚定释放限位	XCKJ10541H29C	2

技术要求


1. 本图仅表示整机各限位开关的关系情况,数量若与电器不符,以电器情况为准.
2. 现场安装时具体位置可以根据实际情况调整.
3. 未注尺寸及安装支架现场配置.
4. 电梯和行车等部分限位由供应商提供.


Technical requirement


1.This drawing only showing the relationship among all the limit switchs in the crane. the number of L.S. should according to the electric Depa.
2.The actual place should be adjust when the crane assembly.
3.Unmarked dimension and support should be equiped when the crane assembly.
4.The L.S. of elevator,sevice crane and brake etc. should be provided by the supplier like Fuji and Bubenzer.


NO.	SUB-NO. or STDD	NAME & SIZE	MTRL or STYLE	QTY/set	WEIGHT each	WEIGHT total	NOTE
3	J526A7403	Gantry slowdown L.S. 大车减速限位	Ass. 组件	1	21	21	
2	J526A7402	Gantry L.S. 大车运行限位	Ass. 组件	2	7.8	15.6	
1	J526A7401	Trolley L.S. 小车运行限位	Ass. 组件	1	87.1	87.1	

PROJECT:			DESIGN STAGE:		SCALE:	1:250
ITEM NAME: Limit Switch Arrangement 整机限位布置			DRAW NO: J526A7400		PROJ.	
ZPMC	DSGN		TRACE		APP.	
	DRAW		CHCK		SET/CRANE	
	CHCK		VER.		WEIGHT	124kg












NO.	SUB-NO. or STDD	NAME & SIZE	MTRL or STYLE	Q'TY/SET	SET*WEIGHT		SCALE
B14	GB5783-86	Bolt 螺栓 M6x30	不锈钢sta.stl	2			
B13	BP22N	Trolley Magnet Block	SCHMERSAL	1			
B12	NI15-M30-AZ3X-0.1S90-RS4	Limit switch 限位开关		1			
B11	GB97.1-85	Washer 垫片 6	不锈钢sta.stl	10			
B10	ZN6177.1-SL	Nut 螺母 M6	不锈钢sta.stl	10			
B9	GB5783-86	Bolt 螺栓 M6x25	不锈钢sta.stl	8			
B8	BN20-11RZ	Limit switch 限位开关	SCHMERSAL	4			
B7	GB97.1-85	Washer 垫片 16	达克罗Dacro	36			
B6	ZN6177.1-SL	Nut 螺母 M16	达克罗Dacro	36			8H
B5	GB5783-86	Bolt 螺栓 M16x45	达克罗Dacro	36			8.8s
B4	GB97.1-85	Washer 垫片 8	不锈钢sta.stl	8			
B3	ZN6177.1-SL	Nut 螺母 M8	不锈钢sta.stl	8			
B2	GB5783-86	Bolt 螺栓 M8x35	不锈钢sta.stl	8			
B1	TD 422-01y-1090/2512	Limit switch 限位开关	SCHMERSAL	4			
9	ALS13-J526A-03	Plate 3 过渡板 3	Q235	1		2.4	
8	J526A740104	Rail Supportor III 支架 III	Q235	1		5.5	
7	J526A740103	Rail Supportor II 支架 II	Welded 焊接件	3	5.7	17.1	
6	ALS13-J526A-02	Plate 2 过渡板 2	Q235	4	2.4	9.6	
5	ALS13-J526A-01	Plate 1 过渡板 1	Q235	4	2.4	9.6	
4	ALS11	钢板plate 5x40x130	Q235	9	0.2	1.8	借用
3	ALS12	L100x100x8-140	Q235	9	1.7	15.3	借用
2	J526A740102	Rail Supportor I 支架 I	Welded 焊接件	2	9.8	19.6	
1	J526A740101	Block 挡杆	Welded 焊接件	1		6.2	
	J526A7401	Trolley L.S. 小车运行限位	Ass. 组件	1	87.1kg		1:200

ZPMC	DRAW			TECH.			TRACE		
	CHCK			STDD			CHCK		






件1




B5	GB5783-86	螺栓 Bolt M12x35	stainless 不锈钢	3			
B4	GB6172-86	螺母 Nut M12	stainless 不锈钢	3			
B3	ZN6177.1-SL	螺母 Nut M8	stainless 不锈钢	2			
B2	GB5783-86	螺栓 Bolt M8x35	stainless 不锈钢	2			
B1	TD422-01y-1090/2512	限位 limit switch		1			电气配套
5	见J526A0634		Q235	1	1.6	1.6	
4	见J526A0634		Q235	1	1	1	
3		-6x50x730	Q235	1	1.7	1.7	
2		φ30x2-988	Q235	1	1	1	
1		-30x169x365	Q235	1	1.9	1.9	
NO.	SUB-NO. or STDD	NAME & SIZE	MTRL or STYLE	Q'TY/SET	SET*WEIGHT		SCALE
1	J526A7402	大车运行限位	组件	2	2x7.8		1:10


ZPMC	DRAW			TECH.			TRACE	
	CHCK			STDD			CHCK	





View A
1:5



件4







B8	GB/T 845-85	Screw ST4.8X12	不锈钢	12		
B7	GB889-86	nut 螺母 M3	不锈钢	4		
B6	GB65-85	bolt 螺钉 M3x25	不锈钢	4		
B5	BRT-92X92C	反射板 Reflector		2		
B4	XUZA51	Bracket		2		
B3	XUK1ARCNL2	Gantry slowdown sensor		2		
B2	ZN6177.1-SL	nut 螺母 M5	不锈钢	4		
B1	GB5783-86	bolt 螺栓 M5x40	不锈钢	4		
4		-8x200x585	Q235	2	2x7.3	本项目共2件
3	见J526A0634	-8x50x220	Q235	4	4x0.7	
2		-3x200x1040	不锈钢	2	2x4.8	
1	见J526A063401	限位支架 L.S. bracket	焊接件 welded	2	2x4.3	
NO.	SUB-NO. or STDD	NAME & SIZE	MTRL or STYLE	Q'TY/SET	SET*WEIGHT	SCALE
	J526A7403	大车减速限位 Gantry slowdown L.S.	组件Assy.	1	21Kg	1:50

ZPMC	DRAW			TECH.			TRACE	
	CHCK			STDD			CHCK	