```
name: Build IPA

on:
  workflow_dispatch:

jobs:
  build:
    runs-on: macos-latest
    steps:
      - uses: actions/checkout@v4

      - name: Build unsigned IPA
        run: |
          set -euo pipefail
          APP=build/Payload/Snake.app
          mkdir -p "$APP"
          SDK=$(xcrun --sdk iphoneos --show-sdk-path)
          xcrun --sdk iphoneos swiftc \
            -target arm64-apple-ios15.0 \
            -sdk "$SDK" \
            -swift-version 5 \
            -parse-as-library \
            -O \
            -o "$APP/Snake" \
            App.swift
          cp index.html "$APP/index.html"
          cat > "$APP/Info.plist" <<'EOF'
          <?xml version="1.0" encoding="UTF-8"?>
          <!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN" "http://www.apple.
          <plist version="1.0">
          <dict>
            <key>CFBundleExecutable</key><string>Snake</string>
            <key>CFBundleIdentifier</key><string>com.snake.lcd</string>
            <key>CFBundleName</key><string>Snake</string>
            <key>CFBundleDisplayName</key><string>Snake</string>
            <key>CFBundlePackageType</key><string>APPL</string>
            <key>CFBundleInfoDictionaryVersion</key><string>6.0</string>
            <key>CFBundleShortVersionString</key><string>1.0</string>
            <key>CFBundleVersion</key><string>1</string>
            <key>CFBundleSupportedPlatforms</key><array><string>iPhoneOS</string>
            <key>MinimumOSVersion</key><string>15.0</string>
            <key>UIDeviceFamily</key><array><integer>1</integer></array>
            <key>UIRequiredDeviceCapabilities</key><array><string>arm64</string><
```

```
      <key>UILaunchScreen</key><dict/>
      <key>UISupportedInterfaceOrientations</key><array><string>UIInterface
    </dict>
    </plist>
    EOF
    plutil -lint "$APP/Info.plist"
    (cd build && zip -qry Snake.ipa Payload)
    ls -lh build/Snake.ipa

- uses: actions/upload-artifact@v4
  with:
    name: Snake-IPA
    path: build/Snake.ipa
```