

# ADVANCED SUBSIDIARY GCE COMPUTING

F452

Programming Techniques and Logical Methods

Candidates answer on the question paper.

OCR supplied materials:

None

Other materials required:

None

Tuesday 7 June 2011 Morning

**Duration:** 1 hour 30 minutes




Candidate forename				Candidate surname			
Centre number				Candidate nu	ımber		

#### **INSTRUCTIONS TO CANDIDATES**

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Answer **all** the questions.
- Do not write in the bar codes.

### **INFORMATION FOR CANDIDATES**

- The number of marks is given in brackets [ ] at the end of each question or part question.
- The total number of marks for this paper is 100.
- This document consists of 20 pages. Any blank pages are indicated.



1 Wayne is writing an application for a touch screen mobile phone to identify types of ladybird.



- (a) The application will use a single interface which has
  - a facility to input the size of the ladybird in mm,
  - a facility to input the number of spots (0 to 30),
  - a facility to input the colour of the spots (BLACK, WHITE, RED or OTHER),
  - an output to show photographs and short descriptions of the types of ladybird fitting the criteria which have been input.

the outline below, draw a design for the interface of this application. bu may annotate your design to explain how it works.					

Wayne uses IF statements in the code to determine whether the data input matches known types of ladybird.

(b) Wayne uses the following IF statement to determine whether the spot colour which has been

input matches a type of ladybird which has white spots.

	<pre>IF InputSpotColour = "WHITE" THEN</pre>
	Show how an IF statement can be used to check whether the spot colour which has been input matches a ladybird which can have either red or black spots.
	[2]
(c)	Wayne's program uses the following variables. InputSpots: The number of spots input by the user. MaxSpots, MinSpots: The maximum and minimum number of spots that a type of ladybird can have.
	Show how an IF statement can be used to check whether the value of InputSpots is within the range from MinSpots to MaxSpots.
	[3]

(d) Wayne's program also contains the following variables.

	InputLength: The length input by the user.  AveLength: The average length of a type of ladybird.							
	Show how an IF statement can be used to check whether the value of InputLength is within 1 mm of AveLength.							
(0)	Woung decides that his IE statements need to be needed							
(e)	Wayne decides that his IF statements need to be nested.  Describe what is meant by nesting.							
	Describe what is meant by needing.							
	[2]							
(f)	Wayne decides to release a beta version of the application.							
	Explain the use of beta versions, and the advantages <b>and</b> disadvantages of their use in this case.							
	The quality of written communication will be assessed in your answer to this question.							

		[8]

## **BLANK PAGE**

PLEASE DO NOT WRITE ON THIS PAGE

A company is producing a computer program for a new cash point.

2

company uses Rapid Application Development (RAD).
Describe what is meant by Rapid Application Development (RAD) and how it can be used to help in producing the program.

.....[4]

Here is part of the code for the program. This code contains some errors.

VARIABLE Amount:REAL //how much to withdraw 03 VARIABLE Print:BOOLEAN //whether a receipt is wanted 04 Amount = GetAmountWanted() 05 Print = GetWhetherReceiptWanted() 06 IF Balance(AccountNo) < Amount THEN 07 DispenseCash(Amount) 08 IF Print = TRUE THEN 09 PrintReceipt(AccountNo, Amount) 10 END IF 11 ELSE 12 OUTPUT "Insufficient Funds" 13 END IF 14 END PROCEDURE  (b) In this extract the procedure WithdrawCash is defined.  (i) Define the term procedure and explain how a procedure is used.			01	PROCEDURE WithdrawCash(AccountNo:INTEGER)	
04 Amount = GetAmountWanted() 05 Print = GetWhetherReceiptWanted() 06 IF Balance(AccountNo) < Amount THEN 07 DispenseCash(Amount) 08 IF Print = TRUE THEN 09 PrintReceipt(AccountNo, Amount) 10 END IF 11 ELSE 12 OUTPUT "Insufficient Funds" 13 END IF 14 END PROCEDURE  (b) In this extract the procedure WithdrawCash is defined.  (i) Define the term procedure and explain how a procedure is used.			02	VARIABLE Amount: REAL //how much to withdraw	
05 Print = GetWhetherReceiptWanted() 06 IF Balance(AccountNo) < Amount THEN 07 DispenseCash(Amount) 08 IF Print = TRUE THEN 09 PrintReceipt(AccountNo, Amount) 10 END IF 11 ELSE 12 OUTPUT "Insufficient Funds" 13 END IF 14 END PROCEDURE  (b) In this extract the procedure WithdrawCash is defined.  (i) Define the term procedure and explain how a procedure is used.			03	VARIABLE Print:BOOLEAN //whether a receipt is wanted	
06 IF Balance(AccountNo) < Amount THEN 07 DispenseCash (Amount) 08 IF Print = TRUE THEN 09 PrintReceipt(AccountNo, Amount) 10 END IF 11 ELSE 12 OUTPUT "Insufficient Funds" 13 END IF 14 END PROCEDURE  (b) In this extract the procedure WithdrawCash is defined.  (i) Define the term procedure and explain how a procedure is used.			04	Amount = GetAmountWanted()	
07 DispenseCash(Amount) 08 IF Print = TRUE THEN 09 PrintReceipt(AccountNo, Amount) 10 END IF 11 ELSE 12 OUTPUT "Insufficient Funds" 13 END IF 14 END PROCEDURE  (b) In this extract the procedure WithdrawCash is defined.  (i) Define the term procedure and explain how a procedure is used.			05	<pre>Print = GetWhetherReceiptWanted()</pre>	
08			06	IF Balance(AccountNo) < Amount THEN	
09 PrintReceipt(AccountNo, Amount) 10 END IF 11 ELSE 12 OUTPUT "Insufficient Funds" 13 END IF 14 END PROCEDURE  (b) In this extract the procedure WithdrawCash is defined.  (i) Define the term procedure and explain how a procedure is used.			07	DispenseCash(Amount)	
10 END IF 11 ELSE 12 OUTPUT "Insufficient Funds" 13 END IF 14 END PROCEDURE  (b) In this extract the procedure WithdrawCash is defined.  (i) Define the term procedure and explain how a procedure is used.			08	IF Print = TRUE THEN	
10 END IF 11 ELSE 12 OUTPUT "Insufficient Funds" 13 END IF 14 END PROCEDURE  (b) In this extract the procedure WithdrawCash is defined.  (i) Define the term procedure and explain how a procedure is used.			09	PrintReceipt(AccountNo, Amount)	
12 OUTPUT "Insufficient Funds" 13 END IF 14 END PROCEDURE  (b) In this extract the procedure WithdrawCash is defined.  (i) Define the term procedure and explain how a procedure is used.			10	- ,	
13 END IF 14 END PROCEDURE  (b) In this extract the procedure WithdrawCash is defined.  (i) Define the term procedure and explain how a procedure is used.			11	ELSE	
(b) In this extract the procedure WithdrawCash is defined.  (i) Define the term procedure and explain how a procedure is used.			12	OUTPUT "Insufficient Funds"	
(i) Define the term procedure WithdrawCash is defined.  (i) Define the term procedure and explain how a procedure is used.			13	END IF	
(i) Define the term procedure and explain how a procedure is used.			14	END PROCEDURE	
(ii) State the name of a procedure used in the code other than WithdrawCash.	(b)	In th	nis ex	xtract the procedure WithdrawCash is defined.	
(ii) State the name of a procedure used in the code other than WithdrawCash.					
(ii) State the name of a procedure used in the code other than WithdrawCash.		(i)	Def	ine the term procedure and explain how a procedure is used.	
(ii) State the name of a procedure used in the code other than WithdrawCash.					
(ii) State the name of a procedure used in the code other than WithdrawCash.					
(ii) State the name of a procedure used in the code <b>other than</b> WithdrawCash.					
(ii) State the name of a procedure used in the code <b>other than</b> WithdrawCash.					
(ii) State the name of a procedure used in the code other than WithdrawCash.			••••		
(ii) State the name of a procedure used in the code other than WithdrawCash.					
(ii) State the name of a procedure used in the code other than WithdrawCash.					
(ii) State the name of a procedure used in the code other than WithdrawCash.					
(ii) State the name of a procedure used in the code other than WithdrawCash.					
(ii) State the name of a procedure used in the code other than WithdrawCash.					
(ii) State the name of a procedure used in the code other than WithdrawCash.					
(ii) State the name of a procedure used in the code other than WithdrawCash.					<b>[4</b> ]
					[+]
		(ii)	Stat	te the name of a procedure used in the code <b>other than</b> WithdrawCash.	
[		. ,			
					[1]

(c)	GetAmountWanted is a function which prompts the user for an amount to without returns this amount.							
	(i)	Explain <b>one</b> difference between a procedure and a function.						
	(ii)	State the name of a function used in the code <b>other than</b> GetAmountWanted.	[2]					
(d)	Exp	plain what is meant by a parameter, using an example from the code.	[1]					
(e)	Wh	en the code is tested, the variable Print causes a keyword violation error.						
	(i)	Describe what is meant by a keyword.						
	(ii)	State why this keyword violation is a syntax error.	[2]					
			 [1]					

Here is a copy of the code shown on page 8. This code contains some errors.

		01	PROCEDURE WithdrawCash(AccountNo:INTEGER)	
		02	VARIABLE Amount:REAL //how much to withdraw	
		03	VARIABLE Print:BOOLEAN //whether a receipt is wanted	
		04	Amount = GetAmountWanted()	
		05	<pre>Print = GetWhetherReceiptWanted()</pre>	
		06	<pre>IF Balance(AccountNo) &lt; Amount THEN</pre>	
		07	DispenseCash(Amount)	
		80	IF Print = TRUE THEN	
		09	PrintReceipt(AccountNo, Amount)	
		10	END IF	
		11	ELSE	
		12	OUTPUT "Insufficient Funds"	
		13	END IF	
		14	END PROCEDURE	
<b>(f)</b>	The	re is	an error in line 06.	
	413	<b>.</b>		
	(i)	Stat	te the error and what the implication is to the customer.	
		••••		
				[5.
		•••••		L <u>-</u> .
	(ii)	Stat	te what type of error this is.	
	()		· · · · · · · · · · · · · · · · · · ·	
				. <b>[1</b> ]

- (g) The program also contains the function GetAmountWanted. A description of this function is given below.
  - It prompts the user to input the amount to withdraw.
  - The amount input by the user is checked to make sure that it can be dispensed in £10 notes.
  - If this is possible, the function returns the amount input by the user.
  - If it is not possible, the user is given the option to input a different amount or cancel. If the user chooses to cancel, the function returns the number -1.

Write an algorithm, in pseudo-code, for this function.
[8]

## 12 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

3

A company organises a mobile phone quiz. Players are sent a multiple-choice question by text message. If they answer correctly the next question is sent. If the answer is wrong, they are

elim	inate	ed. Players who answer 20 questions correctly win a prize.
(a)	100	00 players register and their details are held in an indexed sequential file.
	(i)	Define what is meant by an indexed sequential file.
		[2]
	(ii)	Explain why an indexed sequential file is used to store the details of the players.
		[3]
(b)		take part, players must register their 11 digit mobile phone number (with no spaces or er characters).
	Ехр	lain why the phone number should <b>not</b> be stored as an integer.

.....[2]

- (c) As well as the mobile phone number, the file also containsthe number of the last question answered correctly,

  - whether the player has been eliminated.

Design a record format for the file using the table below.

Field Name	Data Type	Maximum size in bytes
PhoneNumber		
LastCorrectQuestion		
Eliminated		

		[6]
(d)	Estimate the size in kilobytes of a file of 10000 players.	
	You must show your working.	
		Γ <b>Δ</b> 1


(e)	Before a new round of 20 questions starts, the data in the file needs to be reset.		
	(i) Explain why the data in the file needs to be reset.		
		[2]	
	(ii) Part of the algorithm for the process used to reset the data in the file is given in pse code below.		
	Complete the blank spaces in the pseudo-code.		
		OPEN PlayerFile	
		SET CurrentRecord to the first record	
		REPEAT	
		<pre>CurrentRecord.LastCorrectQuestion = 0</pre>	
		Set CurrentRecord to next record	
		UNTIL	
		CLOSE PlayerFile [2]	

(f) When a player receives a question, they must reply by sending A, B, C or D.

Part of the process for checking the answer is described below.

- The computer checks whether the answer matches the correct answer.
- If the answer is correct it checks whether the player has answered 20 questions.
- If the player has answered 20 questions it replies with the message "You have won a prize"
- If the answer was correct but the player has not answered 20 questions then it replies with the next question.
- If the answer does not match the correct answer it records that the player is eliminated in the player file and replies with the message "Wrong answer. You are Eliminated"

Complete the flow chart below to show this part of the process.



## 17 BLANK PAGE

TURN OVER FOR THE NEXT QUESTION
PLEASE DO NOT WRITE ON THIS PAGE

			•		
4	Α	sequence	ot n	umbers	beains

2, 4, 7,...

Here is an algorithm in pseudo-code for a function which returns the  $n^{th}$  number of the sequence. For example, SequenceItem(3) returns the  $3^{rd}$  number in the sequence.

01	<pre>FUNCTION SequenceItem(n:INTEGER)</pre>	:	INTEGER
02	Answer = 1		
03	FOR $i = 1$ TO n		
04	Answer = Answer + $i$		
05	NEXT i		
06	RETURN Answer		
07	END FUNCTION		

(a) This algorithm uses iteration.

Describe what is meant by iteration, and show how it has been used in this algorithm.
[4

(b) Using the algorithm complete the trace table to calculate the value of SequenceItem(5).

n	i	answer

(c)	) Every algorithm which uses iteration can also be written using recursion.					
	(i)	Describe what is meant by a recursive algorithm.				
		[2]				
	(ii)	Write a recursive function in a high level language of your choice to find the $n^{\text{th}}$ number in the sequence.				
		State the name of the language you use. Use good program writing techniques to ensure that your code can be understood by another programmer.				
		Name of Language				
		Code				
		[7]				

## PLEASE DO NOT WRITE ON THIS PAGE



#### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© OCR 2011