Centre No.					Pape	er Refer	ence			Surname	Initial(s)
Candidate No.			6	6	6	4	/	0	1	Signature	

Paner Reference(s)

6664/01

Edexcel GCE

Core Mathematics C2 Advanced Subsidiary

Wednesday 9 June 2010 - Afternoon

Time: 1 hour 30 minutes

|--|

Mathematical Formulae (Pink)

Items included with question papers

Nil

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature. Check that you have the correct question paper.

Answer ALL the questions.

You must write your answer to each question in the space following the question.

When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 10 questions in this question paper. The total mark for this paper is 75.

There are 28 pages in this question paper. Any blank pages are indicated.


Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled. You should show sufficient working to make your methods clear to the Examiner. Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy.

Printer's Log. No. H35384A
W850/R6664/57570 4/5





Examiner's use only

Team Leader's use only

1

3

4

5

6

7

Turn over



$$y = 3^x + 2x$$

(a) Complete the table below, giving the values of y to 2 decimal places.

х	0	0.2	0.4	0.6	0.8	1
у	1	1.65				5

(2)

(b) Use the trapezium rule, with all the values of y from your table, to find an approximate value for $\int_0^1 (3^x + 2x) \, dx$.

(4)

Question 1 continued	Leave blank
	Q1
(Total 6 marks)	

Leave
blank

2.	$f(x) = 3x^3 - 5x^2 - 58x + 40$	
(a)	Find the remainder when $f(x)$ is divided by $(x-3)$.	(2)
Gi	ven that $(x-5)$ is a factor of $f(x)$,	
(b)	find all the solutions of $f(x) = 0$.	(5)
		_
		_
		_
		_
		_
		_
		_
		_
		_

Question 2 continued	Lo bl
	Q2

$y = x^2 - k \sqrt{x}$, where k is a constant.	
(a) Find $\frac{dy}{dx}$.	(2)
(b) Given that y is decreasing at $x = 4$, find the set of possible values of k .	(2)

Question 3 continued	Leave blank
	Q3
(Total 4 marks)	

where a is a constant. Give each term in its simplest form.	(4)
Given that the coefficient of x^2 in this expansion is 525,	
(b) find the possible values of <i>a</i> .	(2)
	(2)

Question 4 continued	Leave blank
	Q4
(Total 6 marks)	

6. (a) Given that $5\sin\theta = 2\cos\theta$, find the value of $\tan\theta$.	(1)
(b) Solve, for $0 \le x < 360^{\circ}$,	
$5\sin 2x = 2\cos 2x,$	
giving your answers to 1 decimal place.	(5)

Question 5 continued	

6.

Leave blank




Figure 1

Figure 1 shows the sector *OAB* of a circle with centre *O*, radius 9 cm and angle 0.7 radians.

(a) Find the length of the arc AB.

(2)

(b) Find the area of the sector *OAB*.

(2)

The line AC shown in Figure 1 is perpendicular to OA, and OBC is a straight line.

(c) Find the length of AC, giving your answer to 2 decimal places.

(2)

The region H is bounded by the arc AB and the lines AC and CB.

(d) Find the area of H, giving your answer to 2 decimal places.

(3)

Question 6 continued	Leave blank

Question 6 continued	

Question 6 continued	1	Le bl
question o continueu		
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	Q) 6

Leave	
blank	

(a) Given that	
$2\log_3(x-5) - \log_3(2x-13) = 1,$	
show that $x^2 - 16x + 64 = 0$.	(5)
(b) Hence, or otherwise, solve $2\log_3(x-5) - \log_3(2x-13) = 1$.	(0)
(b) Hence, of otherwise, solve $2\log_3(x-3) - \log_3(2x-13) - 1$.	(2)

Question 7 continued	L b
	Q'

8.




Figure 2

Figure 2 shows a sketch of part of the curve C with equation

$$y = x^3 - 10x^2 + kx,$$

where k is a constant.

The point P on C is the maximum turning point.

Given that the x-coordinate of P is 2,

(a) show that k = 28.

(3)

blank

The line through P parallel to the x-axis cuts the y-axis at the point N. The region R is bounded by C, the y-axis and PN, as shown shaded in Figure 2.

(b) Use calculus to find the exact area of R.

(6)

-

Question 8 continued	Leave blank

Question 8 continued	b

	l t	Le bla
Question 8 continued		
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	Q	<u>8</u>

Tl.	1-14 1-4i
I ne	e adult population of a town is 25 000 at the end of Year 1.
	model predicts that the adult population of the town will increase by 3% each year ming a geometric sequence.
(a)	Show that the predicted adult population at the end of Year 2 is 25750.
()	(1)
(h)	Write down the common ratio of the geometric sequence.
(0)	(1)
	e model predicts that Year N will be the first year in which the adult population of the n exceeds 40000 .
(c)	Show that
	$(N-1)\log 1.03 > \log 1.6$ (3)
(1)	
(a)	Find the value of N . (2)
	the end of each year, each member of the adult population of the town will give £1 to harity fund.
Ass	suming the population model,
(a)	find the total amount that will be given to the charity fund for the 10 years from the
(0)	end of Year 1 to the end of Year 10, giving your answer to the nearest £1000.
	(3)

Question 9 continued	Leave blank

Question 9 continued	

Question 9 continued	Leav blan
Question 9 continued	
	_
	_
	-
	-
	-
	-
	_
	_
	-
	-
	-
	-
	-
	_
	_
	-
	-
	-
	-
	-
	_
	_
	-
	-
	_ Q

		Leave blank
10. The circle C has centre $A(2,1)$ and passes through the point $B(10,7)$.		
(a) Find an equation for C.	44)	
	(4)	
The line l_1 is the tangent to C at the point B .		
(b) Find an equation for l_1 .	(4)	
The line l_2 is parallel to l_1 and passes through the mid-point of AB .		
Given that l_2 intersects C at the points P and Q ,		
(c) find the length of <i>PQ</i> , giving your answer in its simplest surd form.		
(c) That the folight of 1 g, giving your unswer in its simplest state form.	(3)	

	Leave
Question 10 continued	blank
Question to continued	
	1

O		Lea blar
Question 10 continued		
		Q
	(T-4-1 11l)	
	(Total 11 marks)	