

IAR Project Conversion from 7.x to 8.x

Power Application Controller®



www.active-semi.com

Copyright © 2018 Active-Semi, Inc.

No portion of this document may be reproduced or reused in any form without Active-Semi's prior written consent

Table of Contents

1 Overview	3
2 Conversion	3
2.1 Run IAR v8.x	3
2.2 Load the IAR v7.x Project.....	3
2.3 Convert to IAR v8.x Project	3
2.4 Choose the Correct Device	4
2.5 Enable the CMSIS library	5
3 Conclusion	5
About Active-Semi®	6

1 OVERVIEW

This document will discuss how to convert an IAR v7.x project to v8.x.

2 CONVERSION

This section will discuss how to convert the projects.

2.1 Run IAR v8.x


Run the IAR v8.x IDE.

2.2 Load the IAR v7.x Project

Add the IAR v7.x project you wish to convert to the IAR v8.x workspace.


2.3 Convert to IAR v8.x Project

Click “Yes” to convert the IAR v7.x project to IAR v8.x.




2.4 Choose the Correct Device

Open the project options and make sure the correct PAC52xx or PAC55xx device is selected in the General Options->Target tab.



2.5 Enable the CMSIS library

Open the project options and make sure the CMSIS library is selected in the General Options->Library Configuration tab.



3 CONCLUSION

The IAR v7.x project should now be converted to IAR v8.x.

ABOUT ACTIVE-SEMI[®]

Active-Semi, Inc., headquartered in Dallas, TX, is a leading innovative semiconductor company with proven power management, analog, and mixed-signal products for end-applications that require power conversion (AC/DC, DC/DC, DC/AC, PFC, etc.), motor drivers and control, and LED drivers and control along with ARM[®] microcontrollers for system development.

Active-Semi's latest family of Power Application Controller[®] (PAC[®]) ICs offer high-level of integration with 32-bit ARM[®] Cortex[®]-M0, along with configurable power management peripherals, a Configurable Analog Front End[™] with high-precision high-speed data converters, single-ended and differential PGAs, and integrated low-voltage and high-voltage gate drives. PAC[®] ICs offer unprecedented flexibility and ease in the systems design of various end-applications such as Wireless Power Transmitters, Motor drives, UPS, Solar Inverters, and LED lighting that require a microcontroller, power conversion, analog sensing, high-voltage gate drives, open-drain outputs, analog and digital general purpose IO, as well as support for wired and wireless communication. More information and samples can be obtained from <http://www.active-semi.com> or by emailing marketing@active-semi.com

Active-Semi[®] shipped its 1 Billionth IC in 2012, and has over 120 in patents awarded and pending approval.

LEGAL INFORMATION & DISCLAIMER

Copyright © 2018 Active-Semi, Inc. All rights reserved.

All information provided in this document is subject to legal disclaimers.

Active-Semi reserves the right to modify its products, circuitry or product specifications without notice. Active-Semi products are not intended, designed, warranted or authorized for use as critical components in life-support, life-critical or safety-critical devices, systems, or equipment, nor in applications where failure or malfunction of any Active-Semi product can reasonably be expected to result in personal injury, death or severe property or environmental damage. Active-Semi accepts no liability for inclusion and/or use of its products in such equipment or applications. Active-Semi does not assume any liability arising out of the use of any product, circuit, or any information described in this document. No license, express, implied or otherwise, is granted under any patents, copyrights or other intellectual property rights of Active-Semi or others. Active-Semi assumes no liability for any infringement of the intellectual property rights or other rights of third parties which would result from the use of information contained herein. Customers should evaluate each product to make sure that it is suitable for their applications. Customers are responsible for the design, testing, and operation of their applications and products using Active-Semi products. Customers should provide appropriate design and operating safeguards to minimize the risks associated with their applications and products. All products are sold subject to Active-Semi's terms and conditions of sale supplied at the time of order acknowledgment. Exportation of any Active-Semi product may be subject to export control laws.

Active-Semi[®], the Active-Semi logo, Power Application Controller[®] are registered trademarks of Active-Semi, Inc. Active-Semi logo, Solutions for Sustainability[™], Micro Application Controller[™], Multi-Mode Power Manager[™], Configurable Analog Front End[™], and Application Specific Power Drivers[™] are trademarks of Active-Semi, Inc.

ARM[®] and Cortex[®] are registered trademarks of ARM Limited. All referenced brands and trademarks are the property of their respective owners.