


pac\_foc/pac52xx/pac5xxx  
\_sdk/pac5xxx\_drivers/pac5xxx  
\_driver\_i2c.h



```
graph BT; A["pac_foc/pac52xx/pac5xxx_sdk/pac5xxx_drivers/pac5xxx_driver_i2c.h"] <--> B["pac_foc/pac52xx/pac5xxx_sdk/pac5xxx_drivers/pac5xxx_driver_i2c_config.c"]; A <--> C["pac_foc/pac52xx/pac5xxx_sdk/pac5xxx_drivers/pac5xxx_driver_i2c_int.c"]; A <--> D["pac_foc/pac52xx/pac5xxx_sdk/pac5xxx_drivers/pac5xxx_driver_i2c_read.c"]; A <--> E["pac_foc/pac52xx/pac5xxx_sdk/pac5xxx_drivers/pac5xxx_driver_i2c_write.c"];
```

pac\_foc/pac52xx/pac5xxx  
\_sdk/pac5xxx\_drivers/pac5xxx  
\_driver\_i2c\_config.c

pac\_foc/pac52xx/pac5xxx  
\_sdk/pac5xxx\_drivers/pac5xxx  
\_driver\_i2c\_int.c

pac\_foc/pac52xx/pac5xxx  
\_sdk/pac5xxx\_drivers/pac5xxx  
\_driver\_i2c\_read.c

pac\_foc/pac52xx/pac5xxx  
\_sdk/pac5xxx\_drivers/pac5xxx  
\_driver\_i2c\_write.c