

Why $F^* = 12$:

Thanks for the insightful question. The very first reason is that $F^*=12$ corresponds to 1 hour in practice (5 mins/sample), which is a boundary value consistent with clinical standards in blood glucose forecasting. $F^*\leq 12$ can be regarded as short-term variation warning, whereas $F^*>12$ corresponds to mid-term intervention decisions and long-term trend assessment. We further provide more ablation studies on different values of F^* , as shown below.

In our experimental setup, we selected 30 minutes, one hour, two hours, four hours, eight hours, one day, two days and six days as the historical sequence lengths because we fully considered the short-term risk monitoring, medium-term intervention decision-making and long-term trend assessment that patients must go through. Therefore, in the selection of F^* , it will definitely appear in several shorter historical sequence lengths. Because when the length is less than the threshold of F^* , the corresponding patching method is relatively "suppressing" the global smoothing information. This is more in line with our actual definition of the concept of granularity. For details, please refer to Appendix A. Therefore, in the supplementary experiment section, we selected four possible thresholds for supplementary experiments. The conclusion proved that only when the threshold of F^* is set to 12, that is, one hour, can the model achieve the best performance under the current patching strategy. Such experimental results also conform to the clinical definition.

OhioT1DM	FL=6 (Future 30 mins)		FL=12 (Future 1 hour)		FL=24 (Future 22 hours)	
F^*	MSE	MAE	MSE	MAE	MSE	MAE
4	0.067	0.150	0.155	0.250	0.328	0.394
6	0.061	0.148	0.176	0.253	0.328	0.394
12	0.061	0.148	0.155	0.250	0.328	0.394
24	0.061	0.148	0.155	0.250	0.402	0.411

DCLP5	FL=6 (Future 30 mins)		FL=12 (Future 1 hour)		FL=24 (Future 22 hours)	
F^*	MSE	MAE	MSE	MAE	MSE	MAE
4	0.082	0.195	0.179	0.298	0.403	0.460
6	0.074	0.187	0.217	0.322	0.403	0.460
12	0.074	0.187	0.179	0.298	0.403	0.460
24	0.074	0.187	0.179	0.298	0.529	0.520