# Study for Robot-Assisted Endodontic Treatment

Yi-Chan Li

Advisor: Cheng-Wei Chen

Graduate Institute of Electronics Engineering
National Taiwan University
Taipei, Taiwan

May 2021

# **Abstract**

# **Contents**

| Abstract       |  |   |   |  |  |  |  |  |
|----------------|--|---|---|--|--|--|--|--|
| Li             | List of Figures                            |   |   |  |  |  |  |  |
| List of Tables |  |   |   |  |  |  |  |  |
| 1              | Introduction                               |   |   |  |  |  |  |  |
|                | 1.1  | Motivation                                  | 1 |  |  |  |  |  |
|                | 1.2  | Previous Work and Problem Definition        | 1 |  |  |  |  |  |
|                | 1.3  | The Prospect and Challenges of this Project | 1 |  |  |  |  |  |
|                | 1.4  | Main Contributions of the Thesis            | 2 |  |  |  |  |  |
|                | 1.5  | Organization of the Thesis                  | 2 |  |  |  |  |  |
| 2              | Rela                                       | ted Work and Literature Review              | 3 |  |  |  |  |  |
| 3              | Robot-Assisted System                      |   |   |  |  |  |  |  |
|                | 3.1  | Requirement and Specification               | 5 |  |  |  |  |  |
|                | 3.2  | System Design- The DentiBot                 | 5 |  |  |  |  |  |
| 4              | Kinematics Analysis and Admittance Control |   |   |  |  |  |  |  |
|                | 4.1  | Kinematics Analysis                         | 7 |  |  |  |  |  |
|                |  | 4.1.1 Coordinate Definition                 | 7 |  |  |  |  |  |
|                |  | 4.1.2 Forward and Inverse Kinematics        | 7 |  |  |  |  |  |
|                |  | 4.1.3 Jacobian matrix                       | 7 |  |  |  |  |  |

iv CONTENTS

|   |                               | 4.1.4   | Tool Center Point                                      | 8  |  |  |  |
|---|-------------------------------|---|--|----|--|--|--|
|   | 4.2                           | tance Control   | 8  |    |  |  |  |
|   |                               | 4.2.1   | Gravity Compensation                                   | 8  |  |  |  |
|   |                               | 4.2.2   | Admittance Control based on F/T sensor                 | 8  |  |  |  |
|   |                               | 4.2.3   | Reference Frame Changing of F/T sensor                 | 8  |  |  |  |
| 5 | Self                          | Self-Alignment of Root Canal Direction for Automatic Navigation |  |    |  |  |  |
|   | 5.1                           | Proble  | m Definition   | 9  |  |  |  |
|   | 5.2                           | 5.2 The Proposed Method   |  |    |  |  |  |
|   | 5.3                           | nplementation of the method                                     | 9  |    |  |  |  |
|   | 5.4                           | Param   | eters Setting  | 10 |  |  |  |
| 6 | Pred                          | caution   | of Endodontic Files Fracture Based on Current Feedback | 11 |  |  |  |
|   | 6.1                           | Proble  | m Definition   | 11 |  |  |  |
|   | 6.2                           | The Pr  | roposed Method and Theorem                             | 11 |  |  |  |
| 7 | Preliminary Experiment Result |   |  |    |  |  |  |
|   | 7.1                           | Experi  | mental Setup   | 13 |  |  |  |
|   | 7.2                           | Admit   | tance Control  | 13 |  |  |  |
|   | 7.3                           | Autom   | natically Direction Changing                           | 13 |  |  |  |
|   | 7.4                           | Repeti  | tive Experiment  | 13 |  |  |  |
| Q | Con                           | clusion   | s and Future works                                     | 15 |  |  |  |

# **List of Figures**

# **List of Tables**

## Introduction

(5-6 pages, at most 10 pages)

#### 1.1 Motivation

(Introduce the procedure of the endodontic treatment- Open → Clean → Fill)

#### 1.2 Previous Work and Problem Definition

(Briefly mention some dental robots)

(Focus on cleaning procedure)

(Two problem definition: prevent breakage of file, clean thoroughly)

## 1.3 The Prospect and Challenges of this Project

 $(Move to the infected teeth \longrightarrow Root canal searching \longrightarrow Repetitive drilling \longrightarrow Apex$ 

Detection)

(Challenges: root canal is small, risk of file breakage)

2 1. Introduction

## 1.4 Main Contributions of the Thesis

- 1. Robot-Assisted System Design
- 2. Self-Alignment of Root Canal Direction for Automatic Navigation
- 3. Precaution against Endodontic File Fracture

## 1.5 Organization of the Thesis

## **Related Work and Literature Review**

(Elaborate more details of NCTU paper, YOMI and even other dental robots) (Why not Image processing and why force feedback?)

# **Robot-Assisted System**

## 3.1 Requirement and Specification

(Payload, resolution and workspace)(Why not RCM mechanism)

## 3.2 System Design- The DentiBot

(Why Robot Arm - Meca500, F/T sensor - Mini40, Customized Handpiece) (DOF discussion)

# **Kinematics Analysis and Admittance Control**

(Tutorial, only variables without numbers and data) (cite some technical papers)

## 4.1 Kinematics Analysis

#### 4.1.1 Coordinate Definition

(0 6 robot frame, Sensor frame, and tool frame)

#### **4.1.2** Forward and Inverse Kinematics

\_

#### 4.1.3 Jacobian matrix

(variables are shown in appendix because they are too long)
(How to obtain Jacobian matrix in frame 6 by Jacobian matrix in frame 0)

#### **4.1.4** Tool Center Point

(How to find RCM by four-points-method)

#### 4.2 Admittance Control

#### 4.2.1 Gravity Compensation

#### 4.2.2 Admittance Control based on F/T sensor

#### **Control Scheme**

(Block diagram, robot command choice)

#### **Discussion about Affection of Parameter Setting**

(K, Bi, Mi)

#### **4.2.3** Reference Frame Changing of F/T sensor

(How to find the direction vector of the tool)

(From sensor frame to tool tip frame)

# Self-Alignment of Root Canal Direction for Automatic Navigation

#### **5.1** Problem Definition

(Main cause of surgical failure)

## **5.2** The Proposed Method

(Peg-in-hole method based on F/T feedback)

## **5.3** The Implementation of the method

(What functions should we used to implement this method)

(Admittance control + Transformation from robot to tool

- + Transformation from sensor to tool
- + Motion Planning: based on admittance control)

## **5.4** Parameters Setting

(get reasonable and suitable parameters first)

(Modes: Doctor Dragging and Auto navigation)

# Precaution of Endodontic Files Fracture Based on Current Feedback

#### **6.1 Problem Definition**

(Main cause of Files Fracture)(File property)

## **6.2** The Proposed Method and Theorem

(CACS2020)(Prototype 1)

(Motion Planning: sections)(Current threshold setting)

6. Precaution of Endodontic Files Fracture Based on Current Feedback

## **Preliminary Experiment Result**

## 7.1 Experimental Setup

(Communication protocol – EtherCAT, RTOS – NI target)

For 7.2 experiment: (Stewart-Platform + PhaseSpace + markers)

For 7.3 7.4 experiments: (Acrylic root canal model + truth tooth)

#### 7.2 Admittance Control

(Metrics: position comparison between the target and the robot)

### 7.3 Automatically Direction Changing

(Metrics: time, completeness and file breakage)

(Completeness definition: comparison of pixel area before and after experiment

via image)

#### 7.4 Repetitive Experiment

(Metrics: file breakage, compare with and without reverse)

# **Conclusions and Future works**

(Patient move tracking via cable, root canals searching)