

UNIT VOLUME LIOUVILLE MEASURE ON THE SPHERE WITH (γ, γ, γ) -INSERTIONS: TWO CONSTRUCTIONS

– AFTER DAVID[°], DUPLANTIER[•], KUPIAINEN[°],
MILLER[•], RHODES[°], SHEFFIELD[•], VARGAS[°]

Yichao Huang^[ENS], joint with Juhan Aru^[ETH], Xin Sun^[MIT]

Les probabilités de demain, May 2016

OUTLINE

I. INSERTIONS: CLASSICAL AND QUANTUM

II. GAUSSIAN FREE FIELD: DECOMPOSITION

III. ZERO MODE

IV. REWEIGHTING FACTOR

V. THEOREM AND CONSEQUENCES

SECTION I

INSERTIONS: CLASSICAL AND QUANTUM

CLASSICAL INSERTIONS

A.K.A. CONICAL SINGULARITIES

$$\sqrt{5} \neq 1$$

Use the *power* of L^AT_EX!

QUANTUM INSERTIONS

A.K.A. VERTEX OPERATORS

$$\sqrt{5} \neq 1$$

Use the *power* of L^AT_EX!

γ -INSERTIONS

A.K.A. “CHOOSE A POINT W.R.T. THE QUANTUM MEASURE”

$$\sqrt{5} \neq 1$$

Use the *power* of L^AT_EX!

SECTION II

GAUSSIAN FREE FIELD: DECOMPOSITION

SECTION III

ZERO MODE

SECTION IV

REWEIGHTING FACTOR

SECTION V

THEOREM AND CONSEQUENCES