# Content Management Blog

# Supervised by:

Shams Al Ajrawi

# **Team members:**

Zhicong Zhou Jingyang Jiang Yida <u>Li</u>

#### Introduction

Technology used: Intellij, VSC, NetBeans, Mysql, ClearDB, Spring Framework, Github repo, Heroku

User requirements: - Clients wants to display their blog posts to everyone who comes to their site.


- Clients wants to create and insert tags related to their blogs
- Clients wants to editors to manage their blogs.
- Clients wants to write posts in an editor like Word.
- Clients wants exclusive rights to approve edited blogs.

Specifications: Full-Stack REST Application

### Table of Content

- SDLC
- Spring Framework MVC
- Security Layer
- UML/Flowchart
- Database
- Testing
- Deployment
- What we've learned and Problems encountered
- Potential improvements

# SDLC



### MVC

#### Spring Boot MVC Project Structure Repository Controller Service or DAO MySQL Layer Layer Browser Database Layer Model and View View (Thymeleaf Template)

# Spring framework

Talk about DI ,thymeleaf, etc

### MVC

- ✓ src
  - Y 🖿 main
    - ✓ iava
      - Com.wiley.contentmanagement
        - > 🖿 config
        - > controller
        - > 🖿 dao
        - > model
        - > **service** 
          - ContentmanagementApplication
    - resources
      - > **templates** 
        - application.properties


- → Controller
  - ArticleController
  - contentController
  - loginController
  - tagController
- ∨ 🖿 dao
  - ArticleDao
  - ArticleDaoDB
  - ArticleTagDao
  - ArticleTagDaoDB
  - ☐ TaqDao
  - TagDaoDB
    - UserDao
  - UserDaoDB
- ∨ I model
  - Article
  - ArticleTag
  - Tag
  - User
- ✓ Image: Year York
  ✓ Year Year York
  ✓ Year York
  ✓ Year York
  ✓ Year Year York
  ✓ Year Year York
  ✓ Year Year Year Yar
  ✓ Year Year Year Year Year
  ✓ Year Year Year Year
  ✓ Year
  ✓
  - ArticleService
  - ArticleServiceImpl
  - Articleser vicening
  - ArticleTagService
  - ArticleTagServiceImpl
  - TagService
  - TagServiceImpl
  - UserService
  - UserServiceImpl
  - ContentmanagementApplication

# Security


- → config
  - ✓ error
    - myErrorPage
  - → interceptor
    - Admininterceptor
    - AdminWebConfig
    - BandAInterceptor
    - BossInterceptor

Different users


# Class Diagram



### Flowchart




# User Diagram



#### Local Database


```
nakamoto@satoshi:~$ sudo mysql -p
[sudo] password for nakamoto:
Enter password:
Welcome to the MySQL monitor. Commands end with; or \g.
Your MySQL connection id is 92
Server version: 8.0.29 MySQL Community Server - GPL
Copyright (c) 2000, 2022, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or i
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current i
mysql> use contentmanagementsystem;
Reading table information for completion of table and column na
You can turn off this feature to get a quicker startup with -A
Database changed
mysql> show tables:
+-----+
 Tables in contentmanagementsystem |
+-----
 article
 articletag
  tag
4 rows in set (0.00 sec)
mysql>
```




### Cloud Database

```
Running printenv on contentblog240... up, run.8117 (Free)
JAVA HOME=/app/.jdk
JDBC_DATABASE_URL=jdbc:mysql://us-cdbr-east-06.cleardb.net/heroku_b4cb764f7ec7aa3?password=
JAVA_OPTS=-Xmx300m -Xss512k -XX:CICompilerCount=2 -Dfile.encoding=UTF-8
PORT=22277
LINES=45
HOME=/app
SPRING DATASOURCE USERNAME=
COLUMNS=169
SPRING DATASOURCE URL=jdbc:mysql://us-cdbr-east-06.cleardb.net/heroku b4cb764f7ec7aa3?password=
CLEARDB DATABASE URL=mysql://b543c41c690d1e:29a982ee@us-cdbr-east-06.cleardb.net/heroku b4cb764f7ec7aa3?reconnect=true
TERM=xterm-256color
JDBC DATABASE PASSWORD=
JDBC DATABASE USERNAME=
SHLVL=0
LD_LIBRARY_PATH=/app/.jdk/jre/lib/amd64/server:
PS1=\[\033[01;34m\]\w\[\033[00m\] \[\033[01;32m\]$ \[\033[00m\]
SPRING DATASOURCE PASSWORD=29a982ee
PATH=/app/.heroku/bin:/app/.jdk/bin:/usr/local/bin:/usr/bin:/bin
DYN0=run.8117
_=/usr/bin/printenv
nakamoto@satoshi:~$ mysql -u
                                                    -h us-cdbr-east-06.cleardb.net
mysql: [Warning] Using a password on the command line interface can be insecure.
Welcome to the MySQL monitor. Commands end with ; or \q.
Your MvSOL connection id is 141173965
Server version: 5.6.50-log MySQL Community Server (GPL)
Copyright (c) 2000, 2022, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> use heroku b4cb764f7ec7aa3;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
Database changed
mvsal> show tables:
+-----
| Tables in heroku b4cb764f7ec7aa3
+-----
| article
 articletag
 tag
4 rows in set (0.03 sec)
mysql>
```


# Deployment




#### **User View**



# Editor View



#### Website



### What we've learned

- Teamwork

- Communication

- Equity

- Sharing Responsibilities

### Problems Encountered

- Time constraint

- Trouble Uploading pictures

- Limited Resources

- Limited Knowledge

### Potential enhancements

- A comment section for the users to leave feedbacks

- A list of emojis for the users to stamp onto each article

- A premium membership fee of 5\$ for access to admin role

# Thank you

Any Questions or Feedbacks?