

Project file data		Coordinate System	
Name:	C:\Users\bengu\Downloads\ff.vce	Name:	Turkey/ITRF
Size:	74 KB	Zone:	30_3ITRF
Modified:	5.04.2026 20:46:19 (UTC:3)	Datum:	ITRF
Time zone:	Türkiye Standart Saati	Global reference datum:	WGS 1984
Reference number:		Global reference epoch:	
Description:		Geoid:	Turkish Geoid Model 2020
Comment 1:		Vertical datum:	
Comment 2:		Calibrated site:	
Comment 3:			

Baseline Processing Report

Processing Summary

Observation	From	To	Solution Type	H. Prec. (Meter)	V. Prec. (Meter)	Geodetic Az.	Ellipsoid Dist. (Meter)	ΔHeight (Meter)
PALA --- ISTA00TUR (B4)	PALA	ISTA00TUR	Fixed	0.0012	0.0041	66°52'16.5"	5127.9790	-23.3110
ISTA00TUR --- 1701 (B3)	ISTA00TUR	1701	Fixed	0.0035	0.0046	79°59'39.8"	722.9393	2.1960
ISTA00TUR --- 1703 (B1)	ISTA00TUR	1703	Fixed	0.0050	0.0057	109°37'21. 9"	933.6969	-18.3696
ISTA00TUR --- 1702 (B2)	ISTA00TUR	1702	Fixed	0.0021	0.0033	107°04'17. 1"	1129.0184	-35.2925
PALA --- 1701 (B7)	PALA	1701	Fixed	0.0091	0.0120	68°28'44.1"	5834.4376	-21.1132
PALA --- 1703 (B5)	PALA	1703	Fixed	0.0123	0.0150	73°05'18.5"	5848.3971	-41.6841
PALA --- 1702 (B6)	PALA	1702	Fixed	0.0049	0.0074	73°48'05.9"	6034.8770	-58.6105

Acceptance Summary

Processed	Passed	Flag	Fail
7	7	0	0

PALA - ISTA00TUR (08:59:42-17:29:41) (S4)

Baseline observation:	PALA --- ISTA00TUR (B4)
Processed:	5.04.2026 20:42:02
Solution type:	Fixed
Frequency used:	Dual Frequency
Horizontal precision:	0.0012 m
Vertical precision:	0.0041 m
RMS:	0.0082 m
Maximum PDOP:	6.137
Ephemeris used:	Precise
Antenna model:	NGS Absolute
Processing start time:	13.03.2026 08:59:42 (Local: UTC+3hr)
Processing stop time:	13.03.2026 17:29:12 (Local: UTC+3hr)
Processing duration:	08:29:30
Processing interval:	4 Minutes
Processing mode:	Uncombined Mode

Vector Components (Mark to Mark)

From:	PALA				
Grid		Local		Global	
Easting	412881.986 m	Latitude	N41°05'10.76464"	Latitude	N41°05'10.76464"
Northing	4550677.974 m	Longitude	E28°57'47.52407"	Longitude	E28°57'47.52407"
Elevation	133.663 m	Height	170.548 m	Height	170.548 m

To:	ISTA00TUR				
Grid		Local		Global	
Easting	417621.846 m	Latitude	N41°06'16.01004"	Latitude	N41°06'16.01004"
Northing	4552636.173 m	Longitude	E29°01'09.62510"	Longitude	E29°01'09.62510"
Elevation	110.431 m	Height	147.237 m	Height	147.237 m

Vector					
ΔEasting	4739.8602 m	NS Fwd Azimuth	66°52'16.5"	ΔX	-3458.6349 m
ΔNorthing	1958.1988 m	Ellipsoid Dist.	5127.9790 m	ΔY	3475.8031 m
ΔElevation	-23.232 m	ΔHeight	-23.3110 m	ΔZ	1501.5516 m

Standard Errors

Vector errors:					
$\sigma \Delta$ Easting	0.0007 m	σ NS fwd Azimuth	0°00'00.0"	$\sigma \Delta$ X	0.0029 m
$\sigma \Delta$ Northing	0.0009 m	σ Ellipsoid Dist.	0.0007 m	$\sigma \Delta$ Y	0.0016 m
$\sigma \Delta$ Elevation	0.0041 m	$\sigma \Delta$ Height	0.0041 m	$\sigma \Delta$ Z	0.0027 m

Aposteriori Covariance Matrix (Meter²)


	X	Y	Z
X	0.0000081844		
Y	0.0000041948	0.0000027030	
Z	0.0000071230	0.0000038379	0.0000074933









Occupations


	From	To
Point ID:	PALA	ISTA00TUR
Data file:	C:\Users\bengu\Downloads\lff \PALA0720.26o	C:\Users\bengu\Downloads\lff \ISTA0720.26o
Receiver type:	Unknown	GR25
Receiver serial number:	R8F770PWFLS	1831540
Antenna type:	CR.G3	AR25.R4 w/LEIT Dome
Antenna serial number:	000	726339
Antenna height (measured):	0.0000 m	0.0610 m
Antenna method:	Bottom of antenna mount	Bottom of antenna mount

Tracking Summary



SV	13.03.2026 08:59:42	Duration: 08:29:59 Major interval: 01:00:00	13.03.2026 17:29:41
G 2	L1 L2		
G 5	L1 L2		
G 6	L1 L2		
G 8	L1 L2		
G 10	L1 L2		
G 11	L1 L2		
G 12	L1 L2		
G 13	L1 L2		
G 14	L1 L2		
G 15	L1 L2		
G 16	L1 L2		
G 17	L1 L2		
G 18	L1 L2		
G 19	L1 L2		
G 20	L1 L2		
G 21	L1 L2		
G 22	L1 L2		
G 23	L1 L2		
G 24	L1 L2		
G 25	L1 L2		







SV	13.03.2026 08:59:42	Duration: 08:29:59 Major interval: 01:00:00	13.03.2026 17:29:41
R 16	L1 L2		
R 17	L1 L2		
R 18	L1 L2		
R 19	L1 L2		
R 20	L1 L2		
R 21	L1 L2		
R 22	L1 L2		
R 23	L1		
R 24	L1 L2		
E 2	E1 E5		
E 3	E1 E5		
E 8	E1 E5		
E 11	E1 E5		
E 13	E1 E5		
E 15	E1 E5		
E 21	E1 E5		
E 25	E1 E5		
E 27	E1 E5		
E 30	E1 E5		
E 32	E1 E5		







Residuals



































Processing style

Elevation mask:	10°00'00.0"
Auto start processing:	Yes
Start automatic ID numbering:	AUTO0001
Continuous vectors:	No
Antenna model:	Automatic
Ephemeris type:	Automatic
Frequency:	All Frequencies
Processing Interval:	Automatic
Force float:	No
GIS processing type:	Automatic Carrier and Code Processing

Acceptance Criteria

Vector Component	Flag 	Fail 
Horizontal Precision >	0.0500 m + 1.000 ppm	0.1000 m + 1.000 ppm
Vertical Precision >	0.1000 m + 1.000 ppm	0.2000 m + 1.000 ppm

ISTA00TUR - 1701 (11:29:00-11:53:59) (S3)

Baseline observation:	ISTA00TUR --- 1701 (B3)
Processed:	5.04.2026 20:42:05
Solution type:	Fixed
Frequency used:	Multiple Frequencies
Horizontal precision:	0.0035 m
Vertical precision:	0.0046 m
RMS:	0.0106 m
Maximum PDOP:	6.328
Ephemeris used:	Precise
Antenna model:	NGS Absolute
Processing start time:	13.03.2026 11:29:02 (Local: UTC+3hr)
Processing stop time:	13.03.2026 11:53:52 (Local: UTC+3hr)
Processing duration:	00:24:50
Processing interval:	10 seconds
Processing mode:	Uncombined Mode

Vector Components (Mark to Mark)

From:	ISTA00TUR				
Grid		Local		Global	
Easting	417621.846 m	Latitude	N41°06'16.01004"	Latitude	N41°06'16.01004"
Northing	4552636.173 m	Longitude	E29°01'09.62510"	Longitude	E29°01'09.62510"
Elevation	110.431 m	Height	147.237 m	Height	147.237 m

To:	1701				
Grid		Local		Global	
Easting	418335.218 m	Latitude	N41°06'20.08060"	Latitude	N41°06'20.08060"
Northing	4552753.770 m	Longitude	E29°01'40.13670"	Longitude	E29°01'40.13670"
Elevation	112.639 m	Height	149.433 m	Height	149.433 m

Vector					
ΔEasting	713.3714 m	NS Fwd Azimuth	79°59'39.8"	ΔX	-416.1682 m
ΔNorthing	117.5971 m	Ellipsoid Dist.	722.9393 m	ΔY	583.3060 m
ΔElevation	2.208 m	ΔHeight	2.1960 m	ΔZ	96.0653 m

Standard Errors


Vector errors:					
$\sigma \Delta$ Easting	0.0015 m	σ NS fwd Azimuth	0°00'00.7"	$\sigma \Delta$ X	0.0037 m
$\sigma \Delta$ Northing	0.0024 m	σ Ellipsoid Dist.	0.0015 m	$\sigma \Delta$ Y	0.0029 m
$\sigma \Delta$ Elevation	0.0046 m	$\sigma \Delta$ Height	0.0046 m	$\sigma \Delta$ Z	0.0028 m

Aposteriori Covariance Matrix (Meter²)


	X	Y	Z
X	0.0000135792		
Y	0.0000083289	0.0000081942	
Z	0.0000060263	0.0000038325	0.0000076577



Occupations



	From	To
Point ID:	ISTA00TUR	1701
Data file:	C:\Users\bengu\Downloads\lff\ISTA0720.26o	C:\Users\bengu\Downloads\lff\17010720.26o
Receiver type:	GR25	i80
Receiver serial number:	1831540	1018528
Antenna type:	AR25.R4 w/LEIT Dome	i80
Antenna serial number:	726339	1018528
Antenna height (measured):	0.0610 m	1.7200 m
Antenna method:	Bottom of antenna mount	Bottom of antenna mount



Residuals









Processing style

Elevation mask:	10°00'00.0"
Auto start processing:	Yes
Start automatic ID numbering:	AUTO0001
Continuous vectors:	No
Antenna model:	Automatic
Ephemeris type:	Automatic
Frequency:	All Frequencies
Processing Interval:	Automatic
Force float:	No
GIS processing type:	Automatic Carrier and Code Processing

Acceptance Criteria

Vector Component	Flag 	Fail 
Horizontal Precision >	0.0500 m + 1.000 ppm	0.1000 m + 1.000 ppm
Vertical Precision >	0.1000 m + 1.000 ppm	0.2000 m + 1.000 ppm

ISTA00TUR - 1703 (13:11:00-13:40:59) (S1)

Baseline observation:	ISTA00TUR --- 1703 (B1)
Processed:	5.04.2026 20:42:05
Solution type:	Fixed
Frequency used:	Multiple Frequencies
Horizontal precision:	0.0050 m
Vertical precision:	0.0057 m
RMS:	0.0122 m
Maximum PDOP:	6.823
Ephemeris used:	Precise
Antenna model:	NGS Absolute
Processing start time:	13.03.2026 13:11:02 (Local: UTC+3hr)
Processing stop time:	13.03.2026 13:40:52 (Local: UTC+3hr)
Processing duration:	00:29:50
Processing interval:	10 seconds
Processing mode:	Uncombined Mode

Vector Components (Mark to Mark)

From:		ISTA00TUR			
Grid		Local		Global	
Easting	417621.846 m	Latitude	N41°06'16.01004"	Latitude	N41°06'16.01004"
Northing	4552636.173 m	Longitude	E29°01'09.62510"	Longitude	E29°01'09.62510"
Elevation	110.431 m	Height	147.237 m	Height	147.237 m

To:		1703			
Grid		Local		Global	
Easting	418497.806 m	Latitude	N41°06'05.84395"	Latitude	N41°06'05.84395"
Northing	4552312.710 m	Longitude	E29°01'47.31413"	Longitude	E29°01'47.31413"
Elevation	92.074 m	Height	128.867 m	Height	128.867 m

Vector					
Δ Easting	875.9600 m	NS Fwd Azimuth	109°37'21.9"	Δ X	-258.5255 m
Δ Northing	-323.4627 m	Ellipsoid Dist.	933.6969 m	Δ Y	862.3389 m
Δ Elevation	-18.358 m	Δ Height	-18.3696 m	Δ Z	-248.3975 m

Standard Errors

Vector errors:					
σ Δ Easting	0.0033 m	σ NS fwd Azimuth	0°00'00.5"	σ Δ X	0.0035 m
σ Δ Northing	0.0027 m	σ Ellipsoid Dist.	0.0035 m	σ Δ Y	0.0048 m
σ Δ Elevation	0.0057 m	σ Δ Height	0.0057 m	σ Δ Z	0.0039 m


Aposteriori Covariance Matrix (Meter²)

	X	Y	Z
X	0.0000125486		
Y	0.0000115957	0.0000229569	
Z	0.0000081907	0.0000104995	0.0000154703


Occupations



	From	To
Point ID:	ISTA00TUR	1703
Data file:	C:\Users\bengu\Downloads\lff \ISTA0720.26o	C:\Users\bengu\Downloads\lff \17030720.26o
Receiver type:	GR25	i80
Receiver serial number:	1831540	1018528
Antenna type:	AR25.R4 w/LEIT Dome	i80
Antenna serial number:	726339	1018528
Antenna height (measured):	0.0610 m	1.4580 m
Antenna method:	Bottom of antenna mount	Bottom of antenna mount



Tracking Summary



Residuals







Processing style

Elevation mask:	10°00'00.0"
Auto start processing:	Yes
Start automatic ID numbering:	AUTO0001
Continuous vectors:	No
Antenna model:	Automatic
Ephemeris type:	Automatic
Frequency:	All Frequencies
Processing Interval:	Automatic
Force float:	No
GIS processing type:	Automatic Carrier and Code Processing

Acceptance Criteria

Vector Component	Flag 	Fail 
Horizontal Precision >	0.0500 m + 1.000 ppm	0.1000 m + 1.000 ppm
Vertical Precision >	0.1000 m + 1.000 ppm	0.2000 m + 1.000 ppm

ISTA00TUR - 1702 (14:00:00-14:29:59) (S2)

Baseline observation:	ISTA00TUR --- 1702 (B2)
Processed:	5.04.2026 20:42:06
Solution type:	Fixed
Frequency used:	Multiple Frequencies
Horizontal precision:	0.0021 m
Vertical precision:	0.0033 m
RMS:	0.0088 m
Maximum PDOP:	2.484
Ephemeris used:	Precise
Antenna model:	NGS Absolute
Processing start time:	13.03.2026 14:00:02 (Local: UTC+3hr)
Processing stop time:	13.03.2026 14:29:52 (Local: UTC+3hr)
Processing duration:	00:29:50
Processing interval:	10 seconds
Processing mode:	Uncombined Mode

Vector Components (Mark to Mark)

From:	ISTA00TUR				
Grid		Local		Global	
Easting	417621.846 m	Latitude	N41°06'16.01004"	Latitude	N41°06'16.01004"
Northing	4552636.173 m	Longitude	E29°01'09.62510"	Longitude	E29°01'09.62510"
Elevation	110.431 m	Height	147.237 m	Height	147.237 m

To:	1702				
Grid		Local		Global	
Easting	418697.411 m	Latitude	N41°06'05.26351"	Latitude	N41°06'05.26351"
Northing	4552292.583 m	Longitude	E29°01'55.87635"	Longitude	E29°01'55.87635"
Elevation	75.154 m	Height	111.945 m	Height	111.945 m

Vector					
ΔEasting	1075.5641 m	NS Fwd Azimuth	107°04'17.1"	ΔX	-356.3439 m
ΔNorthing	-343.5906 m	Ellipsoid Dist.	1129.0184 m	ΔY	1036.5623 m
ΔElevation	-35.277 m	ΔHeight	-35.2925 m	ΔZ	-273.0157 m

Standard Errors

Vector errors:					
$\sigma \Delta$ Easting	0.0011 m	σ NS fwd Azimuth	0°00'00.3"	$\sigma \Delta$ X	0.0023 m
$\sigma \Delta$ Northing	0.0015 m	σ Ellipsoid Dist.	0.0012 m	$\sigma \Delta$ Y	0.0015 m
$\sigma \Delta$ Elevation	0.0033 m	$\sigma \Delta$ Height	0.0033 m	$\sigma \Delta$ Z	0.0026 m


Aposteriori Covariance Matrix (Meter²)

	X	Y	Z
X	0.0000052972		
Y	0.0000020774	0.0000022432	
Z	0.0000040283	0.0000017735	0.0000066627

Occupations


	From	To
Point ID:	ISTA00TUR	1702
Data file:	C:\Users\bengu\Downloads\lff\ISTA0720.26o	C:\Users\bengu\Downloads\lff\17020720.26o
Receiver type:	GR25	i80
Receiver serial number:	1831540	1018528
Antenna type:	AR25.R4 w/LEIT Dome	i80
Antenna serial number:	726339	1018528
Antenna height (measured):	0.0610 m	1.6920 m
Antenna method:	Bottom of antenna mount	Bottom of antenna mount



Tracking Summary







SV	13.03.2026 14:00:00		Duration: 00:29:59 Major interval: 00:01:00		13.03.2026 14:29:59		
E 30	E1						
	E5						
C 02	B1						
	B2						
C 05	B1						
	B2						
C 20	B1						
C 26	B1						
C 29	B1						
C 30	B1						


Residuals











Processing style

Elevation mask:	10°00'00.0"
Auto start processing:	Yes
Start automatic ID numbering:	AUTO0001
Continuous vectors:	No
Antenna model:	Automatic
Ephemeris type:	Automatic
Frequency:	All Frequencies
Processing Interval:	Automatic
Force float:	No
GIS processing type:	Automatic Carrier and Code Processing

Acceptance Criteria

Vector Component	Flag 	Fail 
Horizontal Precision >	0.0500 m + 1.000 ppm	0.1000 m + 1.000 ppm
Vertical Precision >	0.1000 m + 1.000 ppm	0.2000 m + 1.000 ppm

PALA - 1701 (11:29:00-11:53:59) (S7)

Baseline observation:	PALA --- 1701 (B7)
Processed:	5.04.2026 20:42:07
Solution type:	Fixed
Frequency used:	Dual Frequency
Horizontal precision:	0.0091 m
Vertical precision:	0.0120 m
RMS:	0.0150 m
Maximum PDOP:	6.328
Ephemeris used:	Precise
Antenna model:	NGS Absolute
Processing start time:	13.03.2026 11:29:02 (Local: UTC+3hr)
Processing stop time:	13.03.2026 11:53:52 (Local: UTC+3hr)
Processing duration:	00:24:50
Processing interval:	10 seconds
Processing mode:	Uncombined Mode

Vector Components (Mark to Mark)

From:		PALA			
Grid		Local		Global	
Easting	412881.986 m	Latitude	N41°05'10.76464"	Latitude	N41°05'10.76464"
Northing	4550677.974 m	Longitude	E28°57'47.52407"	Longitude	E28°57'47.52407"
Elevation	133.663 m	Height	170.548 m	Height	170.548 m

To:		1701			
Grid		Local		Global	
Easting	418335.216 m	Latitude	N41°06'20.08053"	Latitude	N41°06'20.08053"
Northing	4552753.768 m	Longitude	E29°01'40.13661"	Longitude	E29°01'40.13661"
Elevation	112.641 m	Height	149.435 m	Height	149.435 m

Vector					
Δ Easting	5453.2294 m	NS Fwd Azimuth	68°28'44.1"	Δ X	-3874.7995 m
Δ Northing	2075.7936 m	Ellipsoid Dist.	5834.4376 m	Δ Y	4059.1086 m
Δ Elevation	-21.022 m	Δ Height	-21.1132 m	Δ Z	1597.6165 m

Standard Errors

Vector errors:					
σ Δ Easting	0.0037 m	σ NS fwd Azimuth	0°00'00.2"	σ Δ X	0.0097 m
σ Δ Northing	0.0063 m	σ Ellipsoid Dist.	0.0035 m	σ Δ Y	0.0072 m
σ Δ Elevation	0.0120 m	σ Δ Height	0.0120 m	σ Δ Z	0.0072 m

Aposteriori Covariance Matrix (Meter²)

	X	Y	Z
X	0.0000936615		
Y	0.0000571578	0.0000524039	
Z	0.0000405775	0.0000244522	0.0000513895

Occupations


	From	To
Point ID:	PALA	1701
Data file:	C:\Users\bengu\Downloads\lff \PALA0720.26o	C:\Users\bengu\Downloads\lff \17010720.26o
Receiver type:	Unknown	i80
Receiver serial number:	R8F770PWFLS	1018528
Antenna type:	CR.G3	i80
Antenna serial number:	000	1018528
Antenna height (measured):	0.0000 m	1.7200 m
Antenna method:	Bottom of antenna mount	Bottom of antenna mount



Tracking Summary



SV	13.03.2026 11:29:00	Duration: 00:24:59	Major interval: 00:01:00	13.03.2026 11:53:59
G 6	L1 L2			
G 11	L1 L2			
G 12	L1 L2			
G 24	L1 L2			
G 25	L1 L2			
G 28	L1 L2			
G 29	L1 L2			
G 32	L1 L2			
R 10	L1			
R 11	L1 L2			
R 12	L1 L2			
R 20	L1 L2			
R 21	L1 L2			
R 22	L1 L2			
E 2	E1 E5			
E 7	E1 E5			
E 8	E1 E5			
E 11	E1 E5			
E 25	E1 E5			
E 30	E1 E5			


SV	13.03.2026 11:29:00		Duration: 00:24:59 Major interval: 00:01:00		13.03.2026 11:53:59	
C 05	B1					
	B2					
C 27	B1					
C 29	B1					
C 30	B1					

Residuals









Processing style

Elevation mask:	10°00'00.0"
Auto start processing:	Yes
Start automatic ID numbering:	AUTO0001
Continuous vectors:	No
Antenna model:	Automatic
Ephemeris type:	Automatic
Frequency:	All Frequencies
Processing Interval:	Automatic
Force float:	No
GIS processing type:	Automatic Carrier and Code Processing

Acceptance Criteria

Vector Component	Flag 	Fail 
Horizontal Precision >	0.0500 m + 1.000 ppm	0.1000 m + 1.000 ppm
Vertical Precision >	0.1000 m + 1.000 ppm	0.2000 m + 1.000 ppm

PALA - 1703 (13:11:00-13:40:59) (S5)

Baseline observation:	PALA --- 1703 (B5)
Processed:	5.04.2026 20:42:07
Solution type:	Fixed
Frequency used:	Dual Frequency
Horizontal precision:	0.0123 m
Vertical precision:	0.0150 m
RMS:	0.0148 m
Maximum PDOP:	6.823
Ephemeris used:	Precise
Antenna model:	NGS Absolute
Processing start time:	13.03.2026 13:11:02 (Local: UTC+3hr)
Processing stop time:	13.03.2026 13:40:52 (Local: UTC+3hr)
Processing duration:	00:29:50
Processing interval:	10 seconds
Processing mode:	Uncombined Mode

Vector Components (Mark to Mark)

From:		PALA			
Grid		Local		Global	
Easting	412881.986 m	Latitude	N41°05'10.76464"	Latitude	N41°05'10.76464"
Northing	4550677.974 m	Longitude	E28°57'47.52407"	Longitude	E28°57'47.52407"
Elevation	133.663 m	Height	170.548 m	Height	170.548 m

To:		1703			
Grid		Local		Global	
Easting	418497.801 m	Latitude	N41°06'05.84394"	Latitude	N41°06'05.84394"
Northing	4552312.710 m	Longitude	E29°01'47.31388"	Longitude	E29°01'47.31388"
Elevation	92.070 m	Height	128.864 m	Height	128.864 m

Vector					
Δ Easting	5615.8145 m	NS Fwd Azimuth	73°05'18.5"	Δ X	-3717.1597 m
Δ Northing	1634.7358 m	Ellipsoid Dist.	5848.3971 m	Δ Y	4338.1358 m
Δ Elevation	-41.593 m	Δ Height	-41.6841 m	Δ Z	1253.1516 m

Standard Errors

Vector errors:					
σ Δ Easting	0.0082 m	σ NS fwd Azimuth	0°00'00.3"	σ Δ X	0.0097 m
σ Δ Northing	0.0067 m	σ Ellipsoid Dist.	0.0075 m	σ Δ Y	0.0123 m
σ Δ Elevation	0.0150 m	σ Δ Height	0.0150 m	σ Δ Z	0.0096 m

Aposteriori Covariance Matrix (Meter²)

	X	Y	Z
X	0.0000948212		
Y	0.0000838954	0.0001507405	
Z	0.0000565865	0.0000737238	0.0000913276


Occupations



	From	To
Point ID:	PALA	1703
Data file:	C:\Users\bengu\Downloads\lff \PALA0720.26o	C:\Users\bengu\Downloads\lff \17030720.26o
Receiver type:	Unknown	i80
Receiver serial number:	R8F770PWFLS	1018528
Antenna type:	CR.G3	i80
Antenna serial number:	000	1018528
Antenna height (measured):	0.0000 m	1.4580 m
Antenna method:	Bottom of antenna mount	Bottom of antenna mount



Tracking Summary

SV		13.03.2026 13:11:00	Duration: 00:29:59 Major interval: 00:01:00	13.03.2026 13:40:59
G 5	L1			
	L2			
G 11	L1			
	L2			
G 12	L1			
	L2			
G 18	L1			
	L2			
G 21	L1			
	L2			
G 25	L1			
	L2			
G 29	L1			
	L2			
R 11	L1			
	L2			
R 12	L1			
	L2			
R 21	L1			
	L2			
R 22	L1			
	L2			
E 2	E1			
	E5			
E 15	E1			
	E5			
E 30	E1			
	E5			
C 02	B1			
	B2			
C 05	B1			
	B2			
C 29	B1			
	B2			
C 30	B1			
	B2			

Residuals







Processing style

Elevation mask:	10°00'00.0"
Auto start processing:	Yes
Start automatic ID numbering:	AUTO0001
Continuous vectors:	No
Antenna model:	Automatic
Ephemeris type:	Automatic
Frequency:	All Frequencies
Processing Interval:	Automatic
Force float:	No
GIS processing type:	Automatic Carrier and Code Processing

Acceptance Criteria

Vector Component	Flag 	Fail 
Horizontal Precision >	0.0500 m + 1.000 ppm	0.1000 m + 1.000 ppm
Vertical Precision >	0.1000 m + 1.000 ppm	0.2000 m + 1.000 ppm

PALA - 1702 (14:00:00-14:29:59) (S6)

Baseline observation:	PALA --- 1702 (B6)
Processed:	5.04.2026 20:42:08
Solution type:	Fixed
Frequency used:	Dual Frequency
Horizontal precision:	0.0049 m
Vertical precision:	0.0074 m
RMS:	0.0106 m
Maximum PDOP:	2.485
Ephemeris used:	Precise
Antenna model:	NGS Absolute
Processing start time:	13.03.2026 14:00:02 (Local: UTC+3hr)
Processing stop time:	13.03.2026 14:29:52 (Local: UTC+3hr)
Processing duration:	00:29:50
Processing interval:	10 seconds
Processing mode:	Uncombined Mode

Vector Components (Mark to Mark)

From:	PALA				
Grid		Local		Global	
Easting	412881.986 m	Latitude	N41°05'10.76464"	Latitude	N41°05'10.76464"
Northing	4550677.974 m	Longitude	E28°57'47.52407"	Longitude	E28°57'47.52407"
Elevation	133.663 m	Height	170.548 m	Height	170.548 m

To:	1702				
Grid		Local		Global	
Easting	418697.410 m	Latitude	N41°06'05.26332"	Latitude	N41°06'05.26331"
Northing	4552292.576 m	Longitude	E29°01'55.87634"	Longitude	E29°01'55.87634"
Elevation	75.147 m	Height	111.938 m	Height	111.938 m

Vector					
ΔEasting	5815.4241 m	NS Fwd Azimuth	73°48'05.9"	ΔX	-3814.9799 m
ΔNorthing	1614.6021 m	Ellipsoid Dist.	6034.8770 m	ΔY	4512.3646 m
ΔElevation	-58.516 m	ΔHeight	-58.6105 m	ΔZ	1228.5268 m

Standard Errors

Vector errors:					
$\sigma \Delta$ Easting	0.0025 m	σ NS fwd Azimuth	0°00'00.1"	$\sigma \Delta$ X	0.0053 m
$\sigma \Delta$ Northing	0.0034 m	σ Ellipsoid Dist.	0.0025 m	$\sigma \Delta$ Y	0.0035 m
$\sigma \Delta$ Elevation	0.0074 m	$\sigma \Delta$ Height	0.0074 m	$\sigma \Delta$ Z	0.0058 m

Aposteriori Covariance Matrix (Meter²)

	X	Y	Z
X	0.0000280600		
Y	0.0000109004	0.0000119072	
Z	0.0000205131	0.0000084779	0.0000333926

Occupations


	From	To
Point ID:	PALA	1702
Data file:	C:\Users\bengu\Downloads\lff \PALA0720.26o	C:\Users\bengu\Downloads\lff \17020720.26o
Receiver type:	Unknown	i80
Receiver serial number:	R8F770PWFLS	1018528
Antenna type:	CR.G3	i80
Antenna serial number:	000	1018528
Antenna height (measured):	0.0000 m	1.6920 m
Antenna method:	Bottom of antenna mount	Bottom of antenna mount



Tracking Summary







SV	13.03.2026 14:00:00										Duration: 00:29:59 Major interval: 00:01:00										13.03.2026 14:29:59																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									


Residuals











Processing style

Elevation mask:	10°00'00.0"
Auto start processing:	Yes
Start automatic ID numbering:	AUTO0001
Continuous vectors:	No
Antenna model:	Automatic
Ephemeris type:	Automatic
Frequency:	All Frequencies
Processing Interval:	Automatic
Force float:	No
GIS processing type:	Automatic Carrier and Code Processing

Acceptance Criteria

Vector Component	Flag 	Fail 
Horizontal Precision >	0.0500 m + 1.000 ppm	0.1000 m + 1.000 ppm
Vertical Precision >	0.1000 m + 1.000 ppm	0.2000 m + 1.000 ppm

5.04.2026 21:14:02	C:\Users\bengu\Downloads\ff.vce	Trimble Business Center
--------------------	---------------------------------	-------------------------